

E-mail (Soft Copy)

WCL-MD/ECCR/H2-FY'25/2025-26/19

Date: 25/04/2025

To,

**The Deputy Director General of Forests (C),
Integrated Regional Office (IRO),
Ministry of Environment, Forest and Climate Change,
Room No. 407, Aranya Bhawan, Near CH-3 Circle, Sector-10A, Gandhinagar-382010.
E-mail: iro.gandhingar-mefcc@gov.in**

Sub.: Half Yearly Compliance to Environmental Clearance of Welspun Corp Ltd. (Metallics Division)

Ref: Environmental Clearance F.No. J-11011/136/2015-IA-II (I) dated 22/03/2021.

Respected Sir/Ma'am,

With reference to above subject, please find herewith the point wise **Six-Monthly Compliance Report (October'2024 to March'2025)** of environment clearance in respect of **Welspun Corp Ltd.- Metallics Division** Located at Anjar, District-Kutch, Gujarat.

As per the Para 10 of EIA Notification, 2006 and subsequent amendment vide MoEF&CC notification S.O 5845 (E) dated 26.11.2018; we are submitting herewith the compliance report of EC letter to your good office through e-mail (soft copy).

This is for your kind information and record, please.

Thanking you,

Yours faithfully,

For Welspun Corp Ltd. – Metallics Division



**Dr. Rameshkumar K.T.
(Vice President & Group Environment Head)**

Encl: As above

Cc to:

- (1) The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector 10-A, Gandhinagar-382010. Email: ms-gpcb@gujarat.gov.in**
- (2) The Regional Director (West Zone), Central Pollution Control Board, Parivesh Bhawan, Atmajyoti Ashram Rd, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara, Gujarat-390023.
E-mail: westzonepcb@yahoo.com**

Welspun Corp Limited (Metallics Division)

Welspun House, 5th Floor, Kamala City, Senapati Bapat Marg, Lower Parel (W), Mumbai 400013. India

T: +91 22 6613 6000 / 2490 8000 | F: +91 22 2490 8020

E-mail: company secretary_wcl@welspun.com | Website: www.welspuncorp.com

Registered Address: Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat-370110. India

T: +91 28 3666 2222 | F: +91 28 3627 9060

Corporate Identity Number: L27100GJ 1995PLC025609

Environment Clearance Compliance Status Report of Welspun Corp Ltd. (Metallics Division)

(Period: October'2024 - March'2025)



Unit: Welspun Corp Ltd. (Metallics Division)

Welspun City, Village: Versamedi,
Taluka: Anjar, District: Kutch, Gujarat-370110.

Half Yearly Environment Clearance Compliance Report for M/s. Welspun Metallica Ltd. (WML) located at Village: Versamedi, Tehsil: Anjar, District: Kutch, Gujarat.
(EC File No. J-11011/136/2015-IA-II(I) dated 22nd March 2021)

| S.No. | Environment Clearance - Condition | Compliance Status |
|-------|---|-------------------------|
| 1. | M/s Welspun metallica Limited (WML) has made an online application vide proposal no. IA/GJ/IND/190966/2021 dated 06/01/2021 along with copy of EIA/EMP report and Form-2 seeking Environment Clearance (EC) under the provisions of the para 7(ii) of EIA Notification,2006 for the project mentioned above. In addition to this, project proponent also submitted another proposal bearing number IA/GJ/IND/190956/2021 dated 06/01/2021 for part transfer of the 0.5 MTPA DI Pipe unit envisaged under the para 7(ii) EC in the name of M/s Welspun DI Pipes Limited. | Noted & being complied. |
| 2. | It may be noted that EC under para 7(ii) for the project cited above was accorded by MoEF&CC on 26/02/2021. The product slate envisaged under the EC dated 26/02/2021 is furnished as below: | Noted. |

| Sr. No. | Name of facility | Exiting Units | | Proposed units | | Total Units (Existing +Proposed) | |
|---------|--|--|-----------------|--|--------------------|--|-----------------|
| | | configuration | Production MTPA | configuration | Production on MTPA | configuration | Production MTPA |
| 1. | Coke Oven & By products Recovery Plant (COBP) | 2 x 58 No. Ovens | 1.37 | -- | -- | 2 x 58 No. Ovens | 1.37 |
| 2. | Sinter plant | 1x496 m ² | 5.28 | -- | -- | 1x496 m ² | 5.28 |
| 3. | Blast Furnace with matching pig casting facility (Along with Pig casting Machine of Capacity) | 1x 4300 m ³ | 3.34 | -- | -- | 1x 4300 m ³ | 3.34 |
| 4. | Steel Melt Shop | BOF-2 x 165 T LF- 2 x 165 T VD- 1x 165 T | 3.1 | (Un proposed) BOF-1x 165 T LF- 1 x 165 T | (-)1.55 | BOF- 1x 165 T LF- 1 x 165 T VD- 1x 165 T | 1.55 |
| 5. | Continuous slab casting | 1x1 Strand | 1.6 | -- | -- | 1x1 Strand | 1.6 MTPA Slab |
| 6. | Continuous Billet casting | 1x 6 Stand | 1.4 | (Un proposed) (1 x 6 stand) | (-)1.4 | - | 0.0 |
| 7. | Rolling Mill Plate & Coil Mill | 1 unit | 1.37 | 1 unit | (-)1.37 | - | 0.0 |
| 8. | Captive Power Plant | Gas based | 200 MW | -- | -- | Gas based | 200 MW |
| 9. | Lime/dolo Plant | 2 x 600 TPD | 0.34 | (Un proposed) 1 x 600 TPD | (-) 0.17 | 1 x 600 TPD | 0.17 |

| | | | | | | | | |
|------|---|--|--------|-----|--|---------------|--------|----------|
| | 10. | Cement grinding Plant | 1 unit | 1.5 | 1 unit | 1.5 | 1 unit | 1.5 |
| | 11. | DI Pipe Plant (Including induction Furnaces, Convertor, centrifugal Casting Machine, Annealing Furnace, Finishing Line.) | - | - | 2 unit | 0.5 (2x 0.25) | 2 unit | 0.5 |
| | 12. | Foundry Shop for Metal Fitting and other casting using Heating and Melting Furnace (Induction Furnace) and Sand Molding Facility | - | - | 1 Unit | 0.1 MTPA | 1 Unit | 0.1 MTPA |
| 3. | The proposal for part transfer of 0.5 MTPA DI Pipe unit in the name of M/s. Welspun DI Pipes Limited was considered during 28 th meeting of the Re-Constituted Expert Appraisal Committee (Industry-I) held on 18 th -19 th January, 2021 wherein the Committee formed sub-committee. The sub-committee has submitted their report after examination of the following: | | | | | | | |
| I. | "NOC" from M/s. Welspun Metallica Limited. | | | | Noted. | | | |
| II. | "Undertaking "from M/s. Welspun DI Pipe Limited (WDIPL) | | | | Noted. | | | |
| III. | Revised Plant layout with area and green belt detailed by WML and WDIPL. | | | | Noted & being complied. | | | |
| IV. | EC Condition compliance Responsibility Matrix between WML & WDIPL. | | | | Noted. We are already submitting condition wise compliance report separately with respect to M/s Welspun Metallica Limited & M/s Welspun DI Pipes Limited as per the responsibility matrix mentioned in existing EC copies. | | | |

| Sr No. | Items | Total Capacity as per EC recommended under para 7 (ii) | Facilities/ Utilities after amendment in EC and subsequent partial transfer of DI Pipe Plant from EC of Parent Company (WML) to New Company (WDI) | Compliance status |
|----------|--|---|---|--|
| | | | Parent Company (WML) | |
| A | Title of the Project | Installation of 3.0 MTPA Integrated Steel Plant including 1.5 MTPA Cement Plant and 200MW CPP by M/s Welspun Metallica Ltd., located at Village Versamedi, Tehsil Anjar, District Kutch, Gujarat. | Installation of 3.0 MTPA Integrated Steel Plant including 1.5 MTPA Cement Plant and 200MW CPP by M/s Welspun Metallica Ltd., located at Village Versamedi, Tehsil Anjar, District Kutch, Gujarat. | Noted. |
| B | Location | Village Versamedi, Tehsil Anjar, District Kutch, Gujarat Latitude- 23° 6'23"N to 23° 7'53"N Longitude-70° 4'3"E to 70° 5'56"E | Village Versamedi, Tehsil Anjar, District Kutch, Gujarat. Latitude- 23° 6'23"N to 23° 7'53"N Longitude-70° 4'3"E to 70° 5'56"E | Noted. |
| C | Units/Facilities | | | |
| 1. | Coke Ovens & By-products Recovery Plant (COBP) | 2 X 58 No. Ovens -1.37 MTPA Gross Coke | 2 X 58 No. Ovens -1.37 MTPA Gross Coke | Welspun Metallica Ltd (WML) has installed the coke oven plant of Capacity 0.25 MTPA. |
| 2. | Sinter Plant | 1 x 496 sq m -5.28 MTPA | 1 x 496 sq m -5.28 MTPA | Welspun Metallica Ltd (WML) has installed the Sinter Plant. |
| 3. | Blast Furnace | 1 x 4300 m3- 3.34 MTPA Hot Metal | 1 x 4300 m3- 3.34 MTPA Hot Metal | Welspun Metallica Ltd (WML) has installed the Blast Furnace of capacity 0.5 MTPA. |
| 4. | Steel Melt Shop | BOF - 2 x 165 T LF - 2 x 165 T VD- 1 x 165 T 1.55 MTPA | BOF - 1 x 165 T LF -1 x 165 T VD - 1 x 165 T 1.55 MTPA | Noted. |

| | | | | |
|----------|---|--|--|---|
| 5. | Continuous Casting | Slab caster –1 x 1 Strand 1.6 MTPA | Slab caster – 1 x 1 Strand 1.6 MTPA | Noted. |
| 6. | DI Pipe Plant (Including Induction Furnaces, Convertor, Centrifugal Casting Machine, Annealing Furnace, Finishing Line.) | 2 X 0.25 MTPA-0.5 MTPA | - | DI Pipe Plant (Including Induction Furnaces, Convertor, Centrifugal Casting Machine, Annealing Furnace, and Finishing Line.) has already been commissioned & started Production under name of Welspun DI Pipes Limited (WDIPL). |
| 7. | Foundry Shop for Metal Fitting and other casting using Heating and Melting Furnace (Induction Furnace) and Sand Moulding Facility | 0.1 MTPA | 0.1 MTPA | Noted. |
| 8. | Lime/dolo Calcining Plant 1 x 600 TPD | 2 x 600 TPD 0.17 MTPA | 1 x 600 TPD 0.17 MTPA | Noted. |
| 9. | Power Plant | 2 X 100 MW (Gas based) 165 MW BF-TRT, CDQ & Sinter Cooler 35 MW | 2 X 100 MW (Gas based) 165 MW BF-TRT, CDQ & Sinter Cooler 35 MW | Noted. |
| 10. | Cement Grinding unit | 1.5 MTPA | 1.5 MTPA | Noted. |
| D | Process Description | <ul style="list-style-type: none"> • Production of coke in Coke Ovens. • Production of Sinter in Sinter plant. | <ul style="list-style-type: none"> • Production of coke in Coke Ovens • Production of Sinter in Sinter plant. • Production of Steel through BF-BOF route, with Blast Furnace having hot | Noted. |

| | | | | |
|----------|-------------------------|---|---|--------|
| | | <ul style="list-style-type: none"> • Production of Steel through BF-BOF route, with Blast Furnace having hot metal production capacity of 3.34 MTPA followed by 1.6 MTPA slab casting. • Power generation through waste heat recovery. • Cement Grinding unit based on BF Slag • Production of DI Pipes using Blast furnace Hot metal from WML followed by desulphurization (if required) and scrap charging • Superheating of molten metal in induction furnace, • Magnesium treatment in convertor; • Centrifugally casting of pipes using molten metal in CCMs; • Heat treatment in annealing furnace to give ductility to the casted pipes. • Cement lining, zinc and bitumen coatings & stampings | <p>metal production capacity of 3.34 MTPA followed by 1.6 MTPA slab casting</p> <ul style="list-style-type: none"> • Power generation through waste heat recovery. • Cement Grinding unit based on BF Slag. | |
| E | Land Requirement | 231.58 ha (77.2 ha -33.3% Greenbelt) | 207.08 ha (68.33 ha -33.3% Greenbelt) | Noted. |
| F | Raw Material | <ul style="list-style-type: none"> • Iron Ore (Fines) – 4.08 MTPA | <ul style="list-style-type: none"> • Iron Ore (Fines) – 4.08 MTPA • Iron ore (Lump) – 1.88 MTPA • Coking Coal – 2.01 MTPA | Noted. |

| | | | | |
|----------|--------------------------|--|--|---|
| | | <ul style="list-style-type: none"> • Iron ore (Lump) – 1.91 MTPA • Coking Coal – 2.01 MTPA • Non-Coking Coal – 0.09 MTPA • PCI Coal – 0.64 MTPA • Limestone – 1.22 MTPA • Dolomite – 0.51 MTPA • Steel scrap-0.08 MTPA • Zinc wire-2600 TPA • Fe-si-16800 TPS • Mg-6600 TPA • Calcined Lime-600 TPA | <ul style="list-style-type: none"> • Non-Coking Coal – 0.09 MTPA • PCI Coal – 0.64 MTPA • Limestone – 0.92 MTPA • Dolomite – 0.41 MTPA • Calcined lime-600 TPAS | |
| G | Water Requirement | 47232 m ³ /day (1755 m ³ /hr) | 37224 m ³ /day | <p>Noted.</p> <p>Water consumption is within limit as mentioned in existing EC.</p> <p>Water consumption is 2513.5 m³/day for the WML unit during the period of F.Y (2024-2025) and it's within limit.</p> |
| H | Power Requirement | 211 MW | 195 MW | Noted. |
| I | Fuel Requirement | <ul style="list-style-type: none"> • Coke Oven gas (COG) – 48127 Nm³/hr • BF Gas (BFG) – 587155 Nm³/hr • BOF Gas (BOFG) – 28310 Nm³/hr • Propane – 20 TPD • Fuel Oil – 600 TPD | <ul style="list-style-type: none"> • Coke Oven gas (COG) – 48127 Nm³/hr • BF Gas (BFG) – 587155 Nm³/hr • BOF Gas (BOFG) – 14155 Nm³/hr • Propane – 20 TPD | Noted. |

| | | | | |
|----------|--------------------------------------|--|--|--|
| J | Pollutants | PM –273.1Kg/hr SO2 –551.8 Kg/hr NOx –869.3 Kg/hr | PM – 258.9 Kg/hr SO2 – 547 Kg/hr NOx – 862 Kg/hr | Noted. |
| K | Pollution Mitigation Measures | | | |
| 1 | Air Pollution Control | <ul style="list-style-type: none"> • Dry fogging and bag filter based DE system in material handling. • Charging and pushing Emission control in coke ovens. • Electrostatic Precipitator (ESP) based process gas cleaning in Sinter plant and CPP. • ESP based DE systems in BF Cast house, stock house and SMS. • Bag filter based DE system • low NOx oxy-fuel burners in Annealing furnaces. | <ul style="list-style-type: none"> • Dry fogging and bag filter based DE system in material handling. • Charging and pushing Emission control in coke ovens. • low NOx stage combustion burners. • Electrostatic Precipitator (ESP) based process gas cleaning in Sinter plant and CPP. • ESP based DE systems in BF Cast house, stock house and SMS. | <p>WML has installed the Dry Fogging system in material handling.</p> <p>Electrostatic Precipitator (ESP) based process gas cleaning and Bag Filter based DE system has already been installed.</p> <p>However, we are conducting Environmental Monitoring for the all-process stack on monthly basis through third party agency (Accredited by NABL & GPCB approved) and same report are also submitted to Statutory Authorities along with Compliance Reports.</p> <p>Please refer Annexure-1 as a Stack Emission Monitoring report by third party (NABL & MoEF&CC) accredited & GPCB approved agency.</p> |




Geo-tagged photographs of Installed APCD's and regular Environmental Monitoring at WML Unit

| | | | | |
|---|--------------------------------|---|---|---|
| 2 | Noise Pollution Control | <ul style="list-style-type: none"> • Plugging leakages in high-pressure gas/air pipelines. • Reducing vibration of high-speed rotating machines by regular monitoring of vibration and taking necessary steps. • Design of absorber system for the shift office and pulpit operator's cabin. • Noise absorber systems in pump houses. • Noise level at 1m from equipment will be limited to 85 dB (A). • The fans and ductwork will be designed for minimum vibration. • All the equipment in different units will be designed/operated in such a way that the noise level shall not exceed 85 dB (A). • Periodical monitoring of work zone noise and outside plant premises. • Un-manned high noise zone will be marked as "High Noise Zone". | <ul style="list-style-type: none"> • Plugging leakages in high-pressure gas/air pipelines. • Reducing vibration of high-speed rotating machines by regular monitoring of vibration and taking necessary steps. • Design of absorber system for the shift office and pulpit operator's cabin. • Noise absorber systems in pump houses. • Noise level at 1m from equipment will be limited to 85 dB (A). • The fans and ductwork will be designed for minimum vibration. • All the equipment in different units will be designed/operated in such a way that the noise level shall not exceed 85 dB (A). • Periodical monitoring of work zone noise and outside plant premises. • Un-manned high noise zone will be marked as "High Noise Zone". • In shops where measures are not feasible, attempts shall be made to provide operators with sound-proof enclosure to operate the system. • Workers exposed to noise level will be provided with protection devices like earmuffs and will be advised to use them regularly, while at work. • Workers exposed to noisy work place shall be provided with rotational duties. • All workers will be regularly checked medically for any noise | <p>Complied.</p> <p>All process equipment are regularly maintenance and also protective guard installed with under covered shed process, which is resulted to reduced noise level during operations.</p> <p>In case of any high noise area then board displayed at specific area and also provided PPEs to all concerned persons.</p> <p>However, we are monitoring Noise level in plant premises regularly through third party NABL accredited agency and same reports are submitted along with Compliance report to Statutory Authorities.</p> <p>Please refer Annexure-2 as Noise Level Monitoring Report by third party (NABL & MoEF&CC) accredited & GPCB approved agency.</p> |
|---|--------------------------------|---|---|---|

| | | | | |
|----------|--|--|---|--|
| | | <ul style="list-style-type: none"> • In shops where measures are not feasible, attempts shall be made to • provide operators with sound-proof enclosure to operate the system. • Workers exposed to noise level will be provided with protection devices like earmuffs and will be advised to use them regularly, while at work. • Workers exposed to noisy work place shall be provided with rotational duties. • All workers will be regularly checked medically for any noise related health problem and if detected, they will be provided with alternative duty. | <p>related health problem and if detected, they will be</p> <ul style="list-style-type: none"> • provided with alternative duty. | |
| 3 | Effluents Generation and Management | <ul style="list-style-type: none"> • Zero Liquid Discharge outside plant boundary. • Effluent generated from coke ovens would be separately treated in Biological Oxidation and Depenalization (BOD) treatment unit for removal of phenolic compounds and cyanide. • Cooling tower blow downs and treated effluent from | <ul style="list-style-type: none"> • Zero Liquid Discharge outside plant boundary. • Effluent generated from coke ovens would be separately treated in Biological Oxidation and Dephenolization (BOD) treatment unit for removal of phenolic compounds and cyanide. • Cooling tower blow downs and treated effluent from BOD plant of coke ovens would be taken to | <p>WML is a Zero Liquid Discharge plant.</p> <p>There is no generation of effluent (waste water from the process) and domestic waste water sent to our sister Unit M/s WLL for further treatment and recycling purpose and same water reusing. We have MOU between M/s WML and M/s WLL regarding water management.</p> |

| | | | | |
|----------|-----------------------------------|--|---|--|
| | | <p>BOD plant of coke ovens would be taken to the CETP for further treatment and reuse as make-up water.</p> <ul style="list-style-type: none"> Treatment of plant sanitary waste water including canteen effluent in a sewage treatment plant for separation of floating oil and reduction of BOD level. ETP shall be provided for DI plant exclusively with the provision of safe handling of hazardous waste generated in DI plant. | <p>the CETP for further treatment and reuse as make-up water.</p> <ul style="list-style-type: none"> Treatment of plant sanitary waste water including canteen effluent in a sewage treatment plant for separation of floating oil and Reduction of BOD level. | <p>Hazardous waste generated are being collected and disposed through authorized recycler by Gujarat Pollution Control Board.</p> <p>However, we are also submitting all HZW details in Hazardous Waste Annual Returns (Form-IV) to statutory authorities on regular interval and also submitting data on monthly basis through E-Patruk at GPCB XGN portal.</p> <p>We have submitted Hazardous Waste Annual Return (Form-IV) for the period of F.Y 24-25 to concerned Statutory Authorities with our vide letter No. WCL-MD/ (ID-59424)/ENV/2025-26/09 dated 10/04/2025.</p> |
| 4 | Solid and Hazardous Wastes | <p>All non-hazardous solid wastes shall be utilized in-house in Sinter Plant/BOF. BF/BOF Slag shall be utilized in house or sold to cement manufacturers or used for road construction.</p> <p>Coal tar sludge and BOD sludge would be recycled for coke making by mixing with the coal charge.</p> <p>All other hazardous wastes shall be disposed in secured landfill/ handed over to authorized dealers for disposal as per statutory norms.</p> <p>100% use/recycle of solid waste generated in DI plant shall be ensured.</p> | <p>All non-hazardous solid wastes shall be utilized in-house in Sinter Plant/BOF.</p> <p>BF/BOF Slag shall be utilized in house or sold to cement manufacturers or used for road construction. Coal tar sludge and BOD sludge would be recycled for coke making by mixing with the coal charge.</p> <p>All other hazardous wastes shall be disposed in secured landfill/ handed over to authorized dealers for disposal as per statutory norms.</p> | <p>Non-hazardous solid wastes are being utilized in-house in Sinter Plant.</p> <p>BF Slag are being sold to authorized cement manufacturers industries and same record also maintained.</p> <p>All generated hazardous wastes are being handed over to GPCB authorized recycler/agency through manifest system at GPCB XGN Portal via GPS based VLTS installed vehicle only.</p> <p>Same HZW data are also submitted in Annual Return (Form-IV) to statutory authority within timeline and also submitted copy also uploaded on GPCB XGN portal as per the statutory requirements.</p> |

| S.N. | Environment Clearance Condition (M/s Welspun Metalics Limited) | Compliance Status |
|------|---|--|
| A. | Specific conditions as per the EC recommendation under para 7(ii) | |
| i. | CEMS shall be provided on all process stacks and the signal shall be received in plant control room for central control of APCDs installed in the plant | <p>We have already installed CEMS on all process stacks. The signal is being received in the plant control room for central control of APCDs installed in the plant. The OCEMS data are also connected with Gujarat Pollution Control Board (GPCB) & Central Pollution Control board (CPCB) server and also uploading continuously.</p> <p>All online CEMS analyzer are calibrated on regular interval and also checking healthiness by authorized vendor as per the Online CEMS revised guidelines August'2023 & their subsequent amendments.</p> |





Screenshots of Online CEMS data transfer to GPCB & CPCB server




Online CEMS systems installed and real time data uploading to CPCB & GPCB Servers

| | | |
|---|--|---|
| 2 | Ventilation system for odour control in bitumen coating area shall be included. | Not applicable, as Bitumen coating is not occurring at our WML site. |
| 3 | Zn dust monitoring in AAQ in DI plant shall. He carried out. | Not applicable, DI plant is not part of this project. |
| 4 | ETP shall be provided for DI plant exclusively with the provision of safe handling of hazardous waste generated in DI Plant. | Not applicable, DI plant is not part of this project. |
| 5 | PM level from the stacks shall be less than 30 mg/Nm3. | <p>We are maintaining PM level less than 30 mg/Nm3 from the all-process stack and same online data are also uploading at CPCB RTDMS & GPCB servers continuously.</p> <p>However, we have conducted stack monitoring on regular intervals by third party (NABL & GPCB accredited) to ensure all parameters within standards limits.</p> <div data-bbox="934 639 1428 1317" data-label="Image"> <p>Varshamedi, Gujarat, India 43CP+35, Varshamedi, Gujarat 370110, India Lat N 23° 7' 8.3784" Long E 70° 5' 9.4812" GMT +05:30 35 m</p> </div> <div data-bbox="1438 647 1969 1317" data-label="Image"> <p>Kachchh, Gujarat, India Unnamed Road, Gujarat 370110, India Lat N 23° 6' 35.7228" Long E 70° 5' 7.7532" GMT +05:30 32 m</p> </div> <p><u>Geo-tagged photographs of third-party stack monitoring</u></p> <p>Please refer Annexure-1 as a third-party stack monitoring report.</p> |

| | | |
|---|---|---|
| 6 | 100 % use / recycle of solid waste generated in DI plant shall be ensured. | Not applicable, DI plant is not part of this project. |
| 7 | Tree density in green belt shall be 2500 trees per ha. Plant shall have 33 % green belt as committed by PP. | <p>WML is in the continual process to develop green belt inside plant premises and surrounding plant area also.</p> <p>However, total greenbelt is covered with an area of 9,35,160.70 sqm. out of the total plot area of 35,39,871 sqm, that is approximately 26.41% greenbelt at Welspun city-Anjar.</p> <p>In addition to this, we have done plantation under CSR activities surrounding the plant boundary premises greenbelt area developed with 9,09,992 sqm out of the total area of 9,43,256 sqm. Which is a 96.47 % greenbelt covered.</p> |





Glimpses of Greenbelt developed at M/s Welspun Metalics Limited & Surrounding areas

| | | |
|----|--|--|
| 8 | Both plants shall have their independent green belts. | Point noted and being complied. |
| 9 | Validity of split ECs shall be from Feb 2017. | Point noted. |
| 10 | More efficient bags such as PTFE bags shall be used in the filter bag house and designed for 150% of normal design air flow. | <p>More efficient bags such as PTFE bags are being used in the filter bag house and designed for 150% of normal design air flow to reduce dust emissions.</p> <p>However, we are regularly maintenance of all Air Pollution Control Devices (APCD's) to efficient working with better performance.</p> |



Photographs of the Maintenance of ESP fields & Bags replacement in Air Pollution Control Devices (APCD)

| | | |
|--|---|--|
| 11 | PP shall use ultralow NOx burner with three stage combustion, flue gas recirculation and auto combustion control system. | Point noted. |
| B. General conditions as per the EC recommended under para 7 (ii) | | |
| I. | Statutory compliances | |
| | The Environment Clearance (EC) granted to the project/activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislation, etc., as may be applicable to the project. | Noted & complied. We will comply with all environmental standards relate to our project and follow all Act/Rules and relevant legislation by statutory authorities from time to time. |
| II. | Air quality monitoring and preservation | |
| i | The project proponent shall install 24*7 continuous emission monitoring system at process stacks to monitor stack emission as well as Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be | Welspun Metallics Ltd. has installed 24*7 Continuous Emission Monitoring System at all the process stacks to monitor stack emission as well as Continuous Ambient Air Quality Station (CAAQS) installed within plant premises for continuous Ambient Air Quality Monitoring (AAQM) parameters. |

connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.


In addition to this, we have maintained periodical calibrations for all online CEMS & CAAQMS devices through authorized party/equipment suppliers to maintain healthiness of all analyzers.

We are also conducting manual environmental monitoring (Stack Monitoring) & Ambient Air Quality Monitoring (09 location) by third party NABL & GPCB accredited agency.


The Online CEMS has been connected to Gujarat Pollution Control Board & Central Pollution Control board server and same real time data also transmitting at GPCB & CPCB portals.

However, we are conducting Ambient Air Quality Monitoring (AAQM) on regular intervals through NABL accredited third party agency.

Please refer Annexure-4 as an Ambient Air Quality Monitoring (AAQM) by third party (NABL & MoEF&CC) accredited & GPCB approved agency.



Geo-tagged photographs of Continuous Emission Monitoring Systems

| | | |
|--|---|---|
| 2 | The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. | We are conducting Fugitive Emission Monitoring at various location of plant premises on every quarter through third party (NABL & GPCB approved) agency and same report are also submitted to statutory authorities from time to time. Please refer Annexure-3 as a Fugitive Emission Monitoring Report by third party (NABL & MoEF&CC) accredited & GPCB approved agency. |
| 3 | The cameras shall be installed at suitable location for 24*7 recording of battery emissions on the both sides of coke oven batteries and videos shall be preserved for at least one-month recordings. | Point noted. |
| 4 | Sampling facility at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions. | Sampling facility (Porthole, Adequate Monitoring platform, staircase, power supply, etc.) provided at all process stacks as per the CPCB guidelines for manual monitoring of emissions. Also ensure to provide all safety measures for safe isokinetic stack Samling at designated stacks. |
|  <p style="text-align: center;"><u>Geo-tagged photographs of sampling facility for manual stack monitoring</u></p> | | |
| 5 | Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards. | M/s Welspun Metallics Ltd (WML) has installed ESP as well Bag Filters for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emissions standards. In addition to this, we have conducted stack emission monitoring on regular intervals through third party (accredited by NABL & GPCB) monitoring agency and all parameters found within prescribed limits. |

Please refer Annexure-1 as third-party Stack Emission Monitoring reports and Annexure-3 as Fugitive emission monitoring by third party (NABL & MoEF&CC) accredited & GPCB approved agency.



Photos of the APCD (Air Pollution Control Devices) installed

| | | |
|---|--|---|
| 6 | The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags. | Point noted and will be complied. We have provided mechanized bag cleaning facility for better maintenance & efficiency for bags. |
| 7 | Secondary emission control system shall be provided at SMS Converters. | Point noted and complied. |
| 8 | Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly. | Complied. Vacuum cleaning truck deployed for the road cleaning at plant main gate and also internal paved road at plant premises to maintain better housekeeping and reduce to dust emission during vehicle movements. |






Photos of Road cleaning through vacuum truck

- | | |
|--|--|
| <p>9 Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/agglomeration.</p> | <p>M/s Welspun Metallics Ltd (WML) is recycling & reusing iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the Sinter Plant.</p> |
|--|--|

| | | |
|----|--|---|
| 10 | The project proponent uses leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin. | <p>M/s Welspun Metalics Ltd (WML) is using leak proof trucks/dumpers carrying coal & other raw materials and cover them with tarpaulin to reduce the dust emission during vehicle movement.</p> <div>   </div> <p><u>Truck covered with tarpaulin</u></p> |
| 11 | Facilities for spillage collection shall be provided for coal and coke on wharf of coke oven batteries (Chain conveyors, land based industrial vacuum cleaning facility). | Point noted and will be complied. |
| 12 | Land-based APC system shall be installed to control coke pushing emissions. | Point noted and will be complied. |
| 13 | Monitor CO, HC and O ₂ in flue gases of the coke oven battery to detect combustion efficiency and cross leakages in the combustion chamber. | Point noted. |
| 14 | Vapor absorption system shall be provided in place of vapour compression system for cooling of coke oven gas in case of recovery type coke ovens. | Point noted. |
| 15 | In case concentrated ammonia liquor is incinerated, adopt high temperature incineration to destroy Dioxins and Furans. Suitable NO _x control facility shall be provided to meet the prescribed standards. | <p>Point noted.</p> <p>We have adequate facility and technology for the dust emission and gaseous emission control.</p> |

| | | |
|------------|---|---|
| 16 | The coke oven gas shall be subjected to desulphurization if the Sulphur content in the coal exceeds 1%. | Point noted. Sulphur content is maintained <1% in used coal used at coke oven. |
| 17 | Wind shelter fence and chemical spraying shall be provided on the raw material stock piles. | Point noted. |
| 18 | Design the ventilation system for adequate air changes, as per. prevailing norms for all. tunnels, motor houses, Oil Cellars | Point noted. |
| 19 | The project proponent shall install Dry Gas Cleaning Plant with bag filter for Blast Furnace and SMS converter. | M/s Welspun Metallica Ltd has installed dry Gas Cleaning Plant for Blast Furnace with bag filter. |
| 20 | Dry quenching (CDQ) system shall be installed along with power generation facility from waste heat recovery from hot coke. | Waste Heat Recovery Boiler has been installed & Power being generated. |
| III | Water Quality monitoring and preservation | |
| 1 | The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31st March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. | Noted. WML is a Zero Liquid Discharge Plant and also water source from the WLL (where water source is sewage water from the different municipalities -Anjar, Adipur & Gandhidham and treated in own STP installed with 40 MLD capacity and further treatment at UF + RO systems). Hence, Welspun city-Anjar is Zero Fresh Water Consumption manufacturing facilities and got National Water Award during 2022 by President of India with respect to best water management initiatives by industries. However, Domestic waste water generated from the manufacturing facilities is also treated in existing STP (40 MLD) for further utilization. |
| 2 | The project proponent shall monitor regularly ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of | We are using water source from our sister company WLL (Welspun Living Limited). Hence, there is not any ground water usage or fresh water consumption within Welspun city-Anjar. |


| | | |
|---|---|--|
| | piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories. | |
| 3 | The project proponent shall provide the ETP for coke oven and by-product to meet the standards prescribed in G.S.R 277 (E) dated 31st March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time as amended from time to time; | We have installed non recovery type coke oven plant. We have provided settling pond for the water coming from quenching tower & reusing the water from settling pond. |
| 4 | Adhere to 'Zero Liquid Discharge' | Noted and agreed to complied with ZLD norms. |
| 5 | Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards. | Domestic waste water of M/s WML is sent to M/s WIL for further treatment. We have MOU with our sister unit for fresh water supply and domestic waste water treatment as under; |


| | | |
|---|---|--|
| | | <div data-bbox="1037 94 1887 1073">  <p>MEMORANDUM OF UNDERSTANDING</p> <p>BY & BETWEEN</p> <p>WELSPUN INDIA LTD</p> <p>AND</p> <p>WELSPUN METALICS LTD</p> <p>This MEMORANDUM OF UNDERSTANDING (MoU) dated - 01/01/2021 sets forth the basic understandings between</p> <p>Welspun India Ltd, Anjar, a limited company incorporated under the Companies Act 1956, having its registered office at Land Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1 \u0026 588, Survey no. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2, 614, 615/1, 615/2, 615/3, 606/1, Welspun City, Village- Versamedi, Ta- Anjar, Dist- Kutch-Gujarat-370110 with the GPCB ID: 18108 (Hereinafter referred to as "WIL", which expression, unless repugnant to the context or meaning thereof shall be deemed to include its successors and permitted assigns)</p> <p>And</p> <p>WELSPUN Metalics LTD, a limited company incorporated under the Companies Act 1956, having its registered office at Land Survey No.650, Village- Versamedi, Ta- Anjar, Dist- Kutch-Gujarat-370110 with GPCB ID: 59424 (Hereinafter referred to as "WML", which expression, unless repugnant to the context or meaning thereof shall be deemed to include its successors and permitted assigns)</p> <p>Whereas,</p> <p>WIL is in the business of trading and manufacturing Home Textiles at its plant located at Welspun City, Village Versamedi, Anjar, District Kutch, Gujarat. WIL having an STP with capacity of 30 MLD, to treat the Municipal Sewage through Biological Oxidation Plant & UF & RO System of having the capacity to recycle & Reuse 23 MLD of treated wastewater for process applications..</p> <p>Welspun Metalics Ltd. has been requested WIL to supply 7.5 MLD of Treated Domestic Sewage of Municipality after Biological, UF & RO process for meeting the production requirements at WML Unit.</p> <div style="display: flex; justify-content: space-between;">   </div> <p>Welspun India Limited Welspun House, 6th Floor, Kamala City, Senapati Bapat Marg, Lower Panel (West), Mumbai 400 013, India. T : +91 22 6613 6000 / 2490 8000 F : +91 22 2490 8020 / 2490 8021 E-mail : companysecretary_wil@welspun.com Website : www.welspunindia.com</p> <p>Registered Address: Welspun City, Village Versamedi, Taluka Anjar, District Kutch, Gujarat 370 110, India. T : +91 2836 661 101 F : +91 2836 279 010 Works: Survey No. 76, Village Morai, Vapi, District Vahad, Gujarat 396 191, India. T : +91 260 243437 F : +91 260 2243586 Corporate Identity Number: L1710GJ1985PLC033271</p> </div> |
| 6 | Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off. | Point noted and being complied. |
| 7 | Tyre washing facilities shall be provided at the entrance of the plant gates. | Point noted and complied. However, Continuous water sprinkling at coal storage yard area and internal plant road to reduce the dust emission during vehicle movement. |

| | | |
|---|--|---|
| 8 | CO2 injection shall be provided in GCP of SMS to reduce pH in circulating water to ensure optimal recycling of treated water for converter gas cleaning. | Point noted. |
| 9 | The project proponent shall practice rainwater harvesting to maximum possible extent. | <p>We have made an artificial pond for the Rainwater Harvesting. Rainwater is being collected in the same for the utilization.</p> <p>We have created two large rain water harvesting lagoons with a capacity to store 3000 million Liters of rain water. The lagoon is spread at an area of 27 acres having depth of 18 meters. Drainage network is created in all areas to collect the rain water from the roof tops and it is diverted into the lagoon. This water used for gardening and process activities after primary treatment.</p> |






Glimpses of the Rain Water Harvesting Pond

| | | |
|-----------|--|--|
| 10 | Treated water from ETP of COBP shall not be used for coke quenching. | Point noted and complied. |
| 11 | Water meters shall be provided at the inlet to all unit processes in the steel plants. | Water meters have been installed to all unit processes areas and same data also submitted to GPCB on monthly basis through GPCB XGN E-Patruk system. |
| 12 | The project proponent shall make efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water. | Point noted and complied by Steel plant. However, our manufacturing facilities are already achieved Zero Fresh Water Consumption and also in practice for the rain water harvesting. |
| IV | Noise Monitoring and Prevention | |
| I. | Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report. | <p>Complied.</p> <p>Noise Level Monitoring conducted on regular intervals through third party (Accredited by NABL & GPCB approved) agency and same report also submitted to Regional Office, MoEF&CC (IRO-Gandhinagar) along with Six-Monthly EC Compliance report.</p>  <p><u>Copy of Six-Monthly EC compliance report submitted to MoEF&CC</u></p> |

| V. | Energy Conservation measures | |
|----|--|---|
| 1 | The project proponent shall provide TRTs to recover energy from top gases of Blast Furnaces. | <p>Complied.</p> <p>We have already installed a Top pressure Recovery Turbine (TRTs) to recover energy from top gases of Blast Furnaces.</p> <p>Approximately ~ 28 MW power generation from the installed TRTs system and its energy conservation and resulted to reduce in CO₂ emissions.</p> |
| |  <p>TRT Gas Line</p> | |
| | <p align="center"><u>Photos of Installed TRT at M/s Welspun Metalics Limited</u></p> | |
| 2 | Coke Dry Quenching (CDQ) shall be provided for coke quenching for the coke oven plant. | Point noted. |
| 3 | Waste heat shall be recovered from Sinter Plants coolers and Sinter Machines. | Waste heat is being recovers from sinter plant cooler & Machines and are being sent to coke oven plant for coke drying. |
| 4 | Use torpedo ladle for hot metal transfer as far as possible. If ladles not used, provide covers for open top ladles. | Point noted and are being complied. |
| 5 | Use hot charging of slabs and billets/blooms as far as possible. | Point noted and will be complied. |






| | | |
|---|--|---|
| 6 | Waste heat recovery systems shall be provided in all units where the flue gas or process gas exceeds 300°C. | <p>Complied.</p> <p>We have already installed waste heat recovery boiler attached to coke oven plant and same heat utilizing for the power generation by our sister unit M/s WCPGL.</p> |
| 7 | Explore feasibility to install WHRS at Waste Gases from BF stoves; Sinter Machine; Sinter Cooler, and all reheating furnaces and if feasible shall be installed. | <p>Complied.</p> <p>We have taken adequate steps to reducing carbon foot print and utilizing waste heat, waste gases from BF stoves, coolers and sent to our sister Unit (M/s Welspun DI Pipes Limited) for reducing fuel consumption.</p> |
| 8 | Restrict Gas flaring to < 1%. | Point noted and being complied. |
| 9 | Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly; | <p>Complied.</p> <p>We have initiated for the power generation from Renewable Energy Sources. We have installed wind mill & solar plant other than our project area due to adequate space concern.</p> <p>We (M/s Welspun Metallica Limited) have installed Wind Mill with capacity of 3.30 MW & Solar Plant with capacity of 3.60 MW located at Vill: Ranpur (RNP-138), Babra, Dist: Amreli and same generating Units adjustment by PGVCL (Paschim Gujarat Vij Company Limited).</p> <p>Please refer statement evidence by PGVCL as under regarding Power generation from our Wind Mill & Solar Power plant which are located at Ranpur, Babra (Dist: Amreli), Gujarat.</p> |


| | | |
|----|---|--|
| | |  |
| 10 | Provide LED lights in their offices and residential areas. | <p>The company has provided LED lights in the Plant, offices and residential areas.</p> <div data-bbox="940 959 1436 1370">  <p>GPS Map Varshamedi, Gujarat, India 438q+8m, Varshamedi, Gujarat 370110, India Lat 23.115781° Long 70.087133° 22/02/2025 03:14 PM GMT +05:30</p> </div> <div data-bbox="1451 959 1955 1370">  <p>GPS Map Camera Varshamedi, Gujarat, India 438q+8m, Varshamedi, Gujarat 370110, India Lat 23.115763° Long 70.087105° 22/02/2025 03:15 PM GMT +05:30</p> </div> |
| 11 | Ensure installation of regenerative type burners on all reheating furnaces. | Noted. |


| VI. | Waste Management | |
|-----|---|--|
| 1 | An attrition grinding unit to improve the bulk density of BF granulated slag from 1.0 to 1.5 Kg/l shall be installed to use slag as river sand in construction industry. | Point noted. |
| 2 | Tar Sludge and waste oil shall be blended with coal charged in coke ovens. | Point noted and complied. |
| 3 | Carbon recovery plant to recover the elemental carbon present in GCP slurries for use in Sinter plant shall be installed. | Point noted and being Practiced. |
| 4 | Waste recycling Plant shall be installed to recover scrap, metallic and flux for recycling to sinter plant and SMS. | Point noted. |
| 5 | Used refractories shall be recycled as far as possible. | Point noted and will be complied. |
| 6 | <p>SMS slag after metal recovery in waste recycling facility shall be conditioned and used for road making, railway track ballast and other applications. The project proponent shall install a waste recycling facility to recover metallic and flux for recycle to sinter plant.</p> <p>The project proponent shall establish linkage for 100% reuse of rejects from Waste Recycling Plant.</p> | <p>Partially Complied.</p> <p>SMS plant is not installed yet and will be complied after installation & commissioning of SMS plant.</p> |
| 7 | 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office. | Point noted and complied. |
| 8 | Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil. Oil collection trays shall be provided under coils on saddles in cold rolled coil storage area. | Noted. |

| | | |
|--------------|--|---|
| 9 | Kitchen waste shall be composted or converted to biogas for further use. | Point noted and will be complied. |
| VII. | Green Belt | |
| 1 | The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programmed for reduction of the same including carbon sequestration by trees. | Point noted and shall be complied. We are in continual process for the green belt development inside the plant premises and surrounding area of plant. |
| VIII. | Public hearing and Human health issues | |
| 1 | Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented. | Complied. |
| 2 | The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act. | We are regularly providing Personal Protection Equipment (PPE) including job specific PPEs for all employees as per norms of the Factory Act. |
| 3 | Occupational health surveillance of the workers shall be done on a regular basis and records maintained. | Complied. Occupation health check-up and Periodical medical checkup in our regular practice and same records also maintained by our medical team. |
| IX. | Corporate Environment Responsibility | |
| 1 | The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No.22-5/2017-IA.III dated 30/09/2020. | Point noted and being complied. |
| 2 | The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental ' policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest / wildlife norms/ conditions. | The company have a well laid IMS & Environmental Policy with signed by Chief Executive Officer (CEO). |

| | | |
|---|---|--|
| | <p>The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF & CC as a part of six-monthly report.</p> |  <h3>Integrated Management System Policy</h3> <p>We at Welspun Corp Limited -Metallics Division, aim to maintain our leadership position by embedding the highest standard of Quality in manufacturing and dispatch of hot metal to Welspun DI pipe Ltd, Welspun Corp Limited -steel division and pig iron to domestic and international market using process and risk based approach.</p> <p>We are committed to:</p> <ul style="list-style-type: none"> • Deliver quality of products complying with the requirements of applicable National standards/ specifications; • Continually improve the effectiveness of Integrated Management System; • Understand and consistently satisfy the needs and expectations of our customers including applicable statutory and regulatory requirements; • Have transparency to our customer and their representatives towards our IMS process and practices; • Prevent Environmental Pollution across the life cycle perspective of all our activities, products and services; • Prevent Occupational hazards, ill health and injury at our work place; • Implementation of environment friendly measure in our scope of work. • Committed to consultation and participation of workers and where they exist, workers' representatives. • Reduce- reuse and recycle (R-R-R) of waste. • Ensure that the integrity of Integrated Management System is maintained when changes to the IMS are planned & implemented. • Build awareness, provide and maintain safe, healthy and environment friendly work place for employees and other stakeholders in all operating processes. <p>In line with this policy, Welspun Corp Limited -Metallics Division establishes IMS for each processes, which are appropriate and supporting the purpose, context and strategic direction of the organization.</p> <ul style="list-style-type: none"> • Communicate and practice this policy extensively throughout our global operations within the organization. • Make the policy available to all the relevant stakeholders. • Undertake to keep this policy reviewed and updated to ensure that it remains relevant to the context of our diverse business operation. <div style="display: flex; justify-content: space-between; align-items: flex-end;"> <div> <p>Date: 22.11.2024 Rev:01</p> </div> <div style="text-align: right;">  <p>Nitin Agarwal CEO - Steel Business</p> </div> </div> <p>Welspun Corp Limited (Metallics Division) Welspun House, 5th Floor, Kamala City, Sanapati Bapat Marg, Lower Panel (W), Mumbai 400013, India T: +91 22 6623 8000 / 2490 8000 F: +91 22 2490 8000 E-mail: compliance@welspun.com Website: www.welspuncorp.com Registered Address: Welspun City, Village Versamod, Taluka Anjar, District Kutch, Gujarat 370210, India T: +91 28 3466 2222 F: +91 28 3427 9000 Corporate Identity Number: L27100GJ 1995PLC025609</p> |
| 3 | <p>A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.</p> | <p>Complied.</p> <p>A separate Environment Management Cell has been set up, with qualified personnel under the control of senior Executive, who is directly reporting the head of the plant and Managing Director.</p> <p>Organization chart for the Environment Management Cell as under.</p> |

| | | |
|-----------|--|---|
| | |  <p style="text-align: center;">Fig. Environment Management Cell</p> |
| X. | Miscellaneous | |
| 1 | <p>The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.</p> | <p>Complied.</p> <p>We have already Published the EC copy in newspaper and also displayed on company website.</p> <div style="border: 1px solid black; padding: 10px; margin-top: 10px;"> <p>Welspun Metalics Limited (WML) Village: Versamadi, Taluka: Anjar, District: Kutch, Gujarat</p> <p>This is to inform that M/s Welspun Metalics Ltd., located at Village: Versamadi, Taluka: Anjar, District: Kutch, Gujarat has been accorded Environmental Clearance vide proposal no. IA/GJ/IND/190966/2021 dated 06/01/2021 & EC granted on 22 March 2021 for establishing the proposed Integrated Steel plant at Survey No.644/1, 641, 611/2, 617/1, 617, 618, District-Kutch, Gujarat by Expert Appraisal Committee – Industry 1 (EAC)/MoEF & CC and copy of Environmental Clearance letter is available with the State Pollution Control Board/Environmental Dept., and may also be seen on the website of EAC at</p> <p style="text-align: center;">http://environmentclearance.nic.in</p> </div> |

| | | |
|---|--|--|
| 2 | The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt. | The copies of the EC have been submitted to all relevant offices of the government. |
| 3 | The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis. | <p>M/s WCL-MD (Welspun Corp Limited - Metallics Division) is uploading the status of compliance of stipulated environment clearance conditions, including results of monitored data on the company website and updating the same on half yearly basis.</p> <p>Screenshots is as under for the latest half-yearly EC Compliance uploaded along with monitoring report in-respect to Welspun Metallics Ltd.</p>  <p><u>Screenshots of EC Compliance report uploaded on company website</u></p> |
| 4 | The project proponent shall monitor the criteria pollutants level namely; PM, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company. | <p>Complied.</p> <p>We have displayed the Environmental Parameters at our main gate through LED display board on regular intervals and also submitted all Environmental parameters values along with Six-Monthly EC Compliance Report and same also displayed in disclosure to the public and uploaded on website of the company.</p> |

| | | |
|---|--|---|
| | Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company. |  <p>Screenshot of submitted Environmental Statement (Form-V) report</p> |
| 7 | The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project. | <p>Welspun Metallix Ltd. (WML) has commissioned of its state-of-the-art Blast Furnace and Sinter Plant during 2022.</p> <p>Coke oven Plant & Air separation unit has been commissioned.</p> |
| 8 | The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee. | <p>Point Noted and being complied.</p> <p>The annual budget is being earmarked to Environment Cell for environment management activities at Plant area and surrounding areas & spent thereon.</p> <p>Please refer Annexure-5 for the CSR activities along with their photographs and beneficiaries during the financial year 24-25.</p> |
| <p>➤ Unit is not spending money only for pollution control equipment it rather cares about various other issues directly or indirectly responsible affecting environment in the premises as well as around the industry. A very strong program of greenery and plantation in the plant premises and colony, rural development programs, regular environment parameters monitoring from external agencies etc. also involve lots of expenditures, which make the budget for such programs highly expensive.</p> <p>➤ We are taking care for the overall environmental management/protection measures. So far, we have-</p> | | |

- Installed and implemented all the pollution control measures such as Bag house, Bag filters, ESPs at plant
 - Installed the online Continuous emission monitoring system (CEMS)/Continuous Ambient Air Quality monitoring system (CAAQMS).
 - Connectivity of online continuous emission data to CPCB/GPCB server.
 - Provided covered sheds for Materials storage yards.
 - Developed the rain water harvesting structures in Plant premises and provided paved roads inside plant area.
 - Developing Greenbelt area and Maintaining a Zero Fresh Water Consumption (Through 40 MLD STP Unit) & Zero Liquid Discharge Facilities.
 - Installation of Energy Conservation technologies (TRT installation at our Sister Unit M/s WML).
 - Continuous Water Spraying through dedicated water tanker inside the plant premises to reduce dust emissions.
 - Road cleaning through dedicated Vacuum Cleaning Truck for maintain better housekeeping at Plant areas.
 - Bio-diversity study by GUIDE and it's management at Welspun City – Anjar.
 - Regular Environmental Monitoring by Third party agency (Accredited by MoEF&CC, NABL and GPCB).
- The annual budget is being earmarked to Environment Cell for environment management activities at Steel Vertical Units – Anjar site & spent thereon. The details of expenditure incurred for the Steel Vertical Units (M/s Anjar TMT Steel Pvt. Ltd., M/s Welspun Corp Ltd.- Steel Division, M/s Welspun DI Pipes Ltd., M/s Welspun Corp Ltd. – Metallics Division) in environmental management activities during FY2024-25 as following:

| Expenditure incurred for Environment Protection during F.Y 2024-25 (Steel Vertical Units) | | |
|--|---|-------------------------------|
| S.No. | Description | Amount spent (in Lacs) |
| 1. | Air Pollution (Control & Prevention) | 1589.61 |
| 2. | Water Pollution (Control & Prevention) and Water Management | 46.06 |
| 3. | Waste Collection and Disposal | 199.38 |
| 4. | Water Conservation Initiatives | 35.00 |
| 5. | Energy Conservation Initiatives (TRT Installation) | 1689.00 |
| 6. | Environment Monitoring, Assessment Studies & Legal Statutory Fees | 65.47 |
| 7. | Environment Awareness & Promotion | 0.94 |
| Total Expenditures (in Lacs.) | | 3625.5 |

We done our sincere efforts to visualize the general Environmental Scenario. The investment by our plant on managing the environment reveals the awareness and responsibility of our company towards nature and community.

| | | |
|---|--|---|
| 9 | No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC). | Point noted and will be complied. We will not carry out any expansion or modification in the existing plant without prior approval from MoEF&CC and other concerned statutory authorities. |
|---|--|---|

| | | |
|----|---|--|
| 10 | Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986. | Noted. |
| 11 | The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory. | Noted. |
| 12 | The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions. | Noted. |
| 13 | The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports. | Point noted and will be complied. We will extend full co-operation with the officers from Statutory Authorities during visit/data/information/monitoring reports. |
| 14 | Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010. | Noted. |



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 151/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,

614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Stack Attached to Blast Furnace (Stove Stack) | | | | | | | | | | | | Minimum | Maximum | Annual Average |
|--------|--|--------|---|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | |
| 01 | Permissible Limits of PM * | mg/Nm3 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 4.92 | 27.3 | 18.5 |
| 02 | Average Concentration of PM | mg/Nm3 | 27.3 | 26.7 | 25.3 | 24.3 | 21.5 | 22.7 | 21.5 | 22.7 | 9.2 | 10.4 | 5.35 | 4.92 | | | |
| 03 | Permissible Limits of SO ₂ * | mg/Nm3 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 12.6 | 80.9 | 30.6 |
| 04 | Average Concentration of SO ₂ | mg/Nm3 | 24.3 | 25.4 | 23.4 | 22.4 | 23.5 | 24.5 | 23.7 | 24.5 | 12.6 | 13.1 | 80.9 | 68.3 | | | |
| 05 | Permissible Limits of NO _x * | mg/Nm3 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 16.3 | 47.4 | 24.6 |
| 06 | Average Concentration of NO ₂ | mg/Nm3 | 26.8 | 27.3 | 24.3 | 21.6 | 24.8 | 25.3 | 23.1 | 21.9 | 17.5 | 18.7 | 16.3 | 47.4 | | | |

* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



Smit
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref.No.: 152/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metalics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Stack Attached to Blast Furnace (Stock Stack) | | | | | | | | | | | | Minimum | Maximum | Annual Average |
|--------|--|--------------------|---|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | |
| 01 | Permissible Limits of PM * | mg/Nm ³ | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 14.1 | 22.5 | 19.5 |
| 02 | Average Concentration of PM | mg/Nm ³ | 18.6 | 22.5 | 21.9 | 22.3 | 20.7 | 21.8 | 22.4 | 21.3 | 14.11 | 16.3 | 14.8 | 16.9 | | | |
| 03 | Permissible Limits of SO ₂ * | mg/Nm ³ | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 7.4 | 24.9 | 18.6 |
| 04 | Average Concentration of SO ₂ | mg/Nm ³ | 17.5 | 19.5 | 20.2 | 20.7 | 23.9 | 22.3 | 24.9 | 20.8 | 7.4 | 10.5 | 21.6 | 13.4 | | | |
| 05 | Permissible Limits of NO _x * | mg/Nm ³ | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 10.2 | 27.5 | 20.5 |
| 06 | Average Concentration of NO ₂ | mg/Nm ³ | 15.9 | 27.5 | 25.2 | 23.7 | 25.4 | 23.8 | 22.8 | 23.9 | 11.1 | 20.4 | 10.2 | 16.5 | | | |

* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



Smit
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 153/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallica Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,

614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Stack Attached to Blast Furnace (Cast House) | | | | | | | | | | | | Minimum | Maximum | Annual Average |
|--------|--|--------------------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | |
| 01 | Permissible Limits of PM * | mg/Nm ³ | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 6.45 | 26.7 | 18.7 |
| 02 | Average Concentration of PM | mg/Nm ³ | 25.8 | 26.7 | 24.3 | 22.7 | 21.9 | 22.1 | 21.7 | 22.9 | 15.4 | 6.75 | 6.45 | 7.36 | | | |
| 03 | Permissible Limits of SO ₂ * | mg/Nm ³ | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 8.3 | 18.2 | 14.2 |
| 04 | Average Concentration of SO ₂ | mg/Nm ³ | 13.8 | 15.3 | 16.7 | 16.7 | 15.7 | 16.8 | 17.6 | 18.2 | 13.1 | 8.9 | 9.4 | 8.3 | | | |
| 05 | Permissible Limits of NO _x * | mg/Nm ³ | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 6.5 | 24.3 | 18.2 |
| 06 | Average Concentration of NO ₂ | mg/Nm ³ | 24.3 | 23.7 | 22.3 | 22.3 | 23.9 | 21.4 | 22.4 | 21.6 | 16.2 | 6.8 | 7.2 | 6.5 | | | |

* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 154/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metalics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Stack Attached to Coke Oven Plant | | | | | | | | | | | | Minimum | Maximum | Annual Average |
|--------|--|--------|-----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | |
| 01 | Permissible Limits of PM * | mg/Nm3 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 20.7 | 26.9 | 23.4 |
| 02 | Average Concentration of PM | mg/Nm3 | 26.9 | 26.1 | 25.7 | 22.7 | 22.5 | 20.7 | 22.5 | 21.7 | 22.1 | 21.2 | 23.48 | 25.7 | | | |
| 03 | Permissible Limits of SO ₂ * | mg/Nm3 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 200.0 | 10.8 | 21.4 | 15.5 |
| 04 | Average Concentration of SO ₂ | mg/Nm3 | 14.9 | 14.2 | 15.8 | 16.8 | 17.2 | 18.1 | 17.3 | 16.5 | 11.3 | 10.8 | 21.4 | 11.9 | | | |
| 05 | Permissible Limits of NO _x * | mg/Nm3 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 150.0 | 12.2 | 34.7 | 23.4 |
| 06 | Average Concentration of NO ₂ | mg/Nm3 | 27.6 | 24.8 | 21.5 | 22.9 | 24.1 | 23.2 | 24.6 | 22.5 | 13.6 | 12.2 | 34.7 | 29.5 | | | |

* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 155/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF STACK EMISSION ANALYSIS : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Stack Attached to Sinter Plant | | | | | | | | | | | | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|--------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | |
| 01 | Permissible Limits of PM * | mg/Nm3 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 11.4 | 26.3 | 20.9 |
| 02 | Average Concentration of PM | mg/Nm3 | 26.3 | 23.8 | 24.1 | 22.7 | 23.5 | 21.7 | 22.8 | 21.6 | 17.5 | 18.4 | 17.4 | 11.4 | | | |

| S. No. | Particulars | Unit | Stack Attached to Sinter (De-dusting System) | | | | | | | | | | | | Minimum | Maximum | Annual Average |
|--------|-----------------------------|--------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | |
| 01 | Permissible Limits of PM * | mg/Nm3 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 30.0 | 5.4 | 27.3 | 18.8 |
| 02 | Average Concentration of PM | mg/Nm3 | 27.3 | 25.1 | 23.8 | 25.4 | 21.5 | 22.8 | 21.4 | 22.7 | 5.4 | 6.01 | 7.56 | 17.14 | | | |

* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



Smit
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 271/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF NOISE LEVEL MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallica Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. BF Area | | | | | | | | | | | | Minimum | Maximum | Annual Average |
|--------|--|-------|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | |
| 01 | Permissible Limits Day Time | dB(A) | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 68.5 | 73.5 | 71.6 |
| 02 | Results (Day Time) 6:00 AM - 10:00 PM | dB(A) | 72.6 | 72.1 | 73.5 | 72.1 | 73.5 | 71.5 | 70.4 | 68.5 | 69.3 | 71.4 | 72.5 | 71.7 | | | |
| 03 | Permissible Limits Night Time | dB(A) | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 51.9 | 59.3 | 54.9 |
| 04 | Results (Night Time) 10:00 PM - 6:00 AM | dB(A) | 56.7 | 59.3 | 56.9 | 52.6 | 51.9 | 52.7 | 53.5 | 54.9 | 55.6 | 55.9 | 53.7 | 54.6 | | | |

Royal Environment Auditing & Consultancy Service, Rajkot



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref No. : 272/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF NOISE LEVEL MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metalics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. Sinter Plant | | | | | | | | | | | | Minimum | Maximum | Annual Average |
|--------|--|-------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | |
| 01 | Permissible Limits Day Time | dB(A) | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 67.5 | 74.6 | 71.4 |
| 02 | Results (Day Time) 6:00 AM - 10:00 PM | dB(A) | 74.1 | 72.3 | 74.6 | 73.5 | 72.4 | 70.3 | 71.9 | 70.3 | 67.5 | 69.8 | 69.8 | 70.2 | | | |
| 03 | Permissible Limits Night Time | dB(A) | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 52.3 | 57.6 | 54.6 |
| 04 | Results (Night Time) 10:00 PM - 6:00 AM | dB(A) | 54.9 | 57.6 | 54.8 | 53.7 | 52.3 | 53.8 | 54.1 | 53.7 | 53.7 | 54.3 | 55.3 | 56.7 | | | |

Royal Environment Auditing & Consultancy Service, Rajkot



Smit
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref No. : 273/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF NOISE LEVEL MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metalics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. Coke Oven Unit | | | | | | | | | | | | Minimum | Maximum | Annual Average |
|--------|--|-------|-------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | |
| 01 | Permissible Limits Day Time | dB(A) | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 68.2 | 73.9 | 70.4 |
| 02 | Results (Day Time) 6:00 AM - 10:00 PM | dB(A) | 73.9 | 71.6 | 72.9 | 70.5 | 69.8 | 68.2 | 69.2 | 71.5 | 70.5 | 68.5 | 69.3 | 68.6 | | | |
| 03 | Permissible Limits Night Time | dB(A) | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 51.7 | 56.9 | 54.6 |
| 04 | Results (Night Time) 10:00 PM - 6:00 AM | dB(A) | 55.3 | 54.3 | 56.9 | 51.7 | 53.8 | 54.5 | 55.8 | 52.3 | 54.2 | 55.6 | 54.9 | 55.3 | | | |


Royal Environment Auditing & Consultancy Service, Rajkot




Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 274/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF NOISE LEVEL MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metalics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,

614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. Oxygen Plant | | | | | | | | | | | | Minimum | Maximum | Annual Average |
|--------|--|-------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | |
| 01 | Permissible Limits Day Time | dB(A) | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 67.6 | 72.6 | 70.2 |
| 02 | Results (Day Time) 6:00 AM - 10:00 PM | dB(A) | 71.5 | 70.8 | 68.4 | 69.3 | 71.2 | 69.5 | 71.5 | 72.6 | 67.6 | 69.5 | 70.4 | 69.7 | | | |
| 03 | Permissible Limits Night Time | dB(A) | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 51.7 | 57.8 | 54.7 |
| 04 | Results (Night Time) 10:00 PM - 6:00 AM | dB(A) | 57.8 | 57.3 | 55.7 | 52.6 | 56.7 | 55.5 | 53.2 | 51.7 | 52.6 | 53.2 | 55.7 | 54.9 | | | |

Royal Environment Auditing & Consultancy Service, Rajkot



Smit
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 275/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF NOISE LEVEL MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. Admin Office | | | | | | | | | | | | Minimum | Maximum | Annual Average |
|--------|--|-------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | |
| 01 | Permissible Limits Day Time | dB(A) | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 75.0 | 66.7 | 71.5 | 68.6 |
| 02 | Results (Day Time) 6.00 AM - 10.00 PM | dB(A) | 69.9 | 71.5 | 70.3 | 67.8 | 66.8 | 68.4 | 66.9 | 67.3 | 68.9 | 66.7 | 68.5 | 70.3 | | | |
| 03 | Permissible Limits Night Time | dB(A) | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 52.8 | 59.3 | 55.2 |
| 04 | Results (Night Time) 10.00 PM - 6.00 AM | dB(A) | 59.3 | 56.8 | 56.4 | 53.5 | 54.5 | 53.6 | 54.7 | 52.8 | 53.7 | 55.4 | 54.3 | 56.8 | | | |

Royal Environment Auditing & Consultancy Service, Rajkot



Smit
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Annexure-3

Ref.No. : 307/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF FUGITIVE EMISSION MONITORING (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| Sr. No. | Particulars | SPM Level (ug/Nm ³) | | | | |
|----------------|--------------------|---------------------------------|-------------------------|----------------------------|---------------------------|---|
| | Location | BF-Plant Cast House | BF-Plant Stock House | Sinter Plant Plant Area | Coke Oven Battery Area | Oxygen Plant O ₂ Plant Area |
| F.Y 24-25 | Permissible Limit* | 3000 | 3000 | 3000 | 3000 | 3000 |
| Q1 | April'24-June'24 | 1876 | 1763 | 1786 | 1921 | 1732 |
| Q2 | July'24-Sept'24 | 1825 | 1752 | 1739 | 1958 | 1768 |
| Q3 | Oct'24-Dec'24 | 1843 | 1659 | 1758 | 1983 | 1752 |
| Q4 | Jan'25-March'25 | 1378 | 1426 | 1497 | 1326 | 1249 |
| Minimum | | 1378 | 1426 | 1497 | 1326 | 1249 |
| Maximum | | 1876 | 1763 | 1786 | 1983 | 1768 |
| Annual Average | | 1731 | 1650 | 1695 | 1797 | 1625 |

* Permissible Limits are as per MoEF Notification 31st March 2012 & GPCB consent

Royal Environment Auditing and Consultancy Service



Reviewed By



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 111/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.
Village: Varsamedi, Welspun City, Tal.: Anjar.
Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. BF Area | | | | | | | | | | | | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--|-------------------|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | | |
| 01 | Permissible Limits of PM _{2.5} * | µg/m ³ | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 28.1 | 40.0 |
| 02 | Average Concentration of PM _{2.5} | µg/m ³ | 34.2 | 35.7 | 34.8 | 35.7 | 34.3 | 28.7 | 26.4 | 23.7 | 19.7 | 22 | 21.7 | 20.3 | 19.7 | 35.7 | | |
| 03 | Permissible Limits of PM ₁₀ * | µg/m ³ | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 49.8 | 60.0 |
| 04 | Average Concentration of PM ₁₀ | µg/m ³ | 56.3 | 57.8 | 56.9 | 58.6 | 52.4 | 53.6 | 54.2 | 53.7 | 52.3 | 35.1 | 32.7 | 33.7 | 32.7 | 58.6 | | |
| 05 | Permissible Limits of SO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 13.0 | 50.0 |
| 06 | Average Concentration of SO ₂ | µg/m ³ | 12.3 | 13.5 | 14.2 | 13.7 | 12.3 | 13.2 | 14.3 | 15.2 | 11.6 | 11.4 | 12.3 | 11.6 | 11.4 | 15.2 | | |
| 07 | Permissible Limits of NO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 22.3 | 40.0 |
| 08 | Average Concentration of NO ₂ | µg/m ³ | 22.1 | 21.5 | 22.4 | 23.4 | 24.5 | 22.4 | 21.4 | 20.3 | 21.3 | 22.4 | 23.1 | 22.9 | 20.3 | 24.5 | | |

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November 2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November 2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Smit
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 112/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village. Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. Sinter Plant | | | | | | | | | | | | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--|-------------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | | |
| 01 | Permissible Limits of PM _{2.5} * | µg/m ³ | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 27.7 | 40 |
| 02 | Average Concentration of PM _{2.5} | µg/m ³ | 32.6 | 33.6 | 33.7 | 32.6 | 33.8 | 30.5 | 28.9 | 22.9 | 20.7 | 21.2 | 22.4 | 19.1 | 19.1 | 33.8 | | |
| 03 | Permissible Limits of PM ₁₀ * | µg/m ³ | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 46.2 | 60 |
| 04 | Average Concentration of PM ₁₀ | µg/m ³ | 54.9 | 55.6 | 57.2 | 56.9 | 53.7 | 50.5 | 52.7 | 54.2 | 23.9 | 30.2 | 31.9 | 32.8 | 23.9 | 57.2 | | |
| 05 | Permissible Limits of SO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 12.9 | 50 |
| 06 | Average Concentration of SO ₂ | µg/m ³ | 11.4 | 12.6 | 12.1 | 13.4 | 12.6 | 14.5 | 15.2 | 14.2 | 12.4 | 12.1 | 11.7 | 12.4 | 11.4 | 15.2 | | |
| 07 | Permissible Limits of NO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 22.2 | 40 |
| 08 | Average Concentration of NO ₂ | µg/m ³ | 23.1 | 22.3 | 22.9 | 21.7 | 23.1 | 21.3 | 22.7 | 21.7 | 22.8 | 21.3 | 22.4 | 21.5 | 21.3 | 23.1 | | |

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Smit
Analyst



Royal

Environment Auditing & Consultancy Service

PLOT No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 113/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,

614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. Coke Oven Unit | | | | | | | | | | | | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--|-------------------|-------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | | |
| 01 | Permissible Limits of PM _{2.5} * | µg/m ³ | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 28.9 | 40 |
| 02 | Average Concentration of PM _{2.5} | µg/m ³ | 35.7 | 34.8 | 35.1 | 33.7 | 32.5 | 31.7 | 30.8 | 28.6 | 22.4 | 20.5 | 19.7 | 21.2 | 19.7 | 35.7 | | |
| 03 | Permissible Limits of PM ₁₀ * | µg/m ³ | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 49.5 | 60 |
| 04 | Average Concentration of PM ₁₀ | µg/m ³ | 57.9 | 56.7 | 58.1 | 56.2 | 54.5 | 51.8 | 52.8 | 55.7 | 53.7 | 33.5 | 32.4 | 30.3 | 30.3 | 58.1 | | |
| 05 | Permissible Limits of SO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 12.6 | 50 |
| 06 | Average Concentration of SO ₂ | µg/m ³ | 13.2 | 13.7 | 12.9 | 11.6 | 11.9 | 12.6 | 13.7 | 12.8 | 12.9 | 11.8 | 12.9 | 11.3 | 11.3 | 13.7 | | |
| 07 | Permissible Limits of NO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 23.0 | 40 |
| 08 | Average Concentration of NO ₂ | µg/m ³ | 23.1 | 22.4 | 23.5 | 24.9 | 22.9 | 22.7 | 23.9 | 21.7 | 23.4 | 22.9 | 22.7 | 21.8 | 21.7 | 24.9 | | |

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November 2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November 2009.

Royal Environment Auditing & Consultancy Service, Rajkot



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 114/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. Oxygen Plant . | | | | | | | | | | | | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--|-------------------|-------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | | |
| 01 | Permissible Limits of PM _{2.5} * | µg/m ³ | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 23.3 | 40 |
| 02 | Average Concentration of PM _{2.5} | µg/m ³ | 26.8 | 27.8 | 26.9 | 22.4 | 21.8 | 22.7 | 21.5 | 22.7 | 20.8 | 21.5 | 21.9 | 22.3 | 20.8 | 27.8 | | |
| 03 | Permissible Limits of PM ₁₀ * | µg/m ³ | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 49.2 | 60 |
| 04 | Average Concentration of PM ₁₀ | µg/m ³ | 54.6 | 55.6 | 54.1 | 55.9 | 54.6 | 55.7 | 54.3 | 55.9 | 56.7 | 30.2 | 32.7 | 30.4 | 30.2 | 56.7 | | |
| 05 | Permissible Limits of SO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 12.7 | 50 |
| 06 | Average Concentration of SO ₂ | µg/m ³ | 14.5 | 13.6 | 11.6 | 11.3 | 12.4 | 13.1 | 12.9 | 13.2 | 11.9 | 12.4 | 12.6 | 12.3 | 11.3 | 14.5 | | |
| 07 | Permissible Limits of NO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 22.1 | 40 |
| 08 | Average Concentration of NO ₂ | µg/m ³ | 22.3 | 21.5 | 22.1 | 22.1 | 21.5 | 21.9 | 22.7 | 21.5 | 22.7 | 21.7 | 23.4 | 21.5 | 21.5 | 23.4 | | |

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Smit
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref No. : 115/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. Anmin Office | | | | | | | | | | | | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--|-------------------|-----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | | |
| 01 | Permissible Limits of PM _{2.5} * | µg/m ³ | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 23.3 | 40 |
| 02 | Average Concentration of PM _{2.5} | µg/m ³ | 30.1 | 28.5 | 27.6 | 23.8 | 22.5 | 21.9 | 22.4 | 21.2 | 22.9 | 18.5 | 19.7 | 20.1 | 18.5 | 30.1 | | |
| 03 | Permissible Limits of PM ₁₀ * | µg/m ³ | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 48.4 | 60 |
| 04 | Average Concentration of PM ₁₀ | µg/m ³ | 55.3 | 54.3 | 52.7 | 50.6 | 55.7 | 53.6 | 52.1 | 53.2 | 55.9 | 34.6 | 33.5 | 29.3 | 29.3 | 55.9 | | |
| 05 | Permissible Limits of SO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 12.9 | 50 |
| 06 | Average Concentration of SO ₂ | µg/m ³ | 14.2 | 14.2 | 12.4 | 13.7 | 11.6 | 12.8 | 13.4 | 12.7 | 13.2 | 11.7 | 13.7 | 11.7 | 11.6 | 14.2 | | |
| 07 | Permissible Limits of NO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 23.1 | 40 |
| 08 | Average Concentration of NO ₂ | µg/m ³ | 31.8 | 23.5 | 21.3 | 21.3 | 22.7 | 22.3 | 21.6 | 22.8 | 23.9 | 22.4 | 21.8 | 22.3 | 21.3 | 31.8 | | |

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November 2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November 2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Smit
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 116/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626,
Village: Varsamedi, Welspun City, Tal.: Anjar,
Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. Stock House | | | | | | | | | | | | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--|-------------------|----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | | |
| 01 | Permissible Limits of PM _{2.5} * | µg/m ³ | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 23.6 | 40 |
| 02 | Average Concentration of PM _{2.5} | µg/m ³ | 28.7 | 27.6 | 25.8 | 24.3 | 23.7 | 22.6 | 22.7 | 23.5 | 19.6 | 20.6 | 21.1 | 22.9 | 19.6 | 28.7 | | |
| 03 | Permissible Limits of PM ₁₀ * | µg/m ³ | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 49.2 | 60 |
| 04 | Average Concentration of PM ₁₀ | µg/m ³ | 55.7 | 56.7 | 55.9 | 52.2 | 56.9 | 54.8 | 51.8 | 52.8 | 54.3 | 35.4 | 32.3 | 31.2 | 31.2 | 56.9 | | |
| 05 | Permissible Limits of SO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 12.7 | 50 |
| 06 | Average Concentration of SO ₂ | µg/m ³ | 13.2 | 13.8 | 12.7 | 13.8 | 11.3 | 12.6 | 13.1 | 11.8 | 12.4 | 12.5 | 12.2 | 12.4 | 11.3 | 13.8 | | |
| 07 | Permissible Limits of NO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 20.5 | 40 |
| 08 | Average Concentration of NO ₂ | µg/m ³ | 23.5 | 22.4 | 12.7 | 12.7 | 23.8 | 21.7 | 20.3 | 21.6 | 20.4 | 23.5 | 22.7 | 20.9 | 12.7 | 23.8 | | |

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November 2009

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November 2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Smit
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail: royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 117/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,

614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.

Village: Varsamedi, Welspun City, Tal.: Anjar.

Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. Coal/Coke yard | | | | | | | | | | | | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--|-------------------|-------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | | |
| 01 | Permissible Limits of PM _{2.5} * | µg/m ³ | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 23.1 | 40 |
| 02 | Average Concentration of PM _{2.5} | µg/m ³ | 26.5 | 27.5 | 26.9 | 23.5 | 22.7 | 21.8 | 22.9 | 21.5 | 23.7 | 20.5 | 20.3 | 19.6 | 19.6 | 27.5 | | |
| 03 | Permissible Limits of PM ₁₀ * | µg/m ³ | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 47.2 | 60 |
| 04 | Average Concentration of PM ₁₀ | µg/m ³ | 56.7 | 53.9 | 52.6 | 51.8 | 52.4 | 50.3 | 48.6 | 47.3 | 49.7 | 35.2 | 34.3 | 33.2 | 33.2 | 56.7 | | |
| 05 | Permissible Limits of SO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 12.5 | 50 |
| 06 | Average Concentration of SO ₂ | µg/m ³ | 13.5 | 13.5 | 14.3 | 12.9 | 11.6 | 10.7 | 11.9 | 11.9 | 12.5 | 12.1 | 11.9 | 12.7 | 10.7 | 14.3 | | |
| 07 | Permissible Limits of NO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 21.9 | 40 |
| 08 | Average Concentration of NO ₂ | µg/m ³ | 24.3 | 22.4 | 23.1 | 22.6 | 21.7 | 20.4 | 21.5 | 20.7 | 21.8 | 22.4 | 21.3 | 20.4 | 20.4 | 24.3 | | |

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November 2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November 2009.

Royal Environment Auditing & Consultancy Service, Rajkot



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 118/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metalics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626
Village: Varsamedi, Welspun City, Tal.: Anjar.
Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. Canteen (Bramhasthan). | | | | | | | | | | | | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--|-------------------|---------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | | |
| 01 | Permissible Limits of PM _{2.5} * | µg/m ³ | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 23.3 | 40 |
| 02 | Average Concentration of PM _{2.5} | µg/m ³ | 24.8 | 26.8 | 27.8 | 21.6 | 23.6 | 22.4 | 21.7 | 22.3 | 24.5 | 21.6 | 21.9 | 20.3 | 20.3 | 27.8 | | |
| 03 | Permissible Limits of PM ₁₀ * | µg/m ³ | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 47.4 | 60 |
| 04 | Average Concentration of PM ₁₀ | µg/m ³ | 55.9 | 54.6 | 53.4 | 50.7 | 51.8 | 51.4 | 50.2 | 48.2 | 51.2 | 34.9 | 33.7 | 32.8 | 32.8 | 55.9 | | |
| 05 | Permissible Limits of SO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 12.5 | 50 |
| 06 | Average Concentration of SO ₂ | µg/m ³ | 12.6 | 14.2 | 15.2 | 12.8 | 10.8 | 11.2 | 13.5 | 13.5 | 11.3 | 11.3 | 12.4 | 11.3 | 10.8 | 15.2 | | |
| 07 | Permissible Limits of NO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 22.4 | 40 |
| 08 | Average Concentration of NO ₂ | µg/m ³ | 22.3 | 23.5 | 22.7 | 21.3 | 22.5 | 21.3 | 22.6 | 21.8 | 22.6 | 23.5 | 22.7 | 21.5 | 21.3 | 23.5 | | |

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 119/03/2024-25

Date: 01/04/2025

ANNUAL RESULTS OF AMBIENT AIR QUALITY MONITORING : (F.Y 2024-25)

Name of company : Welspun Corp Limited - Metallics Division (GPCB ID-59424)

Address : Survey No. 644/1, 641, 611/2, 617/1, 617/2, 618, 629/1, 629/2,
614, 615/1, 615/2, 615/3, 606/1, 558, 606, 609, 626.
Village: Varsamedi, Welspun City, Tal.: Anjar.
Dist.: Kutch - 370 110.

| S. No. | Particulars | Unit | Location : Nr. Health Center | | | | | | | | | | | | Minimum | Maximum | Annual Average | Standard limit (Annually)** |
|--------|--|-------------------|------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|----------------|-----------------------------|
| | | Month | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 | Dec-24 | Jan-25 | Feb-25 | Mar-25 | | | | |
| 01 | Permissible Limits of PM _{2.5} * | µg/m ³ | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 60.0 | 21.5 | 40 |
| 02 | Average Concentration of PM _{2.5} | µg/m ³ | 23.7 | 24.8 | 25.7 | 20.3 | 21.5 | 20.9 | 20.6 | 20.5 | 22.3 | 19.8 | 18.5 | 19.1 | 18.5 | 25.7 | | |
| 03 | Permissible Limits of PM ₁₀ * | µg/m ³ | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 48.2 | 60 |
| 04 | Average Concentration of PM ₁₀ | µg/m ³ | 57.8 | 57.8 | 54.8 | 48.6 | 50.7 | 52.7 | 51.3 | 50.4 | 48.3 | 36.1 | 35.8 | 33.9 | 33.9 | 57.8 | | |
| 05 | Permissible Limits of SO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 12.5 | 50 |
| 06 | Average Concentration of SO ₂ | µg/m ³ | 13.4 | 13.9 | 13.7 | 12.1 | 11.3 | 11.8 | 12.7 | 11.5 | 12.9 | 11.7 | 12.9 | 11.6 | 11.3 | 13.9 | | |
| 07 | Permissible Limits of NO ₂ * | µg/m ³ | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 22.3 | 40 |
| 08 | Average Concentration of NO ₂ | µg/m ³ | 24.8 | 21.9 | 23.5 | 20.8 | 22.5 | 20.8 | 21.2 | 22.5 | 23.1 | 21.7 | 22.6 | 21.7 | 20.8 | 24.8 | | |

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November 2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November 2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Smit
Analyst



LIFE
Lifestyle For
Environment



केन्द्रीय प्रदूषण नियंत्रण बोर्ड
CENTRAL POLLUTION CONTROL BOARD
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार
MINISTRY OF ENVIRONMENT FOREST & CLIMATE CHANGE GOVT OF INDIA

फा.सं.एलबी-2021/7/99/इंस्टलैब-एचओ-सीपीसीबी-एचओ /प्राइवेट / 65
मान्यता पत्र

02 अप्रैल 2025

सेवा में,

प्रयोगशाला प्रमुख,
मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन),
प्लॉट नंबर 19/20, नॉर्थ स्टार नेस्ट स्कूल के पास,
मासूम स्कूल रोड, मोटा मावा,
राजकोट-360005, गुजरात।

विषय: पर्यावरण(संरक्षण) अधिनियम, 1986 के अंतर्गत पर्यावरणीय प्रयोगशाला के रूप में मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन), प्लॉट नंबर 19/20, नॉर्थ स्टार नेस्ट स्कूल के पास, मासूम स्कूल रोड, मोटा मावा, राजकोट-360005, गुजरात की मान्यता के बारे में।

महोदय,

केन्द्रीय प्रदूषण नियंत्रण बोर्ड(के.प्र.नि.बोर्ड) को पर्यावरण(संरक्षण) अधिनियम, 1986 के अंतर्गत पर्यावरण प्रयोगशालाओं की मान्यता के लिए दिशानिर्देशों के निबंधन और शर्तों की स्वीकृति के साथ आपके दिनांक 17/02/2025 के प्रस्तुत आवेदन के संदर्भ में, के.प्र.नि.बोर्ड के सक्षम प्राधिकारी ने पर्यावरण प्रयोगशाला और सरकार के विश्लेषक की मान्यता को अनुमोदन प्रदान किया है। तत्पश्चात, मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन), प्लॉट नंबर 19/20, नॉर्थ स्टार नेस्ट स्कूल के पास, मासूम स्कूल रोड, मोटा मावा, राजकोट-360005, गुजरात को भारत की राजपत्र अधिसूचना में प्रयोगशाला की अनिवार्य प्रत्यायन/प्रमाणन की वर्तमान अपेक्षा को ध्यान में रखते हुए दिनांक 29/03/2028(तीन साल) तक आईएसओ/ आईईसी 17025 और आईएस/आईएसओ 45001 की वैधता के साथ अधिसूचित किया जाएगा।

2. निम्नलिखित विश्लेषकों को सरकारी विश्लेषक के रूप में अनुमोदित किया गया है:

1. सुश्री श्वेता कमलेशभाई धनानी
2. श्री पार्थ महेशभाई गोधानी

3. प्रयोगशाला अनिवार्य रूप से स्वीकृत निबंधन और शर्तों का पालन करते हुए निम्नलिखित परीक्षणों करेगी:

- क. **भौतिक परीक्षण:** चालकता, रंग, पीएच, स्थिर और वाष्पशील ठोस, कुल ठोस, कुल विलीन ठोस, कुल निलंबित ठोस, आविलता, तापमान, वेग एवं निर्वहन औद्योगिक बहिःस्राव धारा का विसर्जन मापन, फ्लोक्यूलेशन टेस्ट (जार टेस्ट), गंध, लवणता, निपटान योग्य ठोस और आपंक वॉल्यूम इंडेक्स (एसवीआई)।
- ख. **अकार्बनिक (सामान्य और गैर-धात्विक):** अम्लता, क्षारीयता, अमोनिकल नाइट्रोजन, क्लोराइड, क्लोरीन अवशिष्ट, विलीन ऑक्सीजन, फ्लोराइड, कुल कठोरता, कुल केजेलडहल नाइट्रोजन (टीकेएन), नाइट्राइट नाइट्रोजन, नाइट्रेट नाइट्रोजन, फॉस्फेट, सल्फेट, कार्बन डाइऑक्साइड, क्लोरीन डिमांड, साइनाइड, आयोडीन, सिलिका, सल्फाइड और सल्फाइट।
- ग. **अकार्बनिक (सूक्ष्म मात्रिक धातु):** बोरॉन, कैडमियम, कैल्शियम, टोटल क्रोमियम, क्रोमियम हेक्सावैलेंट, तांबा, लोहा, सीसा, मैग्नीशियम, पारा, निकल, पोटेशियम, सोडियम, सोडियम अवशोषण अनुपात (एसएआर), जिंक, आर्सेनिक, एल्युमीनियम, बेरियम, कोबाल्ट, मैंगनीज, सिल्वर और स्ट्रोंटियम।
- घ. **ऑर्गेनिक्स (सामान्य) और ट्रेस ऑर्गेनिक्स:** बायोकेमिकल ऑक्सीजन डिमांड (बीओडी), रासायनिक ऑक्सीजन डिमांड (सीओडी), तेल और ग्रीस, फेनोलिक यौगिक, कीटनाशक (प्रत्येक) (ऑर्गेनो-क्लोरीन और ऑर्गेनो नाइट्रोजन-फॉस्फोरस), कार्बन/नाइट्रोजन अनुपात, ऑर्गेनिक कार्बन (ठोस में), पॉली-क्लोरीनेटेड बाइफेनाइल (पीसीबी) (प्रत्येक), पॉलीन्यूक्लियर एरोमैटिक हाइड्रोकार्बन (पीएच), सर्फैक्टेंट, टैनिन & लिग्निन और टोटल ऑर्गेनिक कार्बन (टीओसी)।
- ङ. **सूक्ष्म जीवविज्ञान परीक्षण:** टोटल कोलीफॉर्म, फीकल कोलीफॉर्म, ई.कोली, फीकल स्ट्रेप्टोकोक्की और टोटल प्लेट काउंट।
- च. **आविष विज्ञानी परीक्षण:** मछली का उपयोग करके विषाक्तता के मूल्यांकन के लिए जैव परख विधि (100% प्रवाह में 96 घंटे के बाद मछली का 90% जीवित रहना), डैफ़निया या अन्य जीव का उपयोग करके विषाक्तता का मापन और ज़ेबरा मछली (आयाम रहित विषाक्तता परीक्षण) का उपयोग करके विषाक्तता कारक का मापन।

जारी.

‘परिवेश भवन’ पर्वी अर्जुन नगर, दिल्ली-110032

Parivesh Bhawan, East Arjun Nagar, Delhi-110032

दूरभाष/Tel : 43102030, 22305792, वेबसाइट/Website : www.cpcb.nic.in

- छ. **जैविक परीक्षण:** बैक्थिक जीव की पहचान और गणना, मैक्रोफाइटिक पहचान, प्लवक पहचान गणना और क्लोरोफिल।
- ज. **परिसंकटमय अपशिष्ट का लक्षण वर्णन:** निक्षालक (टीसीएलपी अर्क/जल अर्क) तैयार करना, संक्षारकता, ज्वलनशीलता (फ्लैश प्वाइंट), विषाक्तता और अपशिष्ट & निक्षालक में भारी धातुओं/पीड़कनाशियों का मापन।
- झ. **मृदा/आपंक/तलछट और ठोस अपशिष्ट:** बोरॉन, कटियन एक्सचेंज क्षमता (सीईसी), विद्युत चालकता, नाइट्रोजन (उपलब्ध), कार्बनिक कार्बन/पदार्थ (रासायनिक विधि), पीएच, फास्फोरस (उपलब्ध), फॉस्फेट (ऑर्थो), फॉस्फेट (कुल), पोटेशियम, मृदा के अर्क में एसएआर, सोडियम, मृदा की नमी, टीकेएन, कैलोरी मान, अमोनिया, कैल्शियम, कैल्शियम कार्बोनेट, क्लोराइड, रंग, विनिमेय सोडियम प्रतिशत (ईएसपी), जिप्सम आवश्यकता, भारी धातु, मैग्नीशियम, यांत्रिक मृदा विश्लेषण, नाइट्रेट, नाइट्राइट, पोटेश (उपलब्ध), सल्फेट, कुल कार्बनिक कार्बन (टीओसी), कुल पानी में घुलनशील नमक और जल धारण क्षमता।
- ञ. **परिवेशी वायु/पलायक उत्सर्जन:** नाइट्रोजन डाइऑक्साइड (एनओ₂), सल्फर डाइऑक्साइड (एसओ₂), कुल निलंबित विविक्त कण, श्वसन योग्य निलंबित कण पदार्थ (पीएम₁₀), अमोनिया, कार्बन मोनोऑक्साइड, क्लोरीन, फ्लोराइड, सीसा, मीथेन, ओजोन, बेंजीन टोल्यूनि ज़ाइलीन (बीटीएक्स), पॉलीसाइक्लिक एरोमैटिक हाइड्रोकार्बन (पीएच) बेंजो-ए-पाइरिन और अन्य, पीएम_{2.5} और वाष्पशील कार्बनिक कार्बन।
- ट. **चिमनी गैस/स्रोत उत्सर्जन:** पार्टिकुलेट मैटर, सल्फर डाइऑक्साइड, वेग और प्रवाह, कार्बन डाइऑक्साइड, कार्बन मोनोऑक्साइड, तापमान, ऑक्सीजन, नाइट्रोजन के ऑक्साइड, एसिड धुंध, अमोनिया, क्लोरीन, फ्लोराइड (पार्टिकुलेट), फ्लोराइड (गैसीय) और हाइड्रोजन सल्फाइड।
- ठ. **रव (शोर) स्तर:** शोर स्तर माप (20 से 140 डीबीए) और परिवेश रव & स्रोत विशिष्ट रव।
- ड. **मौसम संबंधी:** परिवेश का तापमान, हवा की दिशा, हवा की गति, सापेक्ष आर्द्रता और वर्षा।
4. प्रयोगशाला और विश्लेषकों की क्षमता का पता लगाने के लिए प्रयोगशाला को के.प्र.नि.बोर्ड द्वारा आयोजित विश्लेषणात्मक गुणवत्ता नियंत्रण एक्ज्यूसी (अभ्यास में अनिवार्य रूप से भाग लेना होगा। प्रयोगशाला किए गए नमूना विश्लेषण पर के.प्र.नि.बोर्ड को तिमाही प्रगति रिपोर्ट प्रस्तुत करेगी।
5. अधिसूचना के अनुसार, एक संयुक्त दल द्वारा मान्यता प्राप्त पर्यावरण प्रयोगशाला का औचक निरीक्षण/आवधिक निगरानी उस के उचित कामकाज, व्यवस्थित प्रचालन और प्रयोगशाला में तैयार किए गए आंकड़ों की विश्वसनीयता का निर्धारण करने के लिए की जाएगी।
6. प्रयोगशाला के पास नियमानुसार ISO/IEC: 17025)2017 (और IS/ ISO: 45001 का अपेक्षित प्रत्यायन और प्रमाण पत्र होना चाहिए। यह मान्यता यथा लागू प्रत्यायन और नवीनीकरण के अधीन है और किसी भी निबंधन और शर्तों के गंभीर गैर-अनुपालन के मामले में, प्रयोगशाला को न्यूनतम दो साल की अवधि के लिए ब्लैकलिस्ट किया जा सकता है और सरकार की ओर से अनधिकृत तरीके से कार्य करने के लिए, यथा लागू सिविल/आपराधिक कार्यवाही शुरू की जा सकती है।
7. मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन), राजकोट, गुजरात को संबंधित अनिवार्य प्रत्यायन/प्रमाणीकरण के साथ मान्यता की समाप्ति से पूर्व केंद्रीय प्रदूषण नियंत्रण बोर्ड के वेबपोर्टल (<https://cpcbepalab.in/epalab>) का उपयोग कर के ऑनलाइन मान्यता के नवीनीकरण के लिए आवेदन करना अपेक्षित है।

भवदीय,

K. P. R. 2/4/25

(डॉ. के. रंगनाथन)

वैज्ञानिक-ई एवं प्रभागप्रमुख
उपकरणीय प्रयोगशाला

डॉ. के. रंगनाथन / Dr. K. Ranganathan
वैज्ञानिक 'ई' / Scientist 'E'
प्रभाषी जल एवं उपकरणीय प्रयोगशाला
Div. Head-Water & Instrumentation Laboratory
केंद्रीय प्रदूषण नियंत्रण बोर्ड
Central Pollution Control Board
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार
(Mo Environment, Forest & Climate Change, Govt. of India)
परिवेश भवन, पूर्वी अर्जुन नगर, दिल्ली-110032
Parivesh Bhawan, East Arjun Nagar, Delhi-110032



**National Accreditation Board for
Testing and Calibration Laboratories**

CERTIFICATE OF ACCREDITATION

**ROYAL ENVIRONMENT AUDITING & CONSULTANCY
SERVICE (LABORATORY DIVISION)**

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

PLOT NO. 19/20, MASOOM SCHOOL ROAD, MOTA MAUVA, RAJKOT, GUJARAT, INDIA

in the field of

TESTING

Certificate Number: TC-15048

Issue Date: 06/12/2024

Valid Until: 05/12/2028

**This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.
(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)**

Name of Legal Entity: Royal Environment Auditing & Consultancy Service

Signed for and on behalf of NABL



**N. Venkateswaran
Chief Executive Officer**

WELSPUN FOUNDATION FOR HEALTH AND KNOWLEDGE



GUJARAT CSR ANNUAL REPORT FY24-25



ABOUT WELSPUN FOUNDATION FOR HEALTH & KNOWLEDGE

Welspun Group is one of India's fastest growing global conglomerates with businesses in line pipes, home textiles, infrastructure, steel, advanced textiles, and flooring solutions. As globally recognized leaders in home textiles and line pipes, we have a presence in over 50 countries with a strong team of more than 26,000 employees. At Welspun, we strongly believe in our purpose to delight customers through innovation and technology, and to achieve inclusive and sustainable growth in all our businesses. From homes to highways, hi-tech to heavy metals, we lead tomorrow together to create a smarter and more sustainable world.

The Welspun Foundation is the corporate social responsibility (CSR) arm of Welspun Group, proactively responding to the global need for sustainable practices and sharing a cherished bond with the communities around us. With a steadfast commitment to areas of Education, Empowerment, Environment, and Health, we work closely with surrounding villages to touch, heal, and improve the quality of their lives. In everything we do, there is a strong commitment towards sustainable development – balancing the needs of the present with those of the future. Welspun Foundation for Health & Knowledge (WFHK) is a non-profit registered Public Charitable Trust under the Bombay Public Trust Act, 1950.

Generating increased social value is part of our commitment and outlook. Social is also a vital part of ESG.

We understand why being socially responsible is crucial, not just for ourselves and our company, but also for our communities, stakeholders, and the planet. We're all about embracing sustainable practices and developmental initiatives designed to bring about positive change in the lives of communities in our areas of operation. Through our Corporate Social Values efforts we are aiming to bring positive change to over 1 million lives by 2030.

WFHK PRESENCE IN INDIA

10 States
25 Districts
766 Villages
8Lacs + Beneficiaries



GUJARAT



| Districts of Gujarat | Number of Blocks with Name | Number of Villages |
|----------------------|---|--------------------|
| Kutch | Anjar & Gandhidham, | 75 |
| Valsad | Vapi, Pardi, Umergaon, Kaprada, Valsad, Dharampur | 151 |
| Bharuch | Bharuch, Jhagadia, Vagra | 26 |
| Gandhinagar | Kalol | 5 |
| Patan | Patan (onetime) | 14 |

WFHK FLAGSHIP PROGRAMME

Overall Outreach FY25
308734

WelShiksha
190192

WelSwasthya
89863

WelNetrutva
28689

WelPrakruti
11100

Tree Plant Supported to community

1.20 Lacs

Cubic Miter – 9 Ponds



4051

Volunteering Hours

ABOUT WELSHIKSHA

The WelShiksha Program, initiated by the Welspun Foundation, is a comprehensive educational initiative focused on transforming the learning environment in government schools. It aims to bridge the gaps in traditional education by introducing modern, student-centric methods aligned with the National Education Policy (NEP) 2020. The program emphasizes foundational education while integrating digital tools, interactive learning, and practical experiences to build academic strength, social awareness, and emotional well-being among students.

One of the key aspects of the program is its focus on skill development and future readiness. Through career counselling, life skills sessions, coding classes, and vocational training, students are equipped not just with academic knowledge but also with the competencies needed in today's world. Spoken English courses and prevocational education further support students in becoming confident and job-ready, while initiatives like "Skill on Wheel" take learning beyond classrooms, making it more accessible and engaging.

WelShiksha also places a strong emphasis on teacher empowerment and community participation. By conducting capacity-building workshops for educators and engaging parents through community sessions, the program ensures a supportive ecosystem for students. The deployment of para teachers strengthens classroom instruction, ensuring continued learning support where teacher shortages exist. These efforts create a collaborative environment where educators, parents, and the community work together to improve student outcomes.

In addition to academic and skill-based interventions, the program supports school infrastructure and hygiene to create a safe and conducive learning atmosphere. This includes the provision of clean drinking water, seating, waste management systems, and creative learning spaces through educational wall paintings. The initiative also supports school readiness programs for young children and provides scholarships to encourage continued education. Overall, WelShiksha presents a scalable model of holistic education that empowers students and communities alike, paving the way for sustainable educational transformation..

TOTAL OUTREACH 190182

Actilearn Worksheet
• 11682

Career Counselling
& Life Skill
• 50 Schools
• 12942

Teacher &
Community
Workshop
• 50 Schools
• 1249

Para Teachers
• 5327

Digital Class Room
• 786 Classes
• 80942

GDVV
• 18

Learning Outcome
Project
• 14946

Need based support
• 1538

Prevocational
Courses
• 1220

Pre-Vocational
Education
• Skill on Wheel
• 7989

Scholarship
• 2

Spoken English
• 2093

Vocational LAB
• 117

BaLA Painting
• 6423

School RO
• 11125

School Entrance
Programme
• 5600

Coding Class
• 4054

Youth Skill
Development
• 60

Dustbin Support
• 7605

Water Tank Support
• 15250

PHOTO GALLERY



Pre vocational Project
Inauguration by Shri Harish Sir



SOW Project - Vapi Inauguration
by Shri Harish Sir



SOW Project - Anjar Inauguration
by MLA Shri Trikambhai



Coding Club Project Visit by Shri
Sanjeev Sir



District Level Science fair MLA &
DED Visit



Inaugurate the Coding club -by
MLA Shri Trikambhai



School Entrance Programme



DPO & DPEO Visited Vocational
Lab



Skill on Wheel



Science Kit Handover to School



Spoken English classes



Career Guidance Workshop



DPO ,DPEO, Trikambdas ji grace
the coding event



DPEO at Coding Event



District Level Science fair Prize
distribution

PHOTO GALLERY



Community Workshop



BaLA @ Coding Club



Para Teacher Orientation



Career Counseling Sessions



Career Guidance Project



Life Skill Workshop



Community Workshop



Life Skill Education



Learning Outcome Project



Teacher day celebrations



Activity Based Learning



Science Nature Learning Activity



Science Workshop



GDVV



Smart Class

PHOTO GALLERY



Lab Setup



Vocational Lab Class



Spoken English classes



Coding Star



Coding Exhibition



Coding Exhibition



Coding Class



BaLA Painting



GDV



Skill on Wheel



School Entrance



School Benches



RO Plant Support



Water Tank



Dustbin

ABOUT WELSWASHTHYA

The WelSwasthya Programme, launched by the Welspun Foundation, is a comprehensive health initiative aimed at enhancing the well-being of rural communities, with a strong focus on women and adolescents. The program operates through two key components: preventive and curative healthcare. Its preventive arm emphasizes health education and proactive interventions to address widespread health issues such as anaemia, malnutrition, tuberculosis, substance abuse, and chronic conditions like hypertension and diabetes. Through community awareness drives and treatment support, the program empowers individuals with knowledge and access to early care, helping them lead healthier lives.

At the heart of the curative efforts is the Mobile Medical Unit (MMU), which travels to remote and underserved villages to provide essential healthcare services directly to the community. This mobile unit ensures that people with limited access to medical facilities receive timely consultations, treatment, and necessary follow-ups. The MMU also plays an important educational role by conducting sessions on preventive health practices, thereby reinforcing the message of early intervention and self-care alongside treatment. This blend of mobile healthcare delivery and education has been instrumental in addressing both urgent medical needs and long-term health challenges.

The program's holistic approach extends beyond just physical health, recognizing the importance of environmental well-being as part of overall community health. Efforts such as distributing dustbins to local health centers and Anganwadi centers promote better waste management and hygiene practices. These initiatives not only improve day-to-day living conditions but also reduce health risks related to poor sanitation. By embedding health within the larger context of environmental cleanliness, the program underscores the importance of a clean and safe environment as a foundation for good health.

Overall, the WelSwasthya Programme reflects a deep commitment to sustainable health improvement in rural areas. By combining preventive education, curative services, and environmental interventions, the initiative creates a strong, community-centric health ecosystem. It empowers individuals with the knowledge, access, and resources to take charge of their well-being while building healthier, more resilient communities for the future.

TOTAL OUTREACH 89863

**Preventive Health
Care**

• 67025

**Anaemia treated/
under treatment/
awareness**

• 4702

**Malnutrition treated
/Under treatment/
awareness**

• 3877

**TB & substance
abuse outreach**

• 33264

**RTI & cancer
outreach**

• 5207

**Hypertension &
Diabetes outreach**

• 16942

Mobile Medical Unit

• 26 Villages

Patient Outreach

• 22838

Awareness

• 4593

Follow-Up

• 3056

Dustbin Support

• 150 Unit

PHOTO GALLERY



School Health Camp



Rasoi Show



MMU



Group Session



HB Screening



World Aid day



School Session



Adolescent awareness



MMU



FLW Meeting



Nukkad Natak



Street Play



Chandipura Virus Awareness



Rasoi Show



MHM awareness

PHOTO GALLERY



School Session



Group session



MMU



Community awareness



School session



Breast cancer awareness month



MMU



Hb screening



Rasoi show



Group session



Awareness Session



Screening



MHM day Celebration



Wall painting



Breast Feeding Awareness

ABOUT WELNETRUTVA

The WelNetrutva Programme by the Welspun Foundation is focused on improving the livelihoods of farmers, with a special emphasis on empowering women farmers, by promoting sustainable and natural farming practices. It supports agricultural and animal husbandry communities through various initiatives, such as establishing Seed Banks to ensure access to quality seeds, setting up Bio Resource Center to promote chemical free farming and conservation, and implementing Integrated Pest Management to reduce reliance on harmful pesticides. The program also addresses critical health issues like Brucellosis and ensures the availability of fodder to support healthy livestock. In addition to these, the program emphasizes the importance of backward and forward linkages by providing farmers with essential resources, training, and market connections. This helps improve productivity, enhances economic stability, and facilitates access to new markets for farmers' produce. A key component of the program is the promotion of Self-Help Groups (SHGs), which are encouraged to transform into entrepreneurs in both farm and non-farm sectors. These groups are provided with the skills, financial literacy, and business training needed to create sustainable income opportunities, empowering women and rural communities to become financially independent and self-sufficient. This holistic approach fosters long-term economic development and strengthens the resilience of farming communities.

TOTAL OUTREACH 28689




PHOTO GALLERY



Poultry farming Support



IPM Demo



Seed Bank Awareness



Soil and Water Sampling



Farmers Meeting



Animal Health Camp



SHG Products Demonstration



Wheat Demo



Rabi Crop Demo



Vegetable Crop Demo



Papad Making



Pest Management



BRC Exposure



Soil Improvement awareness session



Farm Exposure

PHOTO GALLERY



Seed bank



Brucella Vaccination



IPM Demo



SHG Capacity Building



Exposure Visit - IPM



Agriculture POP training



Kit Distribution



Women Farmer Day Celebration



Animal Health Camp



Students awareness on Natural Farming



Mud Art Support



Floor Mill Support



IWD Anjar



IWD Vapi



IPM Awareness

ABOUT WELPRAKRUTI

Under the WelPrakruti programme, our primary focus is on promoting environmental sustainability and ecological well-being within the community. As part of this initiative, we support and organize tree plantation drives to enhance green cover, improve air quality, and restore biodiversity in urban and rural areas. We actively promote water conservation through activities such as rainwater harvesting, watershed management, and awareness campaigns on efficient water use practices. Additionally, we work to increase community awareness on proper waste management by conducting educational sessions on waste segregation, recycling, composting, and responsible disposal methods. Beyond awareness, we also provide practical support for the on-ground implementation of these activities, including resources, technical guidance, and collaboration with local stakeholders to ensure the sustainability and success of each initiative. The programme aims to foster a strong sense of environmental responsibility and encourage active participation from individuals, schools, and local organizations.



Ground Water Conservation
4 Block Awareness , 9 Sites
120575 CM work

Community Tree Plantation Support
11100 Plant sapling



Dustbin Support - Waste Management
750 Dustbin to School/CHC/GP

PHOTO GALLERY



Sinugra Village



Satapar Village



Ajapar Village



Dhori Village



Nathharkui Village



Talvana Village



Makhana Village



Nadapa Village



Kunariya Village



Community Plantation



Community Plantation



Community Plantation



Community Plantation



Dustbin Support



Dustbin Support to GP

WE VOLUNTEERING

Under the We Volunteering theme, our aim is to actively engage employees in meaningful CSR activities and encourage them to come forward in support of various social causes. Every year, employees enthusiastically participate in a range of volunteering initiatives, including Daan Utsav—a festival of giving where employees contribute time, resources, and efforts to support underserved communities. Other key activities include community wall painting & Tree plantation projects that help beautify public spaces and spread social messages, the Neev Celebration, which involves engaging local artisan and women to showcase their various product for further forward linkages, and skill-based volunteering, where employees offer their professional expertise to support NGOs, youth, and other beneficiaries. Through these initiatives, the programme not only strengthens community impact but also fosters a culture of empathy, social responsibility, and active citizenship among employees.

4051

Volunteering Hours

1676

Volunteer participated



GUJARAT CSR PROJECT PARTNERS



Lend A Hand India



CareerNaksha
An IIT IIM Alumni Venture



MAMTA HIMC
BRIDGE TO HEALTH & BEYOND

17 PARTNERSHIPS
FOR THE GOALS



APPRECIATION



MEDIA COVERAGE

વેલસ્પન ફાઉન્ડેશન દ્વારા

મહિલાઓની સર્વગ્રાહી સંભાળ માટે હાઇપરટેન્શન અને માસિક સ્ત્રાવ સ્વાસ્થ્ય સત્રનું આયોજન કરાયું

(પ્રતિનિધિ) વાપી (મોરબી), વેલસ્પન ફાઉન્ડેશન એ વેલસ્પન સર્કલનું અભિયાન હેઠળ અને સામુદાયિક જાગૃત્તવ માટે ઉપગ્રાહ્ય રીલ છે. વેલસ્પન ફાઉન્ડેશન ભારતના રાષ્ટ્રીય વિસ્તારોમાં સર્વગ્રાહી વિકાસનું માધ્યમ બનવાનું હેતુ રાખે છે. જીવનને સકારાત્મક રીતે સંભાળવાના ઉદ્દેશ્ય અંતર્ગત, વેલસ્પન ફાઉન્ડેશનનું મુખ્ય હેતુ વિસ્તારની પરિસ્થિતિને સુધારવી અને તે મુજબ તેના કાર્યકર્મોનું આયોજન કરીને લોકોને મહત્વપૂર્ણ જાણના સાધન અને વિષય સહી સંકળાયેલા કોઈપણ નિષ્પત્તિને સંબંધિત કરવા માટે માસિક પદ્ધતિ અને સ્વચ્છતા સત્રનું આયોજન કર્યું હતું. આ સત્રનો હેતુ સ્વચ્છતા તરફ વધુ ધ્યાન કેન્દ્રિત કરવા ઉપરાંત જીવલેણ રોગોની રક્ષાથી રક્ષાવાનું છે. માસિક આવવડાં કુદરતી પ્રક્રિયા છે પરંતુ રાષ્ટ્રીય ભારતમાં તેના વિશે જાણીતી સાધવાની વધુ જરૂર છે. આ ભિયાનને ધ્યાનમાં રાખીને વેલસ્પન ફાઉન્ડેશનની વેલ શિક્ષા પ્રોજેક્ટ અભિયાન હેઠળ વાપીમાં આયોજન કરવામાં આવ્યું હતું. આ સત્રમાં હાઈપરટેન્શનના કારણો, લેપ્રોમો, બિસ્કો અને લાગણીની ગતિ કરવામાં આવી હતી અને સમગ્ર આપવામાં આવી હતી. MVC જાગૃત્તવ આતે



(સહી: સમીક્ષા બેલી)

માટે ભુમિકા ભજવવામાં આવી હતી. માસિક સ્ત્રાવ, યોગ્ય સ્વચ્છતા કળાઈ અને માસિક સ્ત્રાવ સંબંધિત સ્વાસ્થ્ય સુધારવાના વિષયો ઉપર ધ્યાનનું આપ્યું છે. સત્રનો અભિપ્રાય બતાવે છે. મહત્વપૂર્ણ માસિક સ્ત્રાવની વિવિધ સ્વાસ્થ્ય સમસ્યાઓની સામનો કરવા અટકાવવા પ્રતિબંધ અને અવરોધોને સંબંધિત બુદ્ધિ ચર્ચા પણ કરવામાં આવી હતી.

અન્ય એપી અને બિન-એપી રોગોની સાથે હાઈપરટેન્શનની તપાસ કરવા માટે વેલ-સ્વાસ્થ્ય ટીમ દ્વારા હાઈપરટેન્શન પર એક પ્રમાણભૂત સત્ર પણ યોજવામાં આવ્યું હતું. આ સત્રમાં હાઈપરટેન્શનના કારણો, લેપ્રોમો, બિસ્કો અને લાગણીની ગતિ કરવામાં આવી હતી અને સમગ્ર આપવામાં આવી હતી. MVC જાગૃત્તવ આતે

વેલસ્પન ફાઉન્ડેશનને તેના 'વેલ શિક્ષા' પ્રોજેક્ટ માટે કેબિનેટ મંત્રી કનુભાઈ દેસાઈના હસ્તે સન્માનિત કરવામાં આવ્યા

વલસાડ કેબી. વાપી, રાષ્ટ્રીય વેલસ્પન ફાઉન્ડેશન દ્વારા રાષ્ટ્રીય વેલ શિક્ષા પ્રોજેક્ટ માટે કેબિનેટ મંત્રી કનુભાઈ દેસાઈના હસ્તે સન્માનિત કરવામાં આવ્યા. વેલ શિક્ષા પ્રોજેક્ટ માટે કેબિનેટ મંત્રી કનુભાઈ દેસાઈના હસ્તે સન્માનિત કરવામાં આવ્યા. વેલ શિક્ષા પ્રોજેક્ટ માટે કેબિનેટ મંત્રી કનુભાઈ દેસાઈના હસ્તે સન્માનિત કરવામાં આવ્યા.



વેલ શિક્ષા પ્રોજેક્ટ માટે કેબિનેટ મંત્રી કનુભાઈ દેસાઈના હસ્તે સન્માનિત કરવામાં આવ્યા. વેલ શિક્ષા પ્રોજેક્ટ માટે કેબિનેટ મંત્રી કનુભાઈ દેસાઈના હસ્તે સન્માનિત કરવામાં આવ્યા. વેલ શિક્ષા પ્રોજેક્ટ માટે કેબિનેટ મંત્રી કનુભાઈ દેસાઈના હસ્તે સન્માનિત કરવામાં આવ્યા.

WELSPUN FOUNDATION, UNDER ITS WELSHIKSA PROJECT, DISTRIBUTED SCHOOL BAGS AND EDUCATIONAL KITS TO 3000 STUDENTS



THE GOLD STEP

Vapi. At the Praveshtasav event in Valsad's government primary schools, the Welspun Foundation, under its Welshiksa project, proudly distributed school bags and educational kits, benefiting approximately 3,000 students across 120 schools. The occasion was graced by the Collector, M.A. Valsad, District Education Officer, Taluka Education Officer, BRC Leads, CRC Leads, Sarpanchi, SMC members, village leaders, parents, and numerous government officials, who distributed our Welspun Educational Kits, marking a significant step in our commitment to educational development.

કે.બી.એસ. કોમર્સ અને નટરાજ પ્રોટેશનલ સાયન્સીસ કોલેજ વાપી ખાતે

વેલસ્પન ફાઉન્ડેશનને કચ્છ અને વલસાડ જિલ્લામાં લોકો સાથે મળી પર્યાવરણ દિવસની ઉજવણી કરી

વાપી, તા.૨૦ ફેબ્રુઆરી ૨૦૨૩ નાજેતરમાં વિશ્વ પર્યાવરણ દિવસ નિમિત્તે વેલસ્પન ફાઉન્ડેશનને વેલ-પ્રકૃતિ પ્રોજેક્ટ હેઠળ કચ્છ અને વલસાડ જિલ્લાના ૪૦ ગામોમાં ૧૧,૦૦૦ વૃક્ષ વાવેતરનું અભિયાન ચરુ સ્મૃતિ છે. વેલસ્પન ફાઉન્ડેશન દ્વારા આયોજન કરવામાં આવ્યું હતું. આ સત્રમાં હાઈપરટેન્શનના કારણો, લેપ્રોમો, બિસ્કો અને લાગણીની ગતિ કરવામાં આવી હતી અને સમગ્ર આપવામાં આવી હતી. MVC જાગૃત્તવ આતે

કચ્છ અને વલસાડ જિલ્લાના ચાલીસ ગામોમાં ૧૧ હજાર વૃક્ષોના વાવેતર અભિયાનનો પ્રારંભ કરાવ્યો

આજદિવસ (ગ્લોબલ) અને પર્યાવરણ (વેલ-પ્રકૃતિ) ઉપર ધ્યાન કેન્દ્રિત કરવાની સાથે માનવ સંસ્કૃતિના જ નહીં, પરંતુ સત્રાજના એક વિશાળ સામુદાયની સેવા કરવાનો પ્રયાસ કરે છે. વેલસ્પન ફાઉન્ડેશન એ વરસે વિશ્વ પર્યાવરણ દિવસની ઉજવણી કરવાનો નિર્ણય લઈને આ કિશોર મજબૂત



(તસવીર: મળીય બાવેળ)

ભારોર રહેવાનો પણ સંકેપ કર્યો આવી રહી છે. વેલસ્પન ફાઉન્ડેશન માને છે કે સામુદાયિક પ્રયાસો અને સ્વયંપૂર્ણ પગલાઓ દ્વારા આપણે એ સાચે જાણીને બાવે પેટી માટે પૃથ્વીને બચાવી રાકીએ છીએ.



વેલસ્પન ફાઉન્ડેશન દ્વારા જિલ્લામાં ૫ હજારથી વધુ વૃક્ષોનું વાવેતર કરાવતા વાપીના વન ઉત્સવમાં નાણામંત્રીના હસ્તે સન્માનપત્ર અપાયો



વાપીની હરિયા પટ્ટિ પર ખતે ઉગતા લાકડા વન ઉત્સવ ૨૦૨૨માં કનુભાઈ દેસાઈ, નાણા, ઉર્જા અને ઇન્ફ્રાસ્ટ્રક્ચર મંત્રી, ગુજરાત અને તેના આર આર આર, કોરેક્ટ રીપ્લેટ કમિટીના અધ્યક્ષ હોદ્દાએ વેલસ્પન ફાઉન્ડેશનના પ્રમુખ સતિષભાઈ પટેલ સાથેના સંલગ્નતા, કોરેક્ટ રીપ્લેટ અને જાગૃત્તિ મેળવે સાથે મળીને વાપી, જૂન, ૨૦૨૨ વિશ્વ પર્યાવરણ દિવસના રોજ રાત્રી ૬ થી, આ વેલસ્પન પ્રાથમિક ઉદ્દેશ્ય સંસ્થાની સુવચનાઓ અને કોરોના અને આથી પહેલાંના સમયમાં જાણીતા હતા. વેલસ્પન ફાઉન્ડેશન ૬૪ વર્ષ પહેલાં ૧૯૫૯માં આયોજન અને વાપીના વાવેતર માટે આ પ્રવૃત્તિઓ કરે છે. જેમ કે લોકો રોગચાળા, સ્વચ્છતા, શિક્ષણ, જાનુવત્તા માટેની કાર્યવાહી, વગેરે, ફાઉન્ડેશનનું હેતુ છે.

MEDIA COVERAGE



વાપીમા વેલશિક્ષા કાર્યક્રમ યોજાયો

વાપી: વેલશિદ્ધા કાર્યક્રમમાં પ્રમુખ હરીશ ગુસાની આગેવાનીમાં જલીડા કોળીવાડ શાળામાં વિજ્ઞાન પ્રાયોગિક પ્રોજેક્ટનું ઉદ્ઘાટન કરવામાં આવ્યું હતું. તેમણે વિદ્યાર્થીઓને પ્રભાવશાળી વિજ્ઞાન કીટનું વિતરણ કરી સમગ્ર શૈક્ષણિક વર્ષ માટે તેમના પ્રાયોગિક શિક્ષણમાં વધારો કર્યો હતો. પ્રથમ સાથે મળીને આ પહેલનો ઉદ્દેશ્ય વિજ્ઞાનમાં જિજ્ઞાસા અને રુચિને ઉત્તેજન આપવાનો છે, વિદ્યાર્થીઓને વિભાવનાઓને વધુ સરળતાથી સમજવામાં અને અંતે પરીક્ષાના સારા પરિણામો પ્રાપ્ત કરવામાં મદદ કરવી છે.

અંજારની શાળાઓમાં વિવિધ સુવિધાઓ ઉભી કરાઈ



ગાંધીધામ, તા. ૨૬

અંજીરની શાળાઓમાં વેલ-શિક્ષા પ્રોગ્રામ અંતર્ગત પર્યાવરણીય સાયવણી અને સરકારી શાળાઓમાં પ્રેરણાદાયી કામગીરી કરવામાં આવી હતી. જેમાં આરઓ વોટર સિસ્ટમ, ડસ્ટબીન, વોલ પેંટિંગ વગેરેની સુવિધા જિલ્લી કરવામાં આવી હતી. વેલસ્પન ફાઉન્ડેશન દ્વારા અંજીર અને વલસાડ ખાતે આ કામગીરી

કરવામાં આવી હતી. જેમાં શિક્ષાના વાતાવરણ અને બાળકોને પ્રોત્સાહિત કરવા માટે ૨ શાળાઓમાં ૯૦ બેંચની વ્યવસ્થા કરી છે.

ઉપરાંત ૧૦ શાળાઓમાં બાળ-ચિત્રો જેવી કાર્યશાળાઓ બાળકોની કલાત્મકતા અને સર્જનાત્મકતાને ઉભા કરી શકે છે. આ ઉપરાંત ૧૦૦ શાળાઓમાં ૫૦૦ જેટલી કચરાપેટીનું સહાયક કાર્ય છે,

**વટાર પ્રાથમિક શાળામાં વેલરૂપન
ફાઉન્ડેશન દ્વારા શિક્ષક દિનની ઉજવણી**



વેલસ્પન ફાઉન્ડેશન દ્વારા વટાર પ્રાથમિક શાળામાં વેલશિક્ષા પહેલ હેતુ, શિક્ષક દિનની ઉજવણી કરવામાં આવી હતી, જેમાં સરકારી શિક્ષકો સાથે વિવિધ મોજમસ્તીની પ્રવૃત્તિઓ કરવામાં આવી. કાર્યક્રમમાં

મુખ્ય મહેમાન તરીકે બાનિમંજોરી
વોષ, શ્રાવસ્તી સમંત્રાય, પાર્વતી
સમંત્રાય, રૂબી મહાપાત્રા અને
વેલસ્પન શીએસઆર તરફથી અવની
શ્રીવાસ્તવગે સક્રિય રીતે ભાગ લઈ
શિક્ષકોને પ્રેરણા આપી હતી.

વેલસ્યન ફાઉન્ડેશને ખોડિયારનગર પ્રાથમિક શાળા
મેઘપર ખાતે આરોગ્ય શિબિરનું આયોજન કર્યું

અગત્યના માત્ર ૨૨

વિવરણમાં કાઉન્ડાને સમુદાયોને
ટેકો આપવા અને આરોગ્ય અને
સામાજિક પ્રોત્સાહનો આપવાને
તેની સાત પ્રતિબદ્ધતામાં, તેની CSF
પહેલે વેલ - સ્વાસ્થ્ય હેઠળ અગ્રમ
મેધમાંથી વિશિષ્ટારના માર્ગ શ્રાવિત
શાળામાં એક આરોગ્ય શિબિરને
આયોજન કર્યું હતું. આ કાર્યક્રમ બાજુ
અને મહિલા સ્વાસ્થ્ય પર કેન્દ્રિત હતું
અને તેનો હેતુ વિદ્યાર્થીઓ, સ્ત્રીઓ
અને આસપાસના સમુદાયોને
સમજાવવા આયત્તક સરકારે સેવાઓ
પૂરી પાડવાનો હતો, જેમાંથી યોગ્ય
તરતીબી વ્યાખ્યાને માર્ગદર્શન
સરવાળાથી મળી શકે.

આરોગ્ય શિબિરમાં સામાન્ય
આરોગ્ય તપાસ, રૂમોમાં માટે જીવનભર
તપાસ, અંતિમિયા, હાથપરોએ અને
પ્રજનન માર્ગની બીમારી અને
MHM (માસિક સ્વચ્છતા
વ્યવસ્થાપન) સહિતની સેવાઓની
વિશાળ ક્ષેત્રી અંદર કરવામાં આવે
હતી. આ આરોગ્ય શિબિરમાં
અનુભવી ડોક્ટરો અને
આરોગ્યસેવાના વ્યવસ્થાધિકારી દ્વારા
સંમુદાયના સભ્યોના સ્વાસ્થ્યના
તુળીની મૂલ્યાંકન કર્યું હતું. પરામર્શ
પણે પાડ્યો હતો અને નિર્ણય માટે
પ્રિપચારાત્મક પગલાં અંગે સલાહ



આપી હતી. આગેનો અર્થ સમુદાયના
આચાર્ય સંજીવ દયોડી વડે વધુ સ્પષ્ટ કરી
આચાર્ય શ્રીચંદ્રની એવાનાના લાભ
લીધી છે. તુળણી તપસ્ય પિતરાઈ
ના કાર્યકર્મમાં નિરાકર
આનો યશભાગ વિશે જાગૃતિ
કેસવાળા, નવસ્ય લેવોને પ્રોત્સાહન
આપના અને નિયમિત આરોગ્ય
તપાસના મહત્ત્વ વિશે સમુદાયને
શિક્ષિત કરવા પર પણ ધ્યાન કેન્દ્રિત
કરવામાં આવ્યું હતું.

આ શિબિર શાળાના
અધિકારીઓ અને સમુદાયના
આગેવાનોના સહયોગથી એકઠામાં
આવી હતી, જેમણે ના કાર્યકર્મની
સહકારી સુનિયંત્રિત કરવામાં
મહત્ત્વપૂર્ણ ભૂમિકા ભજવી હતી.
વેડવાનો કોનિસ્ટન્ટ સમગ્ર પ્રદેશમાં
હાથિયામાં ધકેલીને એકાદ

સમુદાયના સ્વાસ્થ્ય અને શુભાચારીને કેહાં આપવા માટે સંસ્થાને પહેલો હથેલી કરવા માટે તેના પ્રયાસો શાંલુ સારાવાળી કોમિટીના પરીચેલે છે. વેલ્ફેર કોમિટીના અને વેલ્ફેર વર્કર્સની કોઓર્ડેટેડ સામાજિક જવાબદારી (સોસાયટી) શાંલુ છે. તેના વેલ્ફેરનાર્ય કાર્યકાંદા, વેલ્ફેર કોમિટીના નિવાસ અને ઉપનાયકામ આરોગ્યસેવાઓ અને શર્યાકાંદા કારીને સમુદાયના જીવનને શુભાચાર્ય માટે સમર્પિત છે. કોમિટીએ અને સામાજિક અસરકારક મેમ્બર પ્રતિનિધિઓ અને કોમિટીના પ્રતિનિધિઓ અને સમુદાયને સહકાર આપવા માટે કાર્ય કરે છે, તેમજ સમગ્ર વર્ચાને અને શુભ સારા અને સુસંસ્કૃતિ અભિચયને નિર્માણ કરવામાં મદદ કરે છે.

અંજાર સરકારી પ્રાથમિક શાળાઓમાં કન્યા કેળવણી
મહોત્સવ - શાળા પ્રવેશોત્સવ યોજાયો

અંજર: અરકારી પ્રાથમિક શાળાઓમાં કન્યા કેળવણી મહોત્સવ એને શાળા પ્રવેશોત્સવને ઓયોજી દર વર્ષમાં જેમ પેષ ૨૦૨૪-૨૫ સુધી કરવામાં આપ્યું. જે અરકારી પ્રાથમિક શાળામાં ખાલવાટિકા એને પહેલા ધોરણમાં પ્રવેશ લેતે બાળકોને શાળામાં આવવા માટે પ્રોત્સાહિત કરવા માટે ઉજવામાં આવે છે, જેથી કોટી પછા બાળકો શિશુથી વિકસિત થા રહે. વેલ્ફેરમાં સુઝીનેડગન દરિયા પેષ ૨૦૨૪-૨૫ માં અંજર એને વલસલા જિલ્લાને ૨૫૦ અરકારી પ્રાથમિક શાળાઓમાં ખાલવાટિકા એને પહેલા ધોરણમાં પ્રવેશ લીધેલ ૫૪૦૦ વિદ્યાર્થીનીને પ્રોત્સાહિત કરવા માટે શ્રેયશીલ કીટ આપી પ્રવેશોત્સવની ઉજવણી કરવામાં આવી

આ કાર્યક્રમમાં વરિષ્ઠ સરકારી અધિકારીઓ, ગામના સરપંચ સ્થાનિક SMC સભ્યો તેમજ વેલ્વેપનના વરિષ્ઠ અધિકારીઓએ ભાગ લીધો હતો અને બાળકોને પ્રોત્સાહિત કર્યા હતા. શૈક્ષણિક વિકાસને ટેકા આપવાની વેલ્વેપન વર્ડન પ્રતિજ્ઞાતામાં આ ઉર્વેગ એક મહત્વપૂર્ણ પગલું

વેલ્સન કોઈનેજાને દેશભરમાં
અનેક શાળાઓમાં વર્ષોથી
અનિદરેજાન ક્યું છે જેથી અંદાજે
૧,૦૦,૦૦૦ વિદ્યાર્થીઓને ગમત
શો શાલ મળી રહે. વેલ્સન વેલ
ખાતે પોતાના ભવિષ્યની રાહ
રે સંખ્યાનાં જોઈ શકે અને
દેશમાં કદમ વધારી શકે તે માટે
અનેક શાળાઓ જે પૈકી બુલ્ડી
છે. વેલ-જિજ્ઞાસુ યુવક દ્વારા
વેલ્સન કોઈનેજા દેશના શાળા
વિજ્ઞાતામાં શિક્ષણના ધોરણો
સુધારના માટે આયા કદમ
રજૂ છે. કોઈનેજા દ્વારા શાળાકી
શિક્ષણની જરૂરિયાતોનું વિતરણ
એ પછી પહેરવામાં મળે છે. વેલ
શિક્ષા રાજ્યની સામરત્યનો રીકય
વધે તે માટે વિદ્યાર્થીઓ અને તેમના
વિષયકોને નવા-પાઠો દેતોશાકો



સાથે સશક્ત બનાવે છે. વેલેસપન કાઉન્સેશન એ વેલેસપન વર્લ્ડની CSR અંગે કામ કરતું એકમ છે. જે ગ્રામીણ ભારતના વિવિધ ક્ષેત્રોમાં સર્વગ્રામી વિકાસ માટે કામ કરે છે. તેના કાર્યક્રમો શિક્ષણ, માહિલા સશક્તિકરણ, આરોગ્ય, આજીવિકા, ખેતી, પશુપાલન અને એવી ઘણી બધી ખાતો ઉપર ભાર મુકે છે જે ભારતમાં ગ્રામીણ વસ્તી માટે વિકાસના દરેક પાસાઓને

આવારી લેવામાં આવે છે. વેલસ્પન કાઉન્ડેશનનો ઉદ્દેશ આવા ૧૦ લાખ લોકો સુધી પહોંચવાનો છે. વેલસ્પન કાઉન્ડેશન જમીની હક્કીત સમજી અને તે મુજબના કાર્યક્રમોનું નિર્માણ કરે છે જેથી તેના લાભાર્થીઓને મહત્તમ લાભ પ્રાપ્ત થવા. વેલસ્પન કાઉન્ડેશન એક સર્વપ્રાણી મૈત્રિક્ષ દ્વારા ગામડાઓમાં પરિવર્તન લાવી રહ્યું છે, જે હકારાત્મકતાના મજબૂત પાયા ઉપર બનેલું છે.

MEDIA COVERAGE

વેલસ્પન ફાઉન્ડેશનના સહયોગથી મોટાપોન્ડા ગામે જીવંતિકા મહિલા સ્વાશ્રય જૂથ દ્વારા યશસ્વી ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું



વસાહત કેસરી, વાપી, તા.૧૫ : મહત્વના ભાગમાં સહકારી સંસ્થાઓ દ્વારા આયોજીત થયેલા આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે. આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે. આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે.

આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે. આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે. આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે.

આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે. આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે. આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે.

આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે. આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે. આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે.

આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે. આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે. આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે.

આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે. આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે. આ ભોજનાલયનું ઉદ્ઘાટન કરવામાં આવ્યું છે.

ગુજરાતમાં સૌથી મોટી સ્વદેશી બીજ બેંક બનાવવાની મહેજ્જ

વેલસ્પન ફાઉન્ડેશનની મદદથી નાની નાગવપુરમાં કૃષિ સેવા કેન્દ્રનું ઉદ્ઘાટન : ખેડૂતોને સારી ઉપજ મેળવવા માટે તાલીમ આપાઈ



નાની નાગવપુરમાં રાત્રે કેન્દ્રનું ઉદ્ઘાટન કરેલા વેલસ્પનના કાર્યકર્તાઓ.

અંજાર, તા. ૭ : વેલસ્પન ફાઉન્ડેશન દ્વારા કમ્પેન્ડા ખેડૂતો અને કૃષિ ક્ષેત્રના કલ્યાણ સુધારે અને તેમને વિવિધ પ્રકારના વાણ્ય અને તે માટે જરૂર પડતા કામો કરાવે છે અને આ પ્રયાસમાં મહત્વની ભૂમિકા ભજવે છે. નાની નાગવપુરમાં કૃષિ સેવા કેન્દ્રનું ઉદ્ઘાટન કરવામાં આવ્યું છે.

વેલસ્પન ફાઉન્ડેશનના વડા સંજય રંજન અને કાર્યકર્તાઓએ કેન્દ્રનું ઉદ્ઘાટન કર્યું હતું. આ પ્રસંગે વેલસ્પનના વડા સંજય રંજન અને કાર્યકર્તાઓએ કેન્દ્રનું ઉદ્ઘાટન કર્યું હતું.

આ પ્રસંગે વેલસ્પનના વડા સંજય રંજન અને કાર્યકર્તાઓએ કેન્દ્રનું ઉદ્ઘાટન કર્યું હતું. આ પ્રસંગે વેલસ્પનના વડા સંજય રંજન અને કાર્યકર્તાઓએ કેન્દ્રનું ઉદ્ઘાટન કર્યું હતું.

આ પ્રસંગે વેલસ્પનના વડા સંજય રંજન અને કાર્યકર્તાઓએ કેન્દ્રનું ઉદ્ઘાટન કર્યું હતું. આ પ્રસંગે વેલસ્પનના વડા સંજય રંજન અને કાર્યકર્તાઓએ કેન્દ્રનું ઉદ્ઘાટન કર્યું હતું.

આ પ્રસંગે વેલસ્પનના વડા સંજય રંજન અને કાર્યકર્તાઓએ કેન્દ્રનું ઉદ્ઘાટન કર્યું હતું. આ પ્રસંગે વેલસ્પનના વડા સંજય રંજન અને કાર્યકર્તાઓએ કેન્દ્રનું ઉદ્ઘાટન કર્યું હતું.

આ પ્રસંગે વેલસ્પનના વડા સંજય રંજન અને કાર્યકર્તાઓએ કેન્દ્રનું ઉદ્ઘાટન કર્યું હતું. આ પ્રસંગે વેલસ્પનના વડા સંજય રંજન અને કાર્યકર્તાઓએ કેન્દ્રનું ઉદ્ઘાટન કર્યું હતું.

06

SANDESH

નગર પ્રાથમિક શિક્ષણ સમિતિ સંચાલિત શાળાઓમાં ઉજવણી અંજારની શાળાઓમાં કન્યા કેળવણી મહોત્સવની રંગેયંગે ઉજવણી કરાઈ

પદાધિકારીઓ-અધિકારીઓની હાજરીમાં બાળકોને શાળામાં પ્રવેશ કરાવાયો

અંજાર, ૧ (સંદેશ બ્યૂરો)

અંજાર નગર પ્રાથમિક શિક્ષણ સમિતિ સંચાલિત પ્રાથમિક શાળા નં. ૩, ૧૪ તથા સ્વામી વિવેકનંદ વિદ્યાલયમાં કન્યા કેળવણી મહોત્સવ અને શાળા પ્રવેશોત્સવ યોજાયો હતો. જેમાં અન્ય સેલવન શાળાઓ પણ જોડાઈ હતી. બાલવાટિકા તથા પો. ૧મા તેમજ માધ્યમિક કક્ષાએ પો. ૮ અને પો. ૧૧મા પ્રવેશ મેળવનારા બાળકોને સ્કૂલ ડિટ આપી આવકારવા હતા.



અધિકારીઓ સોરઠિયા, બાલકોની હાજરી, બીજાની હાજરી.

આ પ્રસંગે વેલસ્પનના જિલ્લા પ્રમુખ દેવેન્દ્રભાઈ વરનેડે જણાવ્યું હતું કે, પ્રતિવાદ પ્રયાસોથી ગુજરાતમાં કોરોનાનું રોકાણ નીચે લાવે શકાય છે. અંજાર નગરપાલિકાના પ્રમુખ દેવેન્દ્રભાઈ કોરોનાથી વસંતભાઈ કોરોનાથી વિદ્યાર્થીની પૂરતી કોરોના પૂરતી પાતરી આપી હતી. કાર્યકર્તાઓ શાળાઓમાં CEC, NMMS તથા અન્ય સંસ્થાઓ પરીક્ષાઓમાં મેરિટથી ઉત્તીર્ણ થવાના તેમજ રાતગામત બેસે રાતગામ કામ અને જિલ્લા કક્ષાએ સિદ્ધિ હાંસલ કરનારા વિદ્યાર્થીઓને પ્રોત્સાહન કરવા હતા. કાર્યકર્તાઓ ડેનીમાં શાહ, પાંચભાઈ સોરઠિયા, નિલેશભાઈ ગુપ્તા, કલ્પનાબેન ઓર.

અધિકારીઓ સોરઠિયા, બાલકોની હાજરી, બીજાની હાજરી. અધિકારીઓ સોરઠિયા, બાલકોની હાજરી, બીજાની હાજરી. અધિકારીઓ સોરઠિયા, બાલકોની હાજરી, બીજાની હાજરી.



Tree plantation drive, an initiative by Welspun Foundation, Vapi in collaboration with the Gujarat Pollution Control Board (GPCB) and Tukwada Gram Panchayat. This year, as we celebrate World Environment Day, we continue our commitment to sustainability by planting 100 free saplings at the Tukwada pond area by senior officials from GPCB, Welspun and Sarpanch of Tukwada Village.

ગજરાત નેશનલ લો યનિવર્સિટીના મિલ્લાસા કેમ્પસ ખાતે ધ આર્ટ ઓફ

પુસ્તક વિમોચન પ્રસંગે ઉપસ્થિત ધારાસભ્ય ત્રિજ્ઞભાઈ તથા વેલસ્પન ફાઉન્ડેશનના અધ્યક્ષીઓ.

અંજારમાં દેશી ચિકિત્સા પદ્ધતિઓ અને આદર્શ પશુપાલન પુસ્તકનું વિમોચન

ધારાસભ્યની ઉપસ્થિતિમાં પશુપાલનની માહિતી સરળ રીતે સમજાવવાનો પ્રયાસ

અંજાર, તા. ૧૩ : આ શહેરમાં વેલસ્પન ફાઉન્ડેશન દ્વારા વેલ-નેતૃત્વ કાર્યક્રમ અંતર્ગત દેશી ચિકિત્સા પદ્ધતિઓ અને આદર્શ પશુપાલન પુસ્તકનું ધારાસભ્યના હસ્તે વિમોચન કરાયું હતું.

વેલસ્પનના સંજય રંજન, ગિરીશ માયુર, આસીફભાઈ અને કેએલએફકેકેટીના જયેશ લાલકા, ધૃતિ અને કિરીટસિંહ આ પ્રસંગે ઉપસ્થિત રહ્યા હતા. આ પુસ્તક ૨૦ ગામના વિવિધ દૂધ સંગ્રહ કેન્દ્રો પર

મુકામમાં આવશે, જેમાં નાકાકારક પશુપાલનની માહિતી સરળ રીતે સમજાવવાનો પ્રયાસ કરાયો છે. વેલસ્પન ફાઉન્ડેશન પુરસ્કૃત વેલ-નેતૃત્વ કાર્યક્રમ ખેડૂત અને પશુપાલકની આજીવિકા મજબૂત બન એ માટે સક્રિય રીતે કાર્યરત છે, જેમાં રાસાયણમુક્ત ખેતી, પરંપરાગત અને સાદું ઉત્પાદન આપનાર દેશી ભિયારણની બીજ બેંક, જુસ્સોસિસ રસીકરણ જેવા કાર્યક્રમો ચાલી રહ્યા છે અને કૃષિ સેવા કેન્દ્ર નાની નાગવપુર ખાતે કાર્યરત છે.

MEDIA COVERAGE

અંજાર-વાપીના 25 ગામોમાં નુકકડ નાટક દ્વારા આરોગ્ય બાબતે જાગૃતી

પલસ્થન ફાઉન્ડેશન દ્વારા આરાગ્ય શિક્ષણમાં સમુદાયના જાડવા નવતર પ્રયાગ

ગુજરાતના આંખીય વિસ્તારોમાં આરોગ્ય સંભાળ એ એક મોટો પડકાર છે. આરોગ્ય સંભાળ વિશેની મર્યાદિત જાગૃતિ વકીલીવાર વ્યાપ્ત ગેરસમઘર્ષ અને આરોગ્ય સમસ્યાઓ તરફ દોરી જાય છે. આ જરૂરિયાતને ઓળખીને, વેલેસ્પન કાઉન્સેલિંગ આરોગ્ય સિસ્ટમમાં સમુદાયોને જુદા માટે એક લોબી ઉઠાવે તરિક્કે નોકડા નાટકનું વ્યવસ્થિત જાગૃત કાર્યક્રમ આયોજન કપુરું હતું. આ અંજાર અને વાધીના 25 ગ્રામોમાં આ નવતર પ્રયોગના માધ્યમથી આરોગ્ય એવો લોક્ષને જાગૃત કરવામાં હતા. આરોગ્ય નાટકોની અચરકરકત મનોરંજન કરવાની સાથે તેની લોક્ષને શિષ્ટિત કરવાની વખતમાં રહેલી છે. આવી કલાકરોગાચરિક



જાણીતા અને પ્રખ્યાત કવિ છે, જે સમુદાયના તમામ કક્ષોમાં, જે સમાજના સંક્રાંતિના સુલભ બનાવે છે. સ્વામીકૃષ્ણા, રુષા અને સંવર્ણિત પાત્રોનો ઉપયોગ રજિસ્ટર સમાજમાં માહિતી અને જોડિલા સમજણ વચ્ચેના અંતરને ટૂંક કરવામાં મદદ કરે છે. વાંચકો કહી શકે છે કે કવિઓના નાટકીય સ્વરૂપ આપીને, આ પ્રકારનો મલક માહિતી જ આપતા નથી પરંતુ સમાજના વ્યક્તિની સાચી સમજણ આપે છે તેમની પસંદગીના પદ્ધતિઓ પર

પ્રતિનિધિમત કરવા માટે પણ પ્રેરિત કરે છે.

આ પહેલ દરમિયાન, 25 ગામોને આવરી લેવામાં આવ્યા છે જેમાં 1,500 થી વધુ લોકોને આગ લાગી હતી. વેલેન્સ કન્વિન્શનને ઉદ્દેશ આ સમુદાયમાં વ્યાપ્ત જાગૃતિ અને સ્વાસ્થ્ય પદ્ધતિઓ કાળથી પરિવર્તન લાવવાનો છે, જે આખરે આ વિસ્તારમાં આરોગ્યન પરિણામોમાં સુધારો કરવામાં કાળે આપે છે.

અંજારની શાળામાં વિજ્ઞાન મેળા થકી છાત્રોમાં વિજ્ઞાનપ્રત્યે રુચિમાં વધારો

અંતરંગ પાત્રો શાણા નિવર વસ્ત્રો
વિશાળ મેઘો યોગ્યપણે આપ્યો હતો
આકાશમાં વિશાળ કાળેની અગ્નિચક્રિ
વધે અને તુલસીના કંઠમાં પેરણા મારે
એ જેલુથી લેલ શિક્ષા પ્રાંતના અંતરંગ
મેઘાશાળા કઈડેનાશ અને પાયામ
એ જાન્યુ ૨૧-૨૧-૧૧
૨૪-૨૪-૨૪-૨૪-૨૪
સાંભળેલાં, યાત્રાપ્રેમી
વિશાળ મેઘમાં અંતરંગ
દલી ટાપી રૂપ પેરણા
આપણેને ટેલનાંબેર
આળાવીને ટેલનાંબેર

મહત્વ, પ્રગતિ, સુસુત્રીકર્મણ વગરનું
પાણી, સૂર્ય અને પૃથ્વીનું સંતુલન,
મનુષ્યનું ઉત્થાનન તથા તેના પ્રયોગો રહ,
કરેલા આ સ્વાધ્યાસ યોગ.

આ તકે વેલગ્ધન સરિન્દેશનમહેવી
વીણાને જોડી, સંદેશભાઈ, પ્રચલ
એકપુરેશન સરિન્દેશનમાં વિનોદભાઈ



મોવંડી, ઉંચાણગાદી ખરીદીને કારણે રૂબરૂ થતા અને માળકોને ખોલવામાં આવતા વિદ્યાર્થી મોંઘાની વ્યવસ્થા સંભાળી આધાર્યકોનાં અધિકારીનાં હેતુ સમજી સંખ્યા પરિવાર દ્વારા સંબંધિતવામાં આવી હતી.

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

વેલસ્પન ફાઉન્ડેશન અને બી આર સી દ્વારા બે દિવસીય તાલકા કક્ષાનો વિજ્ઞાન મેળો યોજાયો



ધ બોલ્ડ સ્ટેપ
theboldstep@gmail.com

વાપી. વેલ્ફેર કાઉન્ડેશન અને બી આર સી દ્વારા વલસાડમાં આયોજિત બે દિવસીય તાલુકા કક્ષાનો વિજ્ઞાન મેળો પ્રથમ દિવસે વિજ્ઞાન પ્રદર્શન સાથે શરૂ થયો હતો અને બીજા દિવસે ઈન્ડિયન રિસર્ચ સાથે સમાપ્ત થયો હતો. ધારાસભ્ય અરવિંદભાઈ પ્રમખ

મનહરભાઈ, ડીપીઈઓ વસાવાભાઈ અને વેલ્ડરેન વાપીના ચિલ્ડ્રન હેડ રાજર્ષિ ધોધના પત્ની બાની મંજેરી ધોધ જેવા મહેમાનો શ્રાવસ્તી મેડમ, મોનિકા મેડમ, પ્રતિમા મેડમ અને અવની શ્રીવાસ્તવ મેડમ પ્રદર્શનની મુલાકાત લીધી, જેમાં પ્રાથમિક શાળાના વિદ્યાર્થીઓ દ્વારા સર્જનાત્મક પ્રોજેક્ટ પ્રદર્શન કરવામાં આવ્યા હતા.

વેલસ્પન ફાઉન્ડેશને

૨૦થી વધુ ગામડાઓની આજીવિકા
મજબૂત કરવા માટે પ્રોજેક્ટ હાથ ધર્યો



અવકાશના કારણે કાલિયાનગરની બહારની ભાગીચાઓમાં જોવા મળે છે. આ પોષકદાયક શાકભાજીની કાલિયાનગરની આસપાસના ગ્રામીણોમાં જોવા મળે છે. આ પોષકદાયક શાકભાજીની કાલિયાનગરની આસપાસના ગ્રામીણોમાં જોવા મળે છે. આ પોષકદાયક શાકભાજીની કાલિયાનગરની આસપાસના ગ્રામીણોમાં જોવા મળે છે.


[illegible]

કામ માટે અને સ્થાનિક
વિદ્યાર્થીઓના સ્વચ્છતા
પ્રયત્નોના આધારે સ્વચ્છ
કામ માટે માનવ બળો
આપવા જે વ્યવસ્થા નહીં થઈ
તેથી વિદ્યાર્થીઓ સ્થાનિક
સ્વચ્છતા પ્રયત્નોમાં
આવશ્યકતા અનુસાર
આવડેલા સ્થાનિક
સ્વચ્છતા પ્રયત્નોમાં
આવડેલા સ્થાનિક
સ્વચ્છતા પ્રયત્નોમાં

અંજારની ડીવી હાઈસ્કુલે વોકેશનલ લેબના ઉદઘાટન સાથે 89 મો સ્થાપના દિન ઉજવ્યો

ધો.10 અને 12 ના એ-1 ગ્રેડ મેળવનાર છાત્રોને ચાંદીના સિક્કા આપવાની જાહેરાત

અંજારની આજાદી પહેલાંની ઐતિહાસિક શેઠ ધર્મસિંહ વલ્લભદાસ સદાચારી ઉ.મ. શાળાના ૮૭મા સ્થાપના દિનની ઉજવણી, વેલસન કાઉન્ડેશન દ્વારા આપવા આવેલી વોડેશન લેબનું ઉદ્ઘાટન સાથે ઉજવવામાં આવ્યો હતો સાથે ૫૦.10.21 ના અભ્યાસ કરનાર વિદ્યાર્થીઓને શુભેચ્છા વિદાય આપવામાં આવી હતી.



ઉમેશભાઈ વ્યાસના માર્ગદર્શન હેઠળ તેમજ અંજ સચિદાનંદ મંદિરના મહાંત ત્રિકમદાસજી મહારાજ અધ્યક્ષ સ્થાને જિલ્લા શિક્ષણાધિકારી કચેરીના એઈઆ અને અંજાર શાસનાધિકારી મૂળજીભાઈ મિંતાણ વેલસ્યન ફાઉન્ડેશનના સીએસઆર હેડ આસિફના

વગેરેની ઉપસ્થિતિમાં ઉજવણી કરાઈ હતી. સમગ્ર કાર્યક્રમનું સંચાલન નીલમબેન ગજજર તથા અનમબેન પઠાણે તથા આભારવિધિ સુપરવાઈઝર રાહુલભાઈ નાઈએ કરી હતી. કાર્યક્રમને સફળ બનાવવા અજયભાઈ આહિર અને સ્ટાફ ભાઈ બહેનોએ જહેમત ઉઠાવી હતી.

વેલસ્પન ફાઉન્ડેશન દ્વારા ધોધડકુવા ગામે વિશ્વ માનસિક સ્વાસ્થ્ય દિવસની ઉજવણી

(પ્રતિજિહ્વિ) વાપી, સમાજના ટરેક લગેને મજબૂત બનાવવામાં પ્રભાવશાળી યોગદાન આપવાના સભાને પ્રયાસ સાથે, જેલપચન કાઉન્ડેશન, જેલપચન વર્કડેની સીએસઆર આર્થ સંસ્કારાત્મક પદ્ધતિઓને સમર્થન આપવા માટે જમીની સ્તરે કામ કરે છે. શિલાજી, બાજીજીકાની તકો, આરોગ્ય, તબીબી સહાય, મહિલા સહકારકરણથી લઈને

[illegible][illegible]

MEDIA COVERAGE



વેલસ્યન ફાઉન્ડેશન દ્વારા પ્રાથમિક શાળાના બાળકોમાં વ્યવસાયવક્ત્રી શિક્ષણ માટે સ્કીલ્સ ઓન વીલ્સ કાર્યક્રમનું ધારાસભ્યના વરદ હસ્તે ઉદ્ઘાટન

● अंजने नमस्कारातिशय भक्ति
 प्राथमिक साक्षात् नमस्ते मां
 वेदमन्त्रेण प्रणम्य पुस्तकं प्रदीप
 नीमं चलितां शक्तिं मुनयेन प्रदीपिता
 माननीयं पारमार्थ्य श्री
 विष्णुभक्तिं ज्ञानमां वरद हस्त
 उपदिशन् प्रसादमां आबुधुतं, आ
 प्रसन्नं अंजनेन प्रणम्य प्रपूज्य
 श्रीं वेदमन्त्रां प्रदीपितां, प्रपूज्य
 श्रीं विद्यावसतिमानं प्रपूज्य श्रीं
 विश्ववामनाय, उपमन्युना श्रीं
 तेजस्वनाय नमो, वेदमन्त्रेण

भूगुप्तत्व व्यवस्थापीठावती शिक्षण संस्था, जिथे हेडक सामानां फुडो भाषावली अने शिक्षको जायते व्यवसायिक अने वैज्ञानिक वर्गको करीत.

आश्रमनां भेटी, डिप्लोमेटिक, कॅरिअर, प्लेसिंग, आरोग्य, धार्मिक, सामाजिक जाय विविध प्रकाराना व्यवसायावती शिक्षण प्रकृतिवळ मोडत रावणामना आवेते हो. र्जनां वरवीं पने अने प्रेरितक जायते घोराय हे जी टी ना भाषणाने मे डिजनां मे

वर्गको करायामना आवेते
आपली आतंमनां व्यवसायावती शिक्षणाने अभियंत करायामना
अर्बे वेवस्थान करीतना जेनां
अर्बे ताकापुनी उष येवतना
आपनिक सामानां आवती वेवसायावती
आवतना, आ हाकामेक नवे
भाषणामना अर्बे नवरचालीवतावती
आपनिक सामानां पनेर उ
आपनिक ही दोकां पणो
आपने वेवस्थान करायती
आपनार व्यक्ता अर्बे तलो.

રતનાલ કન્યા શાળામાં વિવિધ કૌશલ્યોની જાણકારી અપાઈ



કચ્છ ઉદય 05/12/2024

અંજર : રતનાલ કન્યા
શાળામાં વેલરૂપન કાઉન્ડેશન
અંજર તથા લેન્ડ અ હેન્ડ
ઈન્ડિયા પુણે તરફથી ફી
વોડેશનલ કાર્યક્રમ અંતર્ગત
ફિલ્લ ડેવલપમેન્ટની વિવિધ
પ્રવૃત્તિઓ કરાવવામાં આવી
હતી. બાળકોને કામના જગતનો
પરિચય કરાવ્યો હતો. સ્કીલ્સ
ઓન વ્હીલ્સ બસ જરૂરી સાધનો
સાથે સજ્જ છે અને બાળકોને
સાપ્લિયર્વુર્જ કારકિર્દીમાં પ્રેરણા
આપવા માટે પ્રક્ટીકલ વર્કશોપ

પૂરું પાડ્યું હતું. તેમણે સુસ્થીર કૃત્રિમી લઈને અદ્યતન રહેતોલોહી અને માનવ કેન્દ્રિત સેવાઓની માહિતી આપી હતી, જેમાં બાળકોને ખૂબ જ જ્ઞાન મળ્યું અને જાણવા મળ્યું. વેલમ્પુર તથા એનજીઓ તરફથી ટ્રેનર અનુકુલકુમાર, સુનિલ નવાલે, કીર્તિકુમાર ભાનુશાલી, અમિત કુમાર, અનિશ પાન તથા જી. કે. બી. જીતેન્દ્રસિંહ, આચાર્ય જીતેશભાઈ અને શાળા સ્ટાફ હાજર રહ્યા હતા.

ફાઉન્ડેશન દ્વારા શિક્ષક દિનની ઉજવણી



વેલ્સન કાઉન્સિલ દ્વારા
પરાર પ્રાથમિક શાળામાં વેલ્સિશ
પહેલું હેફ, કોલ્ડ ડિન્નર કોલેક્ટરી
કવમાં ગર્ભી સ્ત્રી, જેમાં સરકારી
રિલાક્સ સાથે સિવિલ નોજમસ્ટની
પ્રવચનો કરવામાં આવે છે. કાપડોમાં

मुष्यः महेमान् तद्विदे अन्तिमंशेरं
 वीषः, आदस्ती समंजायः पार्वत
 समंजायः, उषीं महाप्राजा रुने
 वैद्यस्यन सोमंजायः रत्नद्वी अवर्त
 श्रीवास्तवः सोमि रीते भागः वती
 शिदोने प्रेम्णा कापी वती.

RNI NO. GU/JGU./2020/79761

KUTCH MAHEK

Editor: Rajesh D. Rathod Mo.No. 9898232969

Friday 3rd, January 2025 kutchmahek@gmail.com Gujarat Kutch

વેલસ્પન ફાઉન્ડેશન અને પ્રથમ એજ્યુકેશન દ્વારા ગણિતશાસ્ત્રી શ્રીનિવાસ રામાનુજનની જન્મજયંતી ઉજવવામાં આવી.

અંજાર નગર પ્રાથમિક શાળા નંબર ૧૬ માં ગણિત - વિજ્ઞાન અને ભાષાવિજ્ઞાનનું ત્રિવિધ પ્રદર્શન યોજવામાં આવ્યું.



૨૨ ડિસેમ્બર ૧૮૮૭ નો રોજ બાઈરોના જન્મેલા અને નાતપણથી જ તરિશિય વિષય અને વ્યાસ શાસ્ત્રના તેમજ સિદ્ધાન્ત પ્રખર ગણના શાસ્ત્રીઓ પૈકી એક એવા સીતિયાલા આબશર ગાંધીનુજન્મની જન્મ જયંતી ૧૨ વર્ષ સમય દેશમાં સરોષીય મણિત દિવસ તરીકે ઉજવવામાં આવે છે. બાળકોમાં તરિશિય વિષય અને અભિવ્યક્તિ બધે અને અભ્યાસમાં તરિશિય વિષયને સ્વચ્છ પ્રીતે સામગ્રી શકે એ વૈભવસંપન્ન બ્રાહ્મી-કૌલ અને પ્રખ્યત સંસ્થા દ્વારા તરિશિયશાસ્ત્રની શીખવાસ શાસ્ત્રનુજ્ઞની જન્મજયંતી ઉજવવામાં આનોનો આશીર્વાદ કરવામાં આવ્યું હતું.


[illegible]

સામાન્ય સ્થળાવલોકન(LCM), VSI બોક્સ, સામાન્યજન મેજીક ડેવેલપ, બાર સાફટવેરપ્રોગ્રામની સમીક્ષાકર્ત વિહાર,સિંગ પરિવર્તન,વિરામચિહ્ન, કમોડે બેઠક વિષય વૈવિધ્ય ધરાવતી ૪૦ કુલિયોનું નિમગ્નિત કરી પ્રદર્શન માટે મુકવામાં આવી હતી.

[illegible]

લોકોની સમસ્યાને નિડરતાથી વાંચા આપતું
એકમાત્ર અખબાર

Abstract


सोशल जायति

मारुं भारत
EDITOR : MAHESWARI GOVIND LALJI BHAI
3.12.2024
MARU BHARAT
विद्यया ऽ मृतमश्नुते



શ્રી રતનાલ કન્યા શાળામાં વેલ્થસ્પન ફાઉન્ડેશન અંજાર તથા લેન્ડ ઍ લેન્ડ ઇન્ડિયા પુણે તરફથી ફ્રી વોકેશનલ કાર્કમ અંતર્ગત સ્કિલ ડેવલપમેન્ટ ની વિવિધ પ્રવૃત્તિઓ કયાવવામાં આવી. બાળકોને કામના જગતનો પરિચય કરાવ્યો. સ્કીલ્સ ઓન વીલ્સ બસ જરૂરી સાધનો સાથે સજ્જ છે અને બાળકોને સાહિત્યપૂર્વક કારકિર્દીમાં પ્રેરણા આપવા માટે પ્રેક્ટીકલ વર્કશોપ પુરું પાડ્યું. તેમણે સુસજ્જ ફુનિશી બઈને અદ્યતન ટેકનોલોજી અને માનવ કેન્દ્રિત સેવાઓની માહિતી આપી. જેમાં બાળકોને ખૂબ જ જ્ઞાન મળ્યું અને જાણવા મળ્યું. વેલ્થસ્પન તથા **NGO** તરફથી ટ્રેનર અરુણકુમાર, સુનિલ નવાલે, કીર્તિકુમાર બાનુશાહી, અમિત કુમાર, અનિલ ખાન તથા જિ.કે.ની. જીતેન્દ્રસિંઘ, આચાર્ય જીતેશભાઈ અને શાળા સ્ટાફ કાજર રહ્યા હતા.

કચ્છ. ગુજરાત ના સમાચાર આપને મળતા રહે તે માટે અમારા
અમારા વોટસઅપ 99250 39844 96824 38543 આપનું નામ મોકલવી પ્રપમા જોડાઓ

STORY FROM THE FIELD

"Shahista, Journey to Better Health"



Ms. Shahista, Varsamedi

Ms. Shahista, a 40-year-old resident of Varsamedi village, began her journey toward improved health with the support of the WelSwasthya Project. Ms. Rinkal, a dedicated Community Mobilizer from the WelSwasthya team, visited Ms. Shahista for the third time in July 2024 during a house-to-house follow-up for risk identification and screening.

Positive Changes and Results

Following the consultation, Ms. Shahista received treatment from Dr. Bharati at the Welhome Clinic for her anaemia and related issues. During a follow-up visit by the WelSwasthya team, her haemoglobin level had significantly improved, rising from 7.5 gm/dl to 13 gm/dl.

"Vansh, Journey to Health & Well-being"

This is the story of Master Vansh, a 4-year-old boy from Lohariya village, one of our community beneficiaries. Vansh belongs to a farmer-labor family, where his parents earn their livelihood through agricultural labor.


Health Screening and Initial Findings , Weight 14 kg and height 105 cm case of malnutrition condition

Positive Changes and Progress

Ms. Nidhiben later shared that she had begun feeding Vansh nutritious home-cooked meals and started using BAL Shakti in her cooking. As a result, Vansh showed gradual improvement, gaining weight. In July, Ms. Kajal conducted a follow-up screening and found that Vansh's weight had increased to 16 kg, with his height measuring 106 cm, placing him in the normal category. Ms. Nidhiben was overjoyed



"Growing Naturally, Thriving Sustainably"



Chandanbhai Chavda –
village Chandiya

A farmer from Chandiya village faced challenges with conventional methods, including soil degradation and health concerns. The farmer transitioned to 100% BRC and IPM products for chemical-free farming, motivated by the need for sustainable practices.

Implemented techniques such as crop rotation and natural pest control using BRC bio pesticides and bio fertilizers. Achieved improved crop quality and yield, with positive market response leading to increased sales of chemical-free vegetables. Inspired local farmers to adopt similar practices, promoting a healthier community and environment through sustainable agriculture.

Impact : Swaminarayan group Bhuj came for the exposure in his field and ask all the participants to follow the same practices and he is now become the brand ambassador of WFHK natural farming project

STORY FROM THE FIELD

"Maths Anxiety to Mastery"

Vaishali, Student-Sapeda

Vaishali, a student from Sapeda village, initially faced difficulties with addition and subtraction, especially with double-digit numbers. Although she wasn't part of the target group for the advanced camps, she joined the community activities and received guidance on concepts like carrying and borrowing. Over time, she became more comfortable with these skills through consistent practice.

Recently, Vaishali participated in a summer camp and expressed how much she enjoyed the learning experience. She now approaches math with confidence and joy, tackling problems that once seemed challenging. Today, she even performs oral addition and subtraction and regularly shares how she uses math in her daily life, showing how far she has come in her learning journey.



"Nurturing Potential: Krisha's Path to Mastering Math"

Krisha Sanjaybhai Garasia, an 8th-grade student from Segwa village, lives with her mother, Jayashreeben, her father, Sanjaybhai, and her younger brother. Last year, Krisha struggled with subtraction but made significant progress through a learning camp. This year, although she didn't attend the camp, she participated in a summer camp to address her challenges with subtraction.

Through regular practice, **Krisha regained her subtraction skills and was thrilled with her improvement.** She actively sought extra worksheets and received support from her friend Dhruvi and her mother. Her mother expressed gratitude for the educational support, noting how helpful community-based programs had been. Krisha's progress filled her family with pride and reinforced the positive impact of such initiatives.



THANK YOU



WFHK TEAM GUJARAT

Dr. Bharati, Veena, Avani, Asif, Nitesh, Vijay, Anand

For more detail please contact

Asifkhan Pathan

Corporate Social Responsibility

Welspun Foundation For Health & Knowledge

Welspun City, Village Varsamedi, Taluka Anjar, Dist: Kutch, Gujarat 370 110, India.

Mob : +91 9099065262 ,

E-mail : Asifkhan_Pathan@welspun.com Website : www.welspunindia.com