

WCL-SD/ECCR/H1-FY'26/2025-26/21

To,

**The Deputy Director General of Forests (C),
Integrated Regional Office (IRO),
Ministry of Environment, Forest and Climate Change (MoEF&CC),
Room No. 407, Aranya Bhawan, Near CH-3 Circle, Sector-10A, Gandhinagar-382010.
E-mail: iro.gandhingr-mefcc@gov.in**

Sub.: Half Yearly Compliance to Environmental Clearance of Welspun Corp Ltd. (Steel Division).

Ref: WCL-EC Amendment, SEIAA/GUJ/EC/3(a) & 1(d)/1067/2023, date: 21.08.2023 (Earlier WCL-EC, SEIAA/GUJ/EC/5(f)/2338/2022, date: 15.10.2022 & WSL - EC, SEIAA/GUJ/EC/3(a) & 1(d)/83/2011, date: 30.05.2011)

Respected Sir/Ma'am,

With reference to above subject, please find herewith the point wise **Six-Monthly Compliance Report (April'2025 to September'2025)** of environment clearance in respect of **Welspun Corp Ltd. (Steel Division)** Located at Welspun City, Village-Versamedi, Taluka-Anjar, District-Kutch, Gujarat.


As per the Para 10 of EIA Notification, 2006 and subsequent amendment vide MoEF&CC notification S.O 5845 (E) dated 26.11.2018; we are submitting herewith the compliance report of EC letter to your good office through e-mail (soft copy).

This is for your kind information and record, please.

Thanking you,

Yours faithfully,

For Welspun Corp Ltd. (Steel Division)



**Dr. Rameshkumar K.T.
(Vice President & Group Environment Head)**

Encl: As above

CC to:

- (1) **The Member Secretary**, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector 10-A, **Gandhinagar-382010**. Email: ms-gpcb@gujarat.gov.in
- (2) **The Regional Director (West Zone)**, Central Pollution Control Board, Parivesh Bhawan, Atmajyoti Ashram Rd, Opp. VMC Ward Office No. 10, Subhanpura, **Vadodara, Gujarat-390023**.
E-mail: westzonepcb@yahoo.com
- (3) **SEIAA-Gujarat**, Gujarat Pollution Control Board, "Paryavaran Bhavan", Sec-10A, **Gandhinagar-382010**.
E-mail: seiaaguj@yahoo.com

Welspun Corp Limited (Steel Division)

Welspun House, 5th Floor, Kamala City, Senapati Bapat Marg, Lower Parel (W), Mumbai 400013. India
T: +91 22 6613 6000 / 2490 8000 | F: +91 22 2490 8020.

Environment Clearance Compliance Status Report of Welspun Corp Ltd. (Steel Division)

(Period: April'2025 – Sept'2025)




Unit: Welspun Corp Ltd. (Steel Division)


Survey No. 650,652,653,655 Village: Versamedi,
Taluka: Anjar, District: Kutch, Gujarat-370110.

**Half Yearly Environment Clearance Compliance Report For M/s Welspun Corp Ltd.
located at Survey No. 650, 652, 653, 655 Village: Versamedi, Taluka: Anjar, Kutch-370110
(Gujarat).**

WCL-EC Amendment, SEIAA/GUJ/EC/3(a) & 1(d)/1067/2023, date: 21.08.2023 (Earlier WCL-EC, SEIAA/GUJ/EC/5(f)/2338/2022, date: 15.10.2022 & WSL-EC, SEIAA/GUJ/EC/3(a) & 1(d)/83/2011, date: 30.05.2011)

S.No.	Environment Clearance - Condition	Compliance Status																												
A	SPECIFIC CONDITIONS:																													
1	Total Production of Sponge Iron for captive consumption and for sale shall not increase for existing 1,44,000 MT/ Annum, in any case.	Noted & complied. We are monitoring and recording data to ensure the production of Sponge Iron shall not be increased.																												
A-1	WATER:																													
2	Fresh water requirement shall not exceed 2869 KL/day after the proposed expansion and shall be met only through water supply from Gujarat Water Infrastructure Ltd. (GWIL). No ground water shall be tapped for the project requirements. Water meter shall be installed at the all-water intake points, and its records shall be maintained.	<p>The water supply is fulfilled by our sister Unit M/s WLL. No ground water is being tapped for the project requirement. We have maintained the logbook for water consumption within the premises.</p> <p>The details of water consumption for the compliance period (April'2025 to Sept.'2025) is given below.</p> <table border="1"> <thead> <tr> <th>S.No.</th> <th>Month</th> <th>Industrial (KL)</th> <th>Domestic (KLD)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>April-25</td> <td>18851</td> <td>38</td> </tr> <tr> <td>2.</td> <td>May-25</td> <td>19679</td> <td>37</td> </tr> <tr> <td>3.</td> <td>June-25</td> <td>16796</td> <td>36</td> </tr> <tr> <td>4.</td> <td>July-2025</td> <td>13243</td> <td>33</td> </tr> <tr> <td>5.</td> <td>Aug-2025</td> <td>14204</td> <td>31</td> </tr> <tr> <td>6.</td> <td>Sept-2025</td> <td>17616</td> <td>39</td> </tr> </tbody> </table> <p>However, water consumption during the Financial year 2024-25 is 806 KLD and its within limit as mentioned in EC Condition. Water meter is installed at all water intake points and maintained daily/monthly records. same data also submitted at Monthly E-Patruk through GPCB XGN portal.</p>	S.No.	Month	Industrial (KL)	Domestic (KLD)	1.	April-25	18851	38	2.	May-25	19679	37	3.	June-25	16796	36	4.	July-2025	13243	33	5.	Aug-2025	14204	31	6.	Sept-2025	17616	39
S.No.	Month	Industrial (KL)	Domestic (KLD)																											
1.	April-25	18851	38																											
2.	May-25	19679	37																											
3.	June-25	16796	36																											
4.	July-2025	13243	33																											
5.	Aug-2025	14204	31																											
6.	Sept-2025	17616	39																											
3	The industrial effluent generation (from DM Plant Regeneration, Boiler Blow-down & cooling tower blow down) shall not exceed 179 KL/day after the proposed expansion.	The Industrial effluent generation of water is within the prescribed limit. Mostly industrial effluent reuse in process for cooling purpose.																												
4	The industrial effluent after its pH correction shall be completely reused in sponge iron kiln cooling, green belt development, sprinkling on roads etc. There shall be no discharge of industrial effluent outside the factory premises in any cases.	<p>We are re-using wastewater for Cooling of Kiln's Cooler, Dust suppression, sprinkling, gardening purpose to minimize fresh water consumption.</p> <p>We have maintained and adhere with Zero Liquid Discharge (ZLD) norms.</p>																												

		<p>We are carrying out regular monitoring on monthly basis by third party i.e. (Recognized auditor by GPCB no. GPCB/EA-151712/& MoEF Accredited (EPA-1986) Laboratory NABL approved Lab)</p> <p><i>(Last three months Waste Water Analysis report by Third party attached as Annex-1)</i></p>
5	Domestic Wastewater shall be disposed of through septic tank-soak pit.	The domestic wastewater is being disposed through a septic tank.
6	Rainwater harvesting of surface as well as rooftop runoff shall be undertaken, and the same water shall be used for the various activities of the project to conserve fresh water as well as to recharge ground water. Before recharging the surface runoff, pre- treatment must be done to remove suspended matter.	<p>We have made an artificial pond for the Rainwater Harvesting. Rainwater is being collected in the same for the utilization.</p> <p>We have created two large rain water harvesting lagoons with a capacity to store 3000 million Liters of rain water. The lagoon is spread at an area of 27 acres having depth of 18 meters. Drainage network is created in all areas to collect the rain water from the roof tops and it is diverted into the lagoon. This water used for gardening and process activities after primary treatment.</p>
		
<p><u>Photographs of Rain Water Harvesting Pond</u></p>		




Satellite view of Rain Water Harvesting Pond

A-2 AIR:		
7	Imported coal-125 MT/day & Coal-char 56 MT/day shall be used as fuel in the proposed AFBC Boiler (30 TPH).	Noted and being complied.
8	FO-3.5 KL/Day & Gasifier Gas shall be used as a fuel in the Reheating Furnace. (03 Nos.)	Noted.
9	The AFBC Boiler shall be operated only when existing sponge iron kiln is not in operation (i.e. WHRB plant non operation phase) and hence total power generation shall not increase from existing 12 MW level in any case.	Noted & being Complied. We ensure that, total power generation not increased from the existing 12 MW level.
10	Height of stack attached to induction Furnace (02 nos.) and Reheating Furnace (03 nos.) shall be at least 30 M and height of stack attached to AFBC Boiler shall be at least 47.24 M.	Complied. We have maintained the adequate stack heights for both stacks (Induction Furnace & Reheating Furnace).
11	Bag Filters shall be provided as air pollution control system for induction Furnace (02 nos.) and Reheating Furnace (03 nos.). These bag filter shall be operated efficiently to achieve the norms prescribed by the GPCB at stack outlets.	<p>Bag Filters have been provided as air pollution control system for Controlling Emission to achieve the norms prescribed by the GPCB at stack outlets.</p> <p>We have also conducted stack monitoring by third party NABL accredited lab on regular intervals and results are found within standards limit and same are also submitted with Six-Monthly EC Compliance Report.</p> <p><i>(Please refer Annexure-2 as a third-party stack monitoring report by third party (NABL & MoEF&CC) accredited & GPCB approved agency.)</i></p>



[Geotagged photographs of Adequate Air Pollution Control Device](#)

12	<p>High efficiency Electrostatic Precipitators (ESP) with efficiency not less than 99.9% shall be provided as air pollution control system for the AFBC Boiler. The ESP shall be operated efficiently to ensure that particulate matter emission does not exceed the GPCB norms. The control system shall be designed and integrated in plant DCS in such a way that if emission from ESP exceed the specified standard utilization of boiler capacity shall be reduced so that flue gas emission from the stack meets with the specified norms of boiler shall shut down totally.</p>	<p>High efficiency Electrostatic Precipitators (ESP) has been provided and efficiently operated to maintain GPCB norms. <i>(Please refer Annexure-2 as third-party stack monitoring reports of ESP by third party (NABL & MoEF&CC) accredited & GPCB approved agency.)</i></p>
13	<p>There shall be one extra field in the ESP to ensure that even though one field goes out of order, the efficiency of the ESP is not affected. In case of failure of two or more fields of the ESP, the unit shall immediately shut down the power plant.</p>	<p>Complied.</p>
14	<p>Online Monitoring System shall be installed on the boiler stack. This online monitoring system shall be interlocked with plant DCS system in such a manner that if concentration of particulate matter in flue gas emission exceeds the stipulated standard, utilization of boiler capacity shall reduce accordingly in order to bring down the particulate matter concentration below the stipulated standard. An arrangement shall also be done for reflecting the online monitoring results on the company's server which can be assessable by the GPCB on real time basis.</p>	<p>Complied. Online Monitoring System (OCEMS) is provided at boiler stacks. Same real time monitoring data are also transferring to GPCB & CPCB servers.</p>



[Screenshot of Real Time Online CEMS data transfer to CPCB RTDMS & GPCB Servers](#)

15	The Company shall prepare schedule carry regular preventive Maintenance of mechanical and electrical parts of ESPs and assign responsibility of preventive maintenance to the senior officer of the company.	We are maintaining performance of all installed APCDs with regular maintenance to efficient working.
16	The fugitive emission in the work zone environment shall be monitored. The emission shall conform to the standards prescribed by the concerned authorities from time to time (e.g. Directors of industrial Safety & Health). The following indicative guidelines shall also be followed to reduce fugitive emission.	<p>Point noted and are being complied.</p> <p>Fugitive emissions are being monitored in the work zone area on regular intervals by third party (Accredited by NABL & GPCB approved). All results are found satisfactory and same report also submitted with Six-Monthly EC Compliance report submit to MoEF&CC, GPCB & CPCB authorities.</p> <p><i>(Please refer Annexure-3 as a third-party fugitive monitoring report by third party (NABL & MoEF&CC) accredited & GPCB approved agency.)</i></p>
a.	Enclosure shall be provided at coal loading and unloading operation.	<p>Complied.</p> <p>Efficient enclosure provided at coal loading and unloading operations and also adequate storage facility provided for the coal materials under covered shed.</p> <p>We have fixed the curtain at both side of entry and exit gate of coal storage yard. This will minimize the impact of dust emission during vehicle loading/unloading. In addition to this, they have also installed the dry fog/mist spray system at the coal unloading ground hopper to reduce dust emission.</p> <p>We have also covered the truck with Tarpaulin sheet during the Transportation.</p>





(Fully Covered shed facility for the Coal handling & Storage, and covered trucks)

b. Water shall be sprayed on coal stock piles periodically to retain some moisture in top layer and also while compacting to reduce the fugitive emission.

Water Sprinkler System have been installed at Coal Storage area and water being sprayed on coal stock piles periodically to retain some moisture in top layer.

We have provided water sprinkler facility at raw materials & coal storage yard areas and also water sprinkler provided at the Material Conveying Belts to reduce the dust emissions.

In addition to this, we have also deployed water tanker for the water sprinkling in plant internal roads and storage yard areas on regular intervals to reduce fugitive emissions.



Geo-tagged photographs of water sprinkler system at coal storage area, other open storage area and material conveying belts and also deployed water tanker

c. All transfer points shall be fully enclosed.


All transfer points are fully enclosed & covered with GI sheet.

All transfer tower and conveyor belts are also covered with canopy for the reduce dust emission.




Geotagged photographs of Covered all transfer point and covered conveyor belt systems

d.	Accumulated dust on the ground and other surface shall be removed/swept regularly and water the area after sweeping,	Accumulated dust on ground is being swept on a regular basis to maintain good housekeeping and water is being sprinkled after sweeping.
e.	Internal roads shall be either concreted or asphalted or paved properly to reduce the fugitive emission during vehicular movement.	<p>Complied & following measures taken to reduce dust emission during vehicular movement.</p> <ol style="list-style-type: none"> 1. Point Noted & we have provided the paved & concreted wide road inside the plant premises to reduce emission during vehicle movement. 2. In addition to this, water sprinkling facility provide for the wetting of roads and also deployed dedicated water tankers nearby storage yards areas & inside the plant premises. which resulted to decrease in fugitive emission during the vehicles movement. 3. Maintaining good housekeeping through vacuum cleaning truck for internal plant roads and main roads. 4. Materials are covered during transportation inside the plant premises to reduce dust emissions. 5. Vehicle speed also maintained within 20 Km/h to reduce the dust emission during vehicle movements.



[Geotagged photographs of Paved Road & Vacuums cleaning truck to reduce dust emission during vehicle movement](#)

f.	Air born coal dust shall be controlled with water sprinklers at suitable locations in the plant.	Water Sprinkler System are installed to control fugitive dust emission inside the plant premises. In addition to this, we have deployed dedicated water tanker to reduce dust suppression.
----	--	--



[Geo-tagged photographs of water sprinkling facility for dust suppression](#)

g. Coal shall be transported through covered trucks only whereas fly ash shall be transported through closed trucks only. Noted & are being complied. We have ensure that all materials transportation trucks are covered with tarpaulin.



[Geotagged Photographs of transportation truck](#)

17	<p>Third party performance Evaluation of the air pollution control system including ESP shall be carried out at least once in a year to check its performance and efficiency through a reputed institute like NPC, LD Collage of Engineering or such other institute of similar repute, and its records shall be maintained.</p>	<p>Third party performance evolution of the air pollution control system including ESP are being carried out by M/s Royal Environment Consultancy Services on regular intervals and its records are being maintained and report also submitted to MoEF&CC, GPCB & CPCB authorities along with Six-Monthly EC Compliance reports.</p> <p>In addition to this, GPCB approved Sch-I Auditing agency is also conducted Environmental Monitoring under EAS (Environment Audit Scheme) on quarterly basis and same monitoring reports are also submitted with Final Environment Audit Report to GPCB, Head Office.</p> <p><i>(Please refer Annexure-2 as third-party stack monitoring reports by third party (NABL & MoEF&CC) accredited & GPCB approved agency.)</i></p>
18	<p>Ambient air quality monitoring shall be carried out every month at three stations at 180 degree and its records shall be maintained and furnished to the SEIAA & GPCB from time to time. If at any stage, any pollution is found to exceed the prescribe limit, necessary additional control measures shall be provided immediately.</p>	<p>Ambient air quality monitoring is being carried out every month at various locations (04 locations) through third party (Accredited by NABL and MoEF&CC approved) & same records are being maintained and also submitted to MoEF&CC, CPCB & GPCB along with Six-Monthly EC Compliance report.</p> <p>However, we have provided adequate measures to maintain better Ambient Air Quality inside the plant premises and third party AAQ monitoring reports are also found within prescribed limits.</p> <p>The locations of ambient air quality monitoring stations are decided in consultation with the Gujarat Pollution Control Board on the basis that one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.</p> <p><i>(Please refer Annexure-4 as a Third party AAQM reports by third party (NABL & MoEF&CC) accredited & GPCB approved agency.)</i></p>



Geo-tagged photographs of Third party AAQ Monitoring

A-3 HAZARDOUS / SOLID WASTE:

19 The company shall strictly comply with the rules and regulations with regards to handling and disposal of hazardous waste in accordance with the hazardous waste rules 2008, as may be amended from time to time. Authorization from the GPCB shall be obtained for collection/treatment/storage/disposal of hazardous wastes.

We are following the Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016 & their subsequent amendments.

The unit has obtained Consolidated Consent & Authorization (CC&A) from the Gujarat Pollution Control Board (GPCB) for the collection, treatment, storage, and disposal of hazardous waste. The earlier consent was valid up to 12.08.2025, and the renewal order has been obtained from GPCB on 22.07.2025, which is now valid up to 01.07.2030.

GUJARAT POLLUTION CONTROL BOARD
 PARYAVARAN BHAVAN
 Sector-10-A, Gandhinagar-382 010
 Phone : (079) 23226255
 Fax : (079) 23232155
 Website : www.gpcb.gov.in

c) The acoustic enclosure or acoustic treatment of the room shall be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on the higher side. (If the actual ambient noise is on the higher side, it may not be possible to check the performance of the acoustic enclosure acoustic treatment. Such circumstances the performance may be checked for noise reduction up to actual ambient noise level, preferably, in the night time). The measurement for insertion loss may be done at different points at 0.5 m from the acoustic enclosure/room and the averaged.

d) The D.G. Set shall be provided with proper exhaust muffler with insertion loss of minimum 25 dB (A).

e) All efforts shall be made to bring down the noise level due to the D.G. Set, outside the premises, within the ambient noise requirements by proper siting and control measures. Installation of a D.G. Sets must be strictly in compliance with the recommendations of the D.G. Set manufacturer.

f) A proper routine and preventive maintenance procedure for the D.G. Set should be set and followed in consultation with the DG Set manufacturer which would help prevent noise levels of the DG Set from deteriorating with use.

5. AUTHORIZATION as per HAZARDOUS AND OTHER WASTE (MANAGEMENT AND TRANSBOUNDARY) RULES, 2016 Form-2 [See rule 6 (2)]

5.1 Authorization order no.-AWH-113455 Date of issue: 28/06/2021.

5.2 M/s. Welspun Steel Ltd., is hereby granted an authorization to operate facility for following hazardous wastes on the premises situated at Survey no- 850/552,653,655, VII Varshamedi, Tal: Anjar, Dist: Kutch.

Sr. No.	Waste Category	Quantity	Schedule & Facility
1.	Used Oil	1.314 KL/Year	1-5.1 Collection, storage, transportation and disposal by selling to registered recycler or reuse as lubricant within plant premises.
2.	Discarded containers/Drum	2.18 MT/Month	1-33.3 Collection, Storage, Transportation and disposal by selling to authorized decontaminator.

5.3 The authorization shall be valid up to 12/08/2025.

5.4 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.

5.5 The authorization is granted to operate a facility for collection, storage within factory premises transportation and ultimate disposal of Hazardous wastes as per condition no.5.2 to the industry having valid CCA of this Board.

5.6 TERMS AND CONDITIONS OF AUTHORIZATION

1. The applicant shall comply with the provisions of the Environment (Protection) Act-1986 and **Clean Gujarat Green Gujarat**

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation Page 5 of 8

GUJARAT POLLUTION CONTROL BOARD
 PARYAVARAN BHAVAN, SECTOR 10-A,
 GANDHINAGAR - 382010,
 (T) 079-23232152

By R.P.A.D

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 6(2) of the Hazardous and Other Waste (Management and Transboundary) Rules, 2016 framed under the Environmental (Protection) Act-1986.

And whereas Board has received consolidated consent application inward no. 336557 dated 02/07/2025 for the Renewal of Consolidated Consent and Authorization (CC&A) of this Board under the provisions / rules of the aforesaid Acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORIZATION:
 (Under the provisions/rules of the aforesaid environmental acts)

To,
 M/s. Welspun Corp Limited,
 (Old Name: Welspun Steel Limited)
 Survey no: 650, 652, 653, 655,
 Village: Varshamedi, Tal: Anjar,
 Dist: Kutch - 370 110.

1. Consent Order No. AWH-146661 Date of issue: 22/07/2025.

2. The consents shall be valid upto 01/07/2030 for the use of outlet for the discharge of trade effluent and emission due to operation of industrial plant for manufacturing of following items/products:

Sr. No	Product	Quantity
1.	Sponge Iron	1,44,000 MT/Annum
2.	MS billets & ingots	3,12,000 MT/Annum
3.	Angles & Sections	2,16,000 MT/Annum

Subject to specific condition:

1. Industry shall comply with all conditions of Environment Clearance granted by SEAAA vide order no. SEIA/AVG/JEC/2(a) & 119/1067/2023 dated 21/08/2023.

2. Industry shall obtain CTE & CCA-Amendment for reception, its treatment & disposal of industrial effluent from M/s. Welspun India Limited (12 MW Power Plant) (ID-58361) within 3 months.


3. Industry shall not withdrawal ground water without NOC from GOWA as per order of Hon. National Green Tribunal order.


4. Industry shall obtain fresh water from valid source having permission of the competent authority.

5. Industry shall renew Public Liability Insurance Policy time to time & submit a copy of the same to this office.

Clean Gujarat Green Gujarat Page 1 of 8

Screenshot of Valid Authorization copy obtained from GPCB

20	Hazardous waste sludge shall be packed and stored in separate designated hazardous waste storage facility with impervious bottom and leachate collection facility, before its disposal.	<p>Complied.</p> <p>The unit has provided separate hazardous waste storage facilities designated for each hazardous waste with pucca bottom and leachate collection facility, before its disposal.</p>  <p><i>Photographs of HZW Storage Area</i></p>
21	The discarded containers/barrels /bags/liners/ shall be sold only to the register recycler after decontamination.	<p>The discarded containers/barrels/bags/liners/ are being sold only to the register recycler by Gujarat Pollution Control Board (GPCB) through online manifest system with Form-10 at GPCB XGN Portal only.</p> <p>We have also submitted hazardous waste generation/disposal data during the submission of Annual Return (Form-IV) to statutory authorities and same copy also uploaded at XGN Portal in view of compliance in respect to Hazardous & Other waste Management Rules'2016 & their subsequent amendments.</p> <p>Latest Annual Return of Hazardous waste (Form-IV) submitted to statutory authorities for financial year 2024-2025 with our vide letter no. WCL-SD/(ID-18109)/ENV/HZW/ 2025-26/10 dated 10/04/2025.</p>
22	The used oil shall be sold to only to the registered recycler.	<p>Complied. The used oil generated from the plant is partly reused for lubrication within the premises, and the remaining quantity sold only to authorize recyclers/vendors registered under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.</p>
23	Ash pond shall not be constructed for the storage of the fly ash and the fly ash shall be stored in closed RCC silos only. The unit shall strictly comply with Fly Ash Notification under EPA and it shall be ensured that there is 100 % utilization of ash to be generated from the unit.	<p>Complied.</p> <p>We have provided specific RCC fly ash storage area. Unit has disposed fly ash to brick manufacturing unit.</p>



24	Slag shall be utilized in brick manufacturing or road construction or sold as aggregate for construction activity.	Noted and are being Complied.
25	Mill scale shall be completely reused in the process.	Noted and are being Complied.

A-4 SAFETY:



26	Fire Protection system based on National Fire Protection Association (NFPA) approved guideline shall be provided. It shall consist of fire hydrant system all-round the plant area and storage yards, high velocity water spray system for transformers, automatic fire detection and alarm, manual fire alarm system, portable fire extinguisher etc.	<p>We have also prepared an On-site Emergency Plan and Emergency Evacuations Plan to mitigate any exigency and also conducted Mock drills on the regular intervals to comply with all safety measures as per NPFA.</p> <p>We have provided fire extinguishers throughout the plant area. Additionally, the unit maintains four fire tenders and emergency response teams at Welspun City to ensure immediate response to any fire-related emergencies. It has been ensured that, for quicker response, adequate number of Fire extinguishers like Foam, DCP and CO2 has also been kept with easy accessibility. A layout plan indicating the location and type of extinguishers is displayed for ease of understanding and for quicker response.</p>
----	--	--



[Layout of Fire & Safety measures including Emergency Evacuation Plan and On-site Emergency Plan](#)

27	Personal Protective Equipment shall be provided to workers and its usage shall be ensured and supervised.	Personal Protective Equipment are being provided to workers and its uses are being insured & supervised. Safety Helmet & Safety shoes are mandatory for workers Other PPEs are being provided as per specific work place requirement.
28	First Aid Box and required antidotes for the chemicals used in the unit shall be made readily available in adequate quantity at all the times.	One Paramedical staff is deployed at First Aid Center. First Aid Box is available at each designated plant area.
29	Hazardous materials storage shall be at an isolated designed location. Storage and use of hazardous chemicals shall be minimized to extent possible and all necessary precaution shall be taken to mitigate the risk generated out of it.	Complied. Hazardous material stored at designed storage area and also disposal to registered recycler by GPCB through Online Manifest System at GPCB XGN only.

30	Storage of hazardous chemicals shall be multiple small capacity tanks/containers instead of on single large capacity tank of safety purpose.	Noted and complied.
31	All the storage tanks shall be fitted with appropriate controls to avoid any leakages. Bund/dykes walls shall be provided for the storage tanks. Close handling system for chemicals shall be provided.	Noted.
32	All transporting routes within the factory premises shall paved roads to minimize splashes and spillages.	All transporting routes within the factory premises have been paved roads to minimize splashes and spillages and also taken adequate measures to reduce dust emissions and spillages. In addition to this, we have deployed dedicated Vacuum Cleaning Truck for maintaining good housekeeping inside the plant premises.



[Geo-tagged photographs of Paved Road inside the plant premises](#)

33	All efforts shall be made for atomization of molten metal handling and human exposure to the molten metal shall be avoided as far as possible.	Noted and are being Complied.
34	Training shall be imparted to all the workers on safety and health aspects of molten metal handling heat stress etc. to avoid its impact on human being.	Regular training is being imparted to all the workers on safety, health & Environmental aspects of molten metal handling heat stress etc. to avoid its impact on human beings.
35	Occupational health surveillance of the worker shall be carried out on regular basis and records shall be maintained as per factories Act and Rules. Pre-employment and periodical post-employment medical examination for all workers shall be undertaken as per the statutory requirements.	Complied. Occupational health surveillance carried out on regular basis and record shall be maintained as per the factory act & Rules. Pre-employment and periodical medical reports are also submitted to statutory authorities along with Final Environmental Audit Report as prepared by Sch-I environmental auditor as allocated by GPCB.

36	At all the times, necessary tie up with the nearby doctor qualified / hospital for occupation health shall be made to ensure that the medical treatment is given within the shortest time in case of any adverse condition.	Complied. We have also deployed qualified doctor and occupational staff including ambulance in case of any emergency/ adverse condition occurs.
37	Sufficient ventilation, exhausts shall be provided to maintain the temperature within the work area. Temperature indicators shall be provided at the vulnerable places in consultation with Directors of Safety and Health.	Noted and are being Complied.
38	The project management shall strictly comply with the provisions made in Manufacture Storage and Impact of Hazardous Chemical Rules, 1989 as amended 2000 for handling of hazardous chemical.	Noted.
39	All Transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act & Rules.	Transportation of generated hazardous waste through online manifest system only and same record also maintained and submitted in HZW annual return Form-IV.
40	The Project Management shall prepare a detailed Disaster Management Plan (DMP) for the project as per guideline from Directorate of Industrial Safety & Health.	Noted.
A-5 NOISE:		
41	To minimize the noise pollution the following noise control measures shall be implemented.	
a.	Selection of any new plant equipment shall be made with specification of the low noise levels.	Complied.
b.	Manufactures / suppliers of major noise generating machines/equipment like air compressor, feeder pumps, turbine generators, etc. shall be instructed to make required design modification wherever possible before supply and installation to mitigate the noise generation and to comply with national / international regulatory norm with respect to noise generation for individual units.	Noted. We have provided adequate measures to minimum impact of noise from the machineries/equipment with regular maintenance, adequate enclosures and Conducting Noise Level Monitoring by third party on regular intervals to minimize Noise Pollution.
c.	Regular maintenance of machinery and vehicle shall be undertaken to reduce the noise impact.	Noted and complied. Regularly maintenance done for machinery and also in practice for the Vehicle entry inside the plant premises with Valid PUC only to reducing environmental impact.
d.	Noise Suppression measures such as enclosures, buffers and /or protective measures shall be provided.	Noted and are being complied. Adequate enclosure and measures also provided for noise protection.
e.	Employees shall be provided with ear protection measures like earplug or earmuffs.	All mandatory and job specific PPEs provided to employee to health protection and also ensured to engineering control for minimize impact at environment also.




f.	Proper oiling, lubrication and preventive maintenance shall be carried out of the machineries and equipment's to reduce noise generation.	Noted and are being Complied.
g.	Construction equipment generating minimum noise and vibration shall be closed.	Noted and are being Complied.
h.	Ear plugs and muffs shall be made compulsory for the construction worker working near the noise generating activities/machine/equipment.	Ear plugs and muffs provided to workers as mandatory PPE's during construction phase to reduce the impact of noise.
i.	Vehicle and construction equipment with internal combustion engines without proper silencer shall not be allowed to operate.	Adequate and healthy vehicle allowed only with IC engines and proper silencer facility and having a valid PUC before entering at plant premises.
j.	Construction equipment meeting the norms specified by EPA Act-1986 shall only be used.	Noted and are being Complied.
k.	Noise control equipment and baffling shall be employed on generators especially when they are operated near the residential and sensitive areas.	Adequate enclosure/structure provided for the noise control and also conducting regular Noise Level Monitoring by third party (NABL accredited) and all results are found satisfactory.
l.	Noise level shall be reduced by the use of adequate mufflers on all motorized equipment.	Noted and complied.
42	The overall noise level in and around the plant area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencer, enclosures, vibration dampers etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment Protection Act and Rules. Workplace noise levels for workers shall be as per the Factory Act & Rules.	Noted and are being Complied. Workplace Noise level monitoring performed on regular interval by third party NABL accredited agency. (Please refer Annexure-5 as Noise Level Monitoring reports)
A-6 CLEANER PRODUCTION AND WASTE MINIMISATION:		
43	The unit shall undertake the cleaner production assessment study through a reputed institute/organization and shall form a CP team in the company. The recommendation thereof along with the compliance shall be furnished to the GPCB.	Noted.
44	The Company shall undertake following waste minimization measures.	
a.	Metering and control of quantities of actives ingredients to minimize waste.	Noted & are being Complied.
b.	Reuse of by-products from the process as raw materials or raw materials substitutes in other process.	We are reusing of by-products from the process as raw materials and also minimize the waste from the plant operations.
c.	Use of automated and enclosed filling to minimize spillages.	Complied.
d.	Use of close system.	Complied.


		We have closed loop system for all processes (Raw material conveying, Storage yard, other processes covered with shed for minimum impact on environment.
e.	Dry cleaning / mopping of floor instead of floor washing.	Complied.
f.	Use of high-pressure hoses for equipment cleaning to reduce waste water generation.	Complied and using a high-pressure hose for equipment cleaning, sprinklers system to reduce waste water generation.
g.	Regular preventive maintenance for avoiding leakage, spillage etc.	We are in practice to process control with preventive maintenance of all engineering control devices, APCDs, Conveyor Belts, etc. to avoid leakages and spillages during the plant operations.

A-7 GREEN BELT AND OTHER PLANTATION:

45	The unit Shall develop green belt in at least 11.48 hectares area within premises as proposed. Green belt of average 15 M width comprising of rows of varying height tall trees with thick foliage shall be developed in the periphery of the factory premises.	<p>We have developed massive greenbelt inside the plant premises and also nearby factory premises boundaries.</p> <p>Welspun Corp limited (Steel Division) having approximately 232528.75 sqm. land area. Out of this approx. 60,700 sqm. (26.10%) land area is developed as greenbelt.</p> <p>In addition to this, we have done plantation under CSR activities surrounding the plant boundary premises greenbelt area developed with 9,09,992 sqm out of the total area of 9,43,256 sqm. Which is a 96.47 % greenbelt covered.</p> <p>Hence, Total Greenbelt covered with 41.16 % based on the plantation done inside plant premises and surrounding areas.</p>
----	---	---







Glimpses of the Greenbelt developed inside plant premises and nearby plant boundaries

46 Drip irrigation system shall be used green belt development.

We have arranged the Water Tanker & Water Pipeline supply for green belt development.




Photo of Drip Irrigation system for green belt development


47 The unit shall also take up adequate plantation at suitable open land on road side and other open areas in nearby villages or schools in consultation with the Gram Panchayat / GPCB and submit an action plan for the same for next three years to the GPCB.

We have already taken up for the adequate plantation at nearby areas at suitable open land on road side and other areas under CSR initiatives and also take care of plantation for the better survival rate. we have done plantation under CSR activities surrounding the plant boundary premises greenbelt area developed with 9,09,992 sqm out of the total area of 9,43,256 sqm. Which is a 96.47 % greenbelt covered.



Greenbelt development at plant boundaries and nearby road side open areas

B. GENERAL CONDITIONS:		
48	In the event of failures of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.	Noted & shall be Complied.
49	The company shall vigorously follow the recommendation mentioned in the Charter on Corporate Responsibility for Environment Protection (CREP) published by the CPCB.	Noted. Please refer Annexure-6 for the CSR (Corporate Social Responsibility) activities along with their photographs.
50	All the issues raised in the public hearing shall be comprehensively addressed / complied with a time bound manner.	Complied.
51	The project proponent shall adhere to their commitments made during the public hearing held on 17/09/2010 viz. to incur Rs.42 crore towards Socio-Economic development, preference to local employment etc.	Complied.
52	A separate Environment Management Cell equipped with full-fledged laboratory facilities and qualified personal shall be set up to carry out the environment management and monitoring	Complied. We have well-qualified persons in environment management cell for the environment protection purpose.

	<p>functions and a separate budget shall be allocated for this purpose.</p>	 <p><i>Fig. Environment Management Cell structure at Anjar site</i></p>
53	<p>The funds earmarked for environment protection measures shall be maintained in a separate account and there shall not be any diversion of these funds for any other purpose. A year wise expenditure on environment safeguards shall be reported.</p>	<p>Complied. A details of the year-wise expenditure on environmental protection measures are being compiled and will be incorporated in the next reporting cycle. The same shall be submitted to the Board along with the subsequent year's compliance report. The funds earmarked for environmental protection are maintained in a separate account, and no diversion of these funds has been made for any other purpose.</p>
54	<p>Pucca flooring / impervious bottom shall be provided in the work areas, chemical storage areas and chemical handling area to minimize soil contamination.</p>	<p>Complied.</p>
55	<p>Leakages from the pipes, pumps shall be minimal and if occurs shall be arrested promptly. During material transfer, spillages shall be avoided and garland drain be constructed.</p>	<p>Complied.</p>
56	<p>The project management shall also comply with all the recommendation made in the EIA/EMP report of the project and the undertaking submitted by the project Management.</p>	<p>Complied.</p>
57	<p>The applicant shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.</p>	<p>Noted & shall be Complied.</p>
58	<p>No further expansion or modification in the plant shall be carried out without prior approval of the MoEF / SEIAA as the case may be. In case of deviations of alteration in the project proposal from those submitted to MOEF/SEIAA/SEAC for clearance, a fresh reference shall be made to the SEIAA/SEAC to assess the adequacy of conditions</p>	<p>Noted & shall be Complied. We will take prior approval from the competent authorities in case of any expansion/modification occurred.</p>

	imposed and to add additional environmental protection measures required, if any.	
59	The project authorities shall earmark adequate funds to implement the condition stipulated by SEIAA as well as GPCB along with the implementation schedule for all the condition stipulated herein. The funds so provided shall not be diverted for any other purpose.	Complied.
60	The applicant shall inform the public that the project has been accorded environmental clearance by SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the website of SEIAA/SEAC/GPCB. This shall be advertised within seven days from the date of clearance letter in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.	Noted & complied.
61	It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environment clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each Calendar year.	Noted & complied. We have submitted the half-yearly EC Compliance report condition wise in soft copy to concerned authority via E-mail within the desired timeline. Same Compliance report is also uploaded on our company website and also submitted at Parivesh 2.0 portal.

WCL-SD/ECCR/H2-FY'25/2025-26/21

To,
The Deputy Director General of Forests (C),
Integrated Regional Office (IRO),
Ministry of Environment, Forest and Climate Change (MoEF&CC),
Room No. 407, Ariyaya Bhawan, Near CH-3 Circle, Sector-10A, Gandhinagar-382010.
E-mail: iro.gandhinagr-mefcc@gov.in

Sub.: Half Yearly Compliance to Environmental Clearance of Welspun Corp Ltd. (Steel Division).
Ref: WCL-EC Amendment, SEIAA/GUJ/EC/3(a) & 1(d)/1067/2023, date: 21.08.2023 (Earlier WCL-EC, SEIAA/GUJ/EC/5(f)/2338/2022, date: 15.10.2022 & WSL - EC, SEIAA/GUJ/EC/3(a) & 1(d)/83/2011, date: 30.05.2011)

Respected Sir/Ma'am,

With reference to above subject, please find herewith the point wise Six-Monthly Compliance Report (October'2024 to March'2025) of environment clearance in respect of Welspun Corp Ltd. (Steel Division) Located at Welspun City, Village-Vesamed, Taluka-Anjar, District-Kutch, Gujarat.

As per the Para 10 of EIA Notification, 2006 and subsequent amendment vide MoEF&CC notification S.O 5845 (3) dated 28.11.2018; we are submitting herewith the compliance report of EC letter to your good office through e-mail (soft copy).

This is for your kind information and record, please.

Thanking you,

Yours faithfully,

For Welspun Corp Ltd. (Steel Division)


Dr. Rameshkumar K.T.
(Vice President & Group Environment Head)

Encl: As above

CC to:

- (1) The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector-10-A, Gandhinagar-382010, Email: mo-gpcb@gujarat.gov.in
- (2) The Regional Director (West Zone), Central Pollution Control Board, Parivesh Bhawan, Atmajyoti Ashram Rd, Opp. VMC Waru Office No. 10, Subhaspura, Vadodara, Gujarat-390023.
E-mail: westzonecpd@yahoo.com
- (3) SEIAA-Gujarat, Gujarat Pollution Control Board, "Paryavaran Bhavan", Sec-10A, Gandhinagar-382010.
E-mail: seiaaguj@yahoo.com

Welspun Corp Limited (Steel Division)

Welspun House, 5th Floor, Kalyani Circle, Sarvagad Road Marg, Lower Panel (9), Mumbai 400013, India
T: +91 22 6613 6000 / 2490 8000 | F: +91 22 2490 8020
E-mail: companysecretary_wcl@welspun.com (W & B) | www.welspuncorp.com
Registered Address: Welspun City, Village Vesamed, Taluka Anjar, District Kutch, Gujarat 370118, India
T: +91 28 3668 2212 | F: +91 28 3637 9960
Corporate Identity Number: L27100G1299VU1225695

Half Yearly Compliance Report
2025
01 Jun(01 Oct - 31 Mar)

Acknowledgement

Proposal Name	M/s Welspun Corp Limited		
Name of Entity / Corporate Office	Pandit Sushil Jagdish		
Village(s)	Anjar (M)		
District	KACHCHH		
Proposal No.	SIA/GJ/IND3/300313/2023	Category	Industrial Projects - 1
Plot / Survey / Khasra No.		Sub-District	Anjar
State	GUJARAT	Entity's PAN	****0744L
MoEF File No.	SEIAA/GUJ/EC/3(a)1(d)/1067/2023	Entity name as per PAN	WELSPUN CORP LIMITED

Compliance Reporting Details

Reporting Year	2025
Remarks (if any)	WCL-SD EC Compliance report (Period: 1st October 2024 to 31st March 2025).
Reporting Period	01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office	Pandit Sushil Jagdish
-----------------------------------	-----------------------

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	SIA/GJ/IND3/300313/2023
Compliance ID	125797638
Compliance Number(For Tracking)	EC/M/COMPLIANCE/125797638/2025
Reporting Year	2025
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	04-05-2025
RO/SRO Name	Shrawan Kumar Verma
RO/SRO Email	kr099.ifs@nic.in
State	GUJARAT
RO/SRO Office Address	Integrated Regional Offices, Gandhi Nagar

Note:- SMS and E-Mail has been sent to Shrawan Kumar Verma, GUJARAT with Notification to Project Proponent.

Screenshot of Compliance report upload on company website and Upload at Parivesh 2.0 Portal

62 The Project authority shall also adhere to the Noted & shall be Complied. stipulations made by the GPCB.

63	The project authorities shall inform the GPCB, regional office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Complied.
64	The SEIAA may revoke or suspend the clearance, if implementation of any of the above condition is not found satisfactory.	Noted.
65	The above conditions shall be enforced Inter-alia under the provisions of the Water (Prevention & Control of Pollution) act-1974, Air (Prevention & Control of Pollution) act-1981. The Environment protection Act, 1986, Hazardous Waste Rules-2008 and the Public Liability Insurance Act-1991 along with their amendments and rules.	Noted & shall be Complied.

Annexure-1



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royallengironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 420/07/2025-26

Date: 31/07/2025

REPORT OF WASTE WATER SAMPLES

Name of company : Welspun Corp Ltd - Steel Division

Welspun City, Survey No 650,

Village: Versamedi, Taluka: Anjar,

Dist.: Kutch- 370110.

Date of Sampling : 09/07/2025

Source of Sample : ETP Plant

Sample Collected by : Royal Environment

Sr.No.	Parameters	Unit	Permissible Limits(*)	ETP I/L	ETP O/L
01	pH	pH Units	6.5 to 8.5	8.16	7.48
02	Temperature	°C	40	31	30
03	Color	pt.co.	100	70	25
04	Total Dissolved Solids	mg/l	2100	1486	1257
05	Suspended Solids	mg/l	100	31	24
06	Oil & Grease	mg/l	10	N.D.	N.D.
07	BOD (3 Days @ 27°C)	mg/l	30	36.7	24.4
08	COD	mg/l	100	95.4	60.9
09	Chlorides	mg/l	600	290	154
10	Sulphates	mg/l	1000	560	63
11	Phenolic Compound	mg/l	2.0	7.1	N.D.
12	Amonical Nitrogen	mg/l	50	33	8
13	Sodium Absorption Ratio	%	26	21	19.3
14	Total Chromium (As Cr)	mg/l	0.2	0.64	0.05
15	Hexavalent Chromium (As Cr ⁺⁶)	mg/l	0.1	0.3	0.04
16	Total Copper (As Cu)	mg/l	1.0	0.05	0.04
17	Total Iron (As Fe)	mg/l	1.0	0.8	0.05
18	Zinc (As Zn)	mg/l	1.0	0.07	0.05
19	Bio - assay test	Hours	90% Survival of fish after 96 hours in 100% effluent	N.A.	95.00%

(*) Permissible Limit as per GPCB CC&A, Limits are only applicable to ETP O/L

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 520/08/2025-26

Date: 30/08/2025

REPORT OF WASTE WATER SAMPLES

Name of company : Welspun Corp Ltd - Steel Division

Welspun City, Survey No 650,

Village: Versamedi, Taluka: Anjar,

Dist.: Kutch- 370110

Date of Sampling : 23/08/2025

Source of Sample : ETP Plant

Sample Collected by : Royal Environment

Sr.No.	Parameters	Unit	Permissible Limits(*)	ETP I/L	ETP O/L
01	pH	pH Units	6.5 to 8.5	8.2	7.52
02	Temperature	°C	40	32	29
03	Color	pt.co.	100	71	24
04	Total Dissolved Solids	mg/l	2100	1356	1256
05	Suspended Solids	mg/l	100	30	23
06	Oil & Grease	mg/l	10	N.D.	N.D.
07	BOD (3 Days @ 27°C)	mg/l	30	35.2	21.3
08	COD	mg/l	100	94.5	59.6
09	Chlorides	mg/l	600	291	152
10	Sulphates	mg/l	1000	566	62
11	Phenolic Compound	mg/l	2.0	7.2	N.D.
12	Amonical Nitrogen	mg/l	50	34	7
13	Sodium Absorption Ratio	%	26	22	18.6
14	Total Chromium (As Cr)	mg/l	0.2	0.62	0.06
15	Hexavalent Chromium (As Cr ⁺⁶)	mg/l	0.1	0.2	0.03
16	Total Copper (As Cu)	mg/l	1.0	0.06	0.05
17	Total Iron (As Fe)	mg/l	1.0	0.5	0.06
18	Zinc (As Zn)	mg/l	1.0	0.06	0.08
19	Bio - assay test	Hours	90% Survival of fish after 96 hours in 100% effluent	N.A.	95.00%

(*) Permissible Limit as per GPCB CC&A. Limits are only applicable to ETP O/L

Royal Environment Auditing & Consultancy Service

Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No.: 621/09/2025-26

Date: 30/09/2025

REPORT OF STACK EMISSION ANALYSIS

Name of company : Welspun Metallica Limited, (12 MW Power Plant), New Name
Address Welspun India Ltd, (12 MW Power Plant),(Old Name)
Survey no. 651-p1, 652-p2, 653, 890,
Tal. Anjar, Dist.: Kutch - 370110.

Sample Collected by : Royal Environment

Sr. No.	Particulars	Unit	Permissible Limit	Stack No. 1	Stack No. 2
01	Stack Attached to	---	---	Boiler (20 TPH AFBC Boiler)	Boiler (30 TPH AFBC Boiler)
02	Date of Sampling	---	---	---	17/09/2025
03	Time of Sampling	---	---	---	10:18
04	Air Pollution Control Measures	---	---	ESP	ESP
05	Stack Height	Meter	---	30	31.48
06	Stack Temperature	° C	---	Not Running During Visit	110
07	Ambient Temperature	° C	---		32
08	Average Velocity of Flue Gases	M/Sec	---		8.1
09	Isokinetic flow rate for P.M. Sampling	LPM	---		20
10	P.M.	mg/Nm ³	150	---	27.22
11	SO ₂	ppm	100	---	38
12	NO _x	ppm	50	---	35

Instruments Used : Ecotech stack monitoring kit ESS - 100,

* Permissible limits as per GPCB CC&A

Calibration Done On : 07/01/2025


Royal Environment Auditing & Consultancy Service




Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Annexure-2

Ref.No. : 311/11/2025-26

Date: 12/11/2025

SUMMARY OF STACK EMISSION ANALYSIS RESULTS


Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,652, 653, 655
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Stack Attached to Kiln Exit 1&2						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	33.8	
02	Average Concentration of PM	mg/Nm3	36.1	52.6	26.3	27.6	---	26.5	26.3		52.6
03	Permissible Limits of SO ₂ *	ppm	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	36.4
04	Average Concentration of SO ₂	ppm	47.9	46.1	29.2	29.6	---	29.2	29.2	47.9	
05	Permissible Limits of NO _x *	ppm	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	25.8
06	Average Concentration of NO ₂	ppm	34.2	15.6	24.9	---	---	27	15.6	34.2	

* Permissible limits as per the GPCB Consent



Royal Environment Auditing & Consultancy Service, Rajkot

Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 312/11/2025-26

Date: 12/11/2025

SUMMARY OF STACK EMISSION ANALYSIS RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,652, 653, 655
Village: Versamedi, Taluka: Anjar,
Dist,: Kutch- 370110.

S. No.	Particulars	Unit	Stack Attached to Kiln Exit 3&4						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	54.2	
02	Average Concentration of PM	mg/Nm3	39.5	58.1	54.2	59.6	—	59.4	39.5		59.6
03	Permissible Limits of SO ₂ *	ppm	100.0	100.0	100.0	100.0	100.0	100.0	100.0	45.2	
04	Average Concentration of SO ₂	ppm	35.6	46.8	44.4	49.8	—	49.2	35.6		49.8
05	Permissible Limits of NO _x *	ppm	50.0	50.0	50.0	50.0	50.0	50.0	50.0	18.2	
06	Average Concentration of NO ₂	ppm	32.8	19.4	12.5	13.4	—	13.1	12.5		32.8

* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 313/11/2025-26

Date: 12/11/2025

SUMMARY OF STACK EMISSION ANALYSIS RESULTS Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)


Address Welspun City, Survey No 650,652, 653, 655
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Stack Attached to Iron Ore Crusher Screen House						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm ³	150.0	150.0	150.0	150.0	150.0	150.0	150.0	150.0	33.2
02	Average Concentration of PM	mg/Nm ³	34.15	33.55	34.2	35.1	32.6	29.8	29.8	35.1	

S. No.	Particulars	Unit	Stack Attached to Coal Crusher Screen House						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm ³	150.0	150.0	150.0	150.0	150.0	150.0	150.0	150.0	36.8
02	Average Concentration of PM	mg/Nm ³	38.1	39.15	38.6	37.9	34.9	32.4	32.4	39.15	

* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 314/11/2025-26

Date: 12/11/2025

SUMMARY OF STACK EMISSION ANALYSIS RESULTS Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)


Address Welspun City, Survey No 650,652, 653, 655
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Stack Attached to Stock House - 1						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm3	150.0	150.0	150.0	150.0	150.0	150.0	150.0	34.1	
02	Average Concentration of PM	mg/Nm3	32	33	35	36	33	35.6	32		36

S. No.	Particulars	Unit	Stack Attached to Stock House - 2						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm3	150.0	150.0	150.0	150.0	150.0	150.0	150.0	33.8	
02	Average Concentration of PM	mg/Nm3	37	36	34	34	31	30.5	30.5		37

* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 315/11/2025-26

Date: 12/11/2025

SUMMARY OF STACK EMISSION ANALYSIS RESULTS Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,652, 653, 655
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Stack Attached to Coal Injector - 1						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm3	150.0	150.0	150.0	150.0	150.0	150.0	150.0	35.2	
02	Average Concentration of PM	mg/Nm3	38	36	34	36	30	37.4	30		38

S. No.	Particulars	Unit	Stack Attached to Coal Injector - 2						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm3	150.0	150.0	150.0	150.0	150.0	150.0	150.0	32.1	
02	Average Concentration of PM	mg/Nm3	30	32	33	34	32	31.5	30		34

* Permissible limits as per the GPCB Consent





Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 316/11/2025-26

Date: 12/11/2025

SUMMARY OF STACK EMISSION ANALYSIS RESULTS Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)


Address Welspun City, Survey No 650,652, 653, 655
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Stack Attached to Intermediate Bin						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm ³	150.0	150.0	150.0	150.0	150.0	150.0	150.0	150.0	33.9
02	Average Concentration of PM	mg/Nm ³	34	31	35	34	36	33.6	31	36	

S. No.	Particulars	Unit	Stack Attached to Raw Material Junction House						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm ³	150.0	150.0	150.0	150.0	150.0	150.0	150.0	150.0	31.9
02	Average Concentration of PM	mg/Nm ³	32	33	34	33	31	28.6	28.6	34	

* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 317/11/2025-26

Date: 12/11/2025

SUMMARY OF STACK EMISSION ANALYSIS RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : **Welspun Corp Ltd - Steel Division (GPCB ID-18109)**

Address Welspun City, Survey No 650,652, 653, 655

Village: Versamedi, Taluka: Anjar,

Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Stack Attached to Production Separation						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm ³	150.0	150.0	150.0	150.0	150.0	150.0	150.0	150.0	36.1
02	Average Concentration of PM	mg/Nm ³	37	35	33	35	37	39.7	33	39.7	

* Permissible limits as per the GPCB Consent



Royal Environment Auditing & Consultancy Service, Rajkot

Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 318/11/2025-26

Date: 12/11/2025

SUMMARY OF STACK EMISSION ANALYSIS RESULTS Period : Half Yearly_ F.Y 2025-26


Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,652, 653, 655
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Stack Attached to ET Furnance - SMS						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	32.7	
02	Average Concentration of PM	mg/Nm3	33	31	33	36	31	32	31		36

S. No.	Particulars	Unit	Stack Attached to IT Furnance - SMS						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	32.5	
02	Average Concentration of PM	mg/Nm3	31	32	31	33	35	33	31		35

* Permissible limits as per the GPCB Consent





Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 319/11/2025-26

Date: 12/11/2025

SUMMARY OF STACK EMISSION ANALYSIS RESULTS Period : Half Yearly_ F.Y 2025-26


Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,652, 653, 655
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Stack Attached to Boiler of CPP - 30 TPH						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits of PM *	mg/Nm3	150.0	150.0	150.0	150.0	150.0	150.0	100.0	100.0	29.6
02	Average Concentration of PM	mg/Nm3	32.41	31.42	27.52	29.1	---	27.52	27.52	32.41	
03	Permissible Limits of SO ₂ *	ppm	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	39.0
04	Average Concentration of SO ₂	ppm	41	37	39	40	---	38	37	41	
05	Permissible Limits of NO _x *	ppm	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	34.6
06	Average Concentration of NO ₂	ppm	36	35	34	33	---	35	33	36	

* Permissible limits as per the GPCB Consent

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 414/07/2025-26

Date: 31/07/2025

ANALYSIS RESULT OF FUGITIVE EMISSION

Name of company : Welspun Corp Ltd - Steel Division

Address Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

Date of Sampling : 09/07/2025

Sample Collected by : Royal Environment

Sr. No.	Area	Monitoring Location	Permissible Limit**	SPM Level ($\mu\text{g}/\text{Nm}^3$)
01	Raw Material Handling Area	Screen Area	2000	1240
02		Transfer Point	2000	1156
03	Crusher Area	Crushing Point	2000	1142
04		Transfer Point	2000	1105
05	Feed Area	Feeder Area	2000	1440
06		Mixing Area	2000	1356
07	Cooler discharge Area	Transfer Point	2000	1060
08	Product processing Area	Product Separation Area	2000	1350
09		Bagging Area	2000	1290
10		Intermediate Stock bin Area	2000	1195

Instruments Used : HVS APM 430, RDS-AAS 217, Calibration done on.: 08/01/2025

** Permissible Limits are as per MoEF Notification 31st March 2012.

Royal Environment Auditing & Consultancy Service




Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mola Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 514/08/2025-26

Date: 30/08/2025

ANALYSIS RESULT OF FUGITIVE EMISSION

Name of company : Welspun Corp Ltd - Steel Division

Address Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

Date of Sampling : 23/08/2025

Sample Collected by : Royal Environment

Sr. No.	Area	Monitoring Location	Permissible Limit**	SPM Level ($\mu\text{g}/\text{Nm}^3$)
01	Raw Material Handling Area	Screen Area	2000	1315
02		Transfer Point	2000	1216
03	Crusher Area	Crushing Point	2000	1056
04		Transfer Point	2000	1145
05	Feed Area	Feeder Area	2000	1342
06		Mixing Area	2000	1169
07	Cooler discharge Area	Transfer Point	2000	1115
08	Product processing Area	Product Separation Area	2000	1296
09		Bagging Area	2000	1091
10		Intermediate Stock bin Area	2000	1346

Instruments Used : HVS APM 430, RDS-AAS 217, Calibration done on: 08/01/2025

** Permissible Limits are as per MoEF Notification 31st March 2012.

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref No : 614/09/2025-26

Date: 30/09/2025

ANALYSIS RESULT OF FUGITIVE EMISSION

Name of company : Welspun Corp Ltd - Steel Division

Address Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

Date of Sampling : 18/09/2025

Sample Collected by : Royal Environment

Sr. No.	Area	Monitoring Location	Permissible Limit**	SPM Level ($\mu\text{g}/\text{Nm}^3$)
01	Raw Material Handling Area	Screen Area	2000	1451
02		Transfer Point	2000	1169
03	Crusher Area	Crushing Point	2000	1135
04		Transfer Point	2000	1297
05	Feed Area	Feeder Area	2000	1501
06		Mixing Area	2000	1194
07	Cooler discharge Area	Transfer Point	2000	1234
08	Product processing Area	Product Separation Area	2000	1397
09		Bagging Area	2000	1012
10		Intermediate Stock bin Area	2000	1546

Instruments Used : HVS APM 430, RDS-AAS 217, Calibration done on : 08/01/2025

** Permissible Limits are as per MoEF Notification 31st March 2012

Royal Environment Auditing & Consultancy Service



Analyst

Annexure-4



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 241/11/2025-26

Date: 12/11/2025

SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : **Welspun Corp Ltd - Steel Division (GPCB ID-18109)**
Address Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr.Security Main Gate						Minimum	Maximum	Annual Average	Standard limit (Annually)**
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25				
01	Permissible Limits of PM _{2.5} *	µg/m ³	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	18.9	40.0
02	Average Concentration of PM _{2.5}	µg/m ³	23.2	22.9	22.5	15.9	11.6	17.5	11.6	23.2		
03	Permissible Limits of PM ₁₀ *	µg/m ³	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	37.6	60.0
04	Average Concentration of PM ₁₀	µg/m ³	38.9	36.5	37.3	33.6	32.6	46.8	32.6	46.8		
05	Permissible Limits of SO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	11.7	50.0
06	Average Concentration of SO ₂	µg/m ³	12.1	13.2	13.5	10.7	8.1	12.3	8.1	13.5		
07	Permissible Limits of NO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	18.6	40.0
08	Average Concentration of NO ₂	µg/m ³	21.4	22.2	19.2	15.4	15.1	18	15.1	22.2		

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 242/11/2025-26

Date: 12/11/2025

SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address : Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr.Weight Bridge Security point						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25				
01	Permissible Limits of PM _{2.5} *	µg/m ³	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	20.7	40.0
02	Average Concentration of PM _{2.5}	µg/m ³	26.2	25.8	25.2	15.9	11.6	19.7	11.6	26.2		
03	Permissible Limits of PM ₁₀ *	µg/m ³	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	36.6	60.0
04	Average Concentration of PM ₁₀	µg/m ³	37.6	35.2	38.2	32.7	32.6	43.2	32.6	43.2		
05	Permissible Limits of SO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	11.8	50.0
06	Average Concentration of SO ₂	µg/m ³	12.6	13.5	12.6	9.9	8.1	13.9	8.1	13.9		
07	Permissible Limits of NO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	18.3	40.0
08	Average Concentration of NO ₂	µg/m ³	20.9	22.4	18.2	15.7	15.1	17.4	15.1	22.4		

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 243/11/2025-26

Date: 12/11/2025

SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address : Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr.SMS Tringle Garden						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25				
01	Permissible Limits of PM _{2.5} *	µg/m ³	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	20.1	40.0
02	Average Concentration of PM _{2.5}	µg/m ³	28.3	24.9	24.5	16.3	10.6	16.2	10.6	28.3		
03	Permissible Limits of PM ₁₀ *	µg/m ³	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	37.2	60.0
04	Average Concentration of PM ₁₀	µg/m ³	35.9	36.8	39.5	33.4	30.9	46.9	30.9	46.9		
05	Permissible Limits of SO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	11.6	50.0
06	Average Concentration of SO ₂	µg/m ³	11.3	12.4	13.5	10.3	6.6	15.7	6.6	15.7		
07	Permissible Limits of NO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	18.6	40.0
08	Average Concentration of NO ₂	µg/m ³	23.6	23.1	19.3	15.9	10.6	19.2	10.6	23.6		

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 244/11/2025-26

Date: 12/11/2025

SUMMARY OF AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : **Welspun Corp Ltd - Steel Division (GPCB ID-18109)**

Address Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr.West Security Gate						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25				
01	Permissible Limits of PM _{2.5} *	µg/m ³	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	20.8	40.0
02	Average Concentration of PM _{2.5}	µg/m ³	29.1	24.2	24.9	15.4	12.1	18.9	12.1	29.1		
03	Permissible Limits of PM ₁₀ *	µg/m ³	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	37.9	60.0
04	Average Concentration of PM ₁₀	µg/m ³	37.2	35.5	37.9	33.1	35.8	48.1	33.1	48.1		
05	Permissible Limits of SO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	12.7	50.0
06	Average Concentration of SO ₂	µg/m ³	10.7	13.1	13.4	10.1	10.9	17.8	10.1	17.8		
07	Permissible Limits of NO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	19.1	40.0
08	Average Concentration of NO ₂	µg/m ³	21.2	24.3	18.7	16.3	13.5	20.6	13.5	24.3		

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



[Signature]
Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 245/11/2025-26

Date: 12/11/2025

SUMMARY OF NATIONAL AMBIENT AIR QUALITY MONITORING RESULTS

Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address : Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr.Security Gate (Welspun Steel)						Minimum	Maximum	Annual Average	Standard limit (Annually)**
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25				
01	Permissible Limits of PM _{2.5} *	µg/m ³	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	20.8	40.0
02	Average Concentration of PM _{2.5}	µg/m ³	26.1	25.7	26	16.7	11.3	18.7	11.3	26.1		
03	Permissible Limits of PM ₁₀ *	µg/m ³	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	41.6	60.0
04	Average Concentration of PM ₁₀	µg/m ³	43	36.4	42.3	39.9	33.4	46.2	33.4	50.3		
05	Permissible Limits of SO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	12.4	50.0
06	Average Concentration of SO ₂	µg/m ³	14.7	13.3	11.1	9.9	8.5	13.9	8.5	15.2		
07	Permissible Limits of NO ₂ *	µg/m ³	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	19.5	40.0
08	Average Concentration of NO ₂	µg/m ³	26.1	24.2	18.3	15.1	13.2	19.2	13.2	26.1		

*Permissible Limits (24 hrs.) as per NAAQ Standard dated 18th November'2009.

**Permissible Limits (Annually) as per NAAQ Standard dated 18th November'2009.

Royal Environment Auditing & Consultancy Service, Rajkot



[Signature]

Analyst

Annexure-5



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 401/11/2025-26

Date: 12/11/2025


SUMMARY OF NOISE LEVEL MONITORING RESULTS Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr. Main Security Gate						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0	61.0
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	67.3	66.5	65.6	35.4	64.5	66.8	35.4	67.3	
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	70.0	70.0	53.1
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	51.3	52.4	53.4	54.4	52.3	54.7	51.3	54.7	

Royal Environment Auditing & Consultancy Service, Rajkot



[Handwritten Signature]

Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 402/11/2025-26

Date: 12/11/2025

SUMMARY OF NOISE LEVEL MONITORING RESULTS Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr. Work Shop Area						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	75.0	64.7	
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	65.9	65.6	66.2	64.9	63.2	62.3	62.3		66.2
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	70.0	54.0	
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	56.9	53.3	52.0	53.2	51.9	55.6	51.9		56.9

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 403/11/2025-26

Date: 12/11/2025

SUMMARY OF NOISE LEVEL MONITORING RESULTS Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr. Weigh Bridge-Security Point						Minimum	Maximum	Annual Average
			Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	75.0	65.6	
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	64.3	65.2	66.5	67.2	65.4	64.9	64.3		67.2
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	70.0	70.0	53.1
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	54.2	53.7	54.4	53.9	50.7	51.9	50.7	54.4	

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 404/11/2025-26

Date: 12/11/2025

SUMMARY OF NOISE LEVEL MONITORING RESULTS Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr. SMS Triangle Garden						Minimum	Maximum	Annual Average
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	75.0	63.5	
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	63.2	64.1	64.9	65.3	62.8	60.4	60.4		65.3
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	70.0	53.0	
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	51.3	52.8	53.5	54.1	52.6	53.7	51.3		54.1

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref.No. : 405/11/2025-26

Date: 12/11/2025

SUMMARY OF NOISE LEVEL MONITORING RESULTS Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr. West Security Gate						Minimum	Maximum	Annual Average
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	75.0	64.2	
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	62.7	63.7	64.4	65.4	63.9	65.3	62.7		65.4
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	70.0	54.6	
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	58.6	56.4	55.8	54.7	51.4	50.9	50.9		58.6

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst



Royal

Environment Auditing & Consultancy Service

Plot No. 19 & 20, B/s. The North Star Nest School, Masoom School Road, Mota Mava, RAJKOT - 360 005.
Ph.: +91 9099919954 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref.No. : 406/11/2025-26

Date: 12/11/2025

SUMMARY OF NOISE LEVEL MONITORING RESULTS Period : Half Yearly_ F.Y 2025-26

Name of company : Welspun Corp Ltd - Steel Division (GPCB ID-18109)

Address Welspun City, Survey No 650,
Village: Versamedi, Taluka: Anjar,
Dist.: Kutch- 370110.

S. No.	Particulars	Unit	Location : Nr. CPP Plant-Coal Shed Corner						Minimum	Maximum	Annual Average
		Month	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25			
01	Permissible Limits Day Time	dB(A)	75.0	75.0	75.0	75.0	75.0	75.0	75.0	67.0	
02	Results (Day Time) 6:00 AM - 10:00 PM	dB(A)	68.7	67.5	66.9	65.4	64.5	69.1	64.5		69.1
03	Permissible Limits Night Time	dB(A)	70.0	70.0	70.0	70.0	70.0	70.0	70.0	54.9	
04	Results (Night Time) 10:00 PM - 6:00 AM	dB(A)	57.8	56.7	55.7	55.1	51.9	52.4	51.9		57.8

Royal Environment Auditing & Consultancy Service, Rajkot



Analyst

Annexure-6

Welspun[®]WORLD


FY25-26

Welspun Corp Limited

CSV – Q2 Review



About Foundation



Core Values and Programme



EDUCATION WelShiksha	EMPOWERMENT WelNetrotva	ENVIRONMENT WelPrakroti	HEALTH WelSwasthya

(3E + H)

Our Presence


12 STATES

24 DISTRICTS

755 VILLAGES

10 LACS + BENEFICIARIES

Gujarat	Chhattisgarh	J & K	Maharashtra
Madhya Pradesh	Karnataka	Uttar Pradesh	Bihar
Tamil Nadu	Telangana	Puducherry	Odisha



WFHK Programs Linkages with SDGs




We are addressing 11 SDGs out of 17 SDGs



Remaining 6 SDGs does not fall under our purview.



WFHK - Organogram



WFHK - Location wise reach



Programme	Target	Q1 Achieved	Q2 Achieved	Total Old	Total New	Total Achieved	% of Achieved
Gujarat	207642	118869	38908	107702	50075	157777	76%
Maharashtra	2320	692	342	0	1034	1034	45%
MP	30050	9946	4647	7074	7519	14593	49%
Telangana	14552	6359	5169	6781	4747	11528	79%
WEL Sites	611620	109552	172609	76731	205430	282161	46%
WelKrishi	130000	120316	-6659	113657	0	113657	87%
WSSW	24	20	3	23	0	23	96%
Grand Total	996208	365754	215019			580773	
Beneficiary Total	989298	363460	211475	311542	263393	574935	58%

Beneficiary list is excluding WelPrakruti and We Volunteer

WFHK Initiative wise Reach



Programme	Target	Q1 Achieved	Q2 Achieved	Total Old	Total New	Total Achieved	% of Achievement
WelShiksha	140492	101045	16891	91966	25970	117936	84%
WelSwashthya	306002	81859	75972	99751	58080	157831	52%
WelNetrutva	21805	3362	4264	6085	1541	7626	35%
WelKrishi	130000	120316	-6659	113657	0	113657	87%
WelSuraksha	388000	55915	119746	0	175661	175661	45%
Convergence	1325	510	594	0	1104	1104	83%
WelDisha	1650	433	664	60	1037	1097	66%
WSSW	24	20	3	23	0	23	96%
We Volunteer	1445	158	302	146	314	460	32%
WelPrakruti	5465	2136	3242	280	5098	5378	98%
Grand Total	989298	363460	211475	311542	263393	574935	58%

Beneficiary list is excluding WelPrakruti

WCL – CSR Overview



Programme	Target	Q1	Q2	Old	New	Total	% of Achievement
		Achieved	Achieved			Achieved	
WelDisha	207	183	0	27	156	183	88%
WelNetrutva	9373	1741	1724	2946	518	3465	37%
WelPrakruti	2183	1586	88	280	1394	1674	77%
WelShiksha	63412	44670	7693	40831	11532	52363	83%
WelSwasthya	47690	15100	12487	11310	16277	27587	58%
WeVolunteer	625	158	164	146	176	322	52%
WSSW	5	4	0	4	0	4	80%
Only Beneficiary	121086	61855	21955	55264	28546	83810	69%

WCL CSR Overview - Site Wise



Region	Target	Q1 Achieved	Q2 Achieved	Old	New	Total Achieved	% of Achievement
Gujarat	93438	53491	17508	48465.9	22533	70999	76%
WelDisha	27	27	0	27	0	27	100%
WelNetrutva	7718	992	1684	2445	230	2676	35%
WelPrakruti	68	0	68	0	68	68	100%
WelShiksha	51202	43072	6728	39328	10472	49800	97%
WelSwasthya	34200	9401	8916	6666	11651	18317	54%
WeVolunteer	225	0	113	0	113	113	50%
MP	30050	9946	4647	7074	7519	14593	49%
WelDisha	180	156	0	0	156	156	87%
WelNetrutva	1655	749	40	501	288	789	48%
WelPrakruti	2115	1586	20	280	1326	1606	76%
WelShiksha	12210	1598	965	1503	1060	2563	21%
WelSwasthya	13490	5699	3571	4644	4626	9270	69%
WeVolunteer	400	158	51	146	63	209	52%
WSSW	5	4	0	4	0	4	80%
WSSW	5	4	0	4	0	4	80%
Total	123494	63441.05	22155.6	55543.9	30052.75	85596.65	69%
Only Beneficiary	121086	61855.05	21955.15	55263.9	28546.3	83810.2	69%

Content



Gujarat

Madhya Pradesh


WSSW

Our Presence



Kutch District
2 Block
Anjar &
Gandhidham
Overall 70 Villages

Valsad District
6 Block
Vapi, Kaprada,
Pardi, Valsad,
Umernagar,
Dharampur
Overall 109
Villages



Patan District
1 Block
Patan
Overall 14 Villages

Gandhinagar
District
1 Block
Kalol
Overall 5 Villages

Bharuch District
3 Block
Bharuch,
Jhagadia, Vagra
Overall 26 Villages

Gujarat - Overall



Programme	Target	Q1 Achieved	Q2 Achieved	Total Old	Total New	Total Achieved
WelShiksha	113782	95715	14951	87395	23271	110666
WelSwashthya	76000	20890	19814	14813	25891	40704
WelNetrutva	17150	2204	3742	5434	512	5946
WelDisha	60	60	0	60	0	60
WelPrakruti	150		150	0	150	150
We Volunteer	500		251	0	251	251
Gujarat	207642	118869	38908	107702	50075	157777

Gujarat Project wise Overview



Programme	Target	Q1 Achieved	Q2 Achieved	Total Old	Total New	Total Achieved
WelDisha	60	60	0	60	0	60
Youth Skill Development	60	60	0	60	0	60
WelShiksha	113782	95715	14951	87395	23271	110666
BaLA painting	4000	90	17	0	107	107
Coding Club Project	4700	0	5869	220	5649	5869
Digital Class Room(R&M)	80906	80906	0	80906	0	80906
GDVV	25	17	8	17	8	25
Improving Learning Outcome	13000	7360	2820	4934	5246	10180
Need based support	4600	3750	3820	0	7570	7570
Para Teacher Support	2500	0	2360	0	2360	2360
Prevocational Courses	1200	1200	33	1200	33	1233
Scholarship- Varshamedi	1	1	0	1	0	1
School RO plant	2500	2104	0	0	2104	2104
Vocational LAB	350	287	24	117	194	311

Gujarat Project wise Overview



Programme	Target	Q1 Achieved	Q2 Achieved	Total Old	Total New	Total Achieved
Mega Health camp	0	0	0	0	0	0
Mobile Medial Unit	21000	5276	5465	0	10741	10741
Preventing Healthcare	55000	15614	14349	14813	15150	29963
WelSwashthya	76000	20890	19814	14813	25891	40704
Agri & AH Project	14000	1962	3432	5214	180	5394
Bio Gas Project	150		30	0	30	30
Natural Farming	3000	242	280	220	302	522
WelNetrutva	17150	2204	3742	5434	512	5946
WelPrakruti	150		150	0	150	150
WelPrakruti	150		150	0	150	150
We Volunteer	500		251	0	251	251
We Volunteer	500		251	0	251	251

Preventive Healthcare Programme




65 villages outreach in Gujarat- 25-26 (Anjar 30 & Vapi 35 villages)

	Outreach type	Target	Achieved
1	Outreach :population	40,000	29963
	New beneficiaries		15150
2	Anaemia treated/ under treatment/ awareness	5000	2965
3	Malnutrition treated /Under treatment/ awareness	5000	586
4	TB & substance abuse outreach	5000	10552
5	RTI & cancer outreach	1000	2866
6	Hypertension & Diabetes outreach	2500	8445

	Mobile medical unit (26 villages in Anjar)	Targets 25-26	Achieved
1	Patient outreach	20,000	10741
2	Awareness on Communicable & Non communicable illness	2500	957
3	Follow up	2000	648

Activity	Total
School session/ Students covered	3,654
Awareness Session	1,765
One to one awareness session	1,525
Numbers of group sessions	34
Follow-ups	461
MAMTA Diwas -ANC/ PNC	205
Recipie demonstration/competition	278
One to one Meeting with Stakeholders and FLHWs	139
Special Health Day : HT, MHHM, No tobacco, yoga day, world environment day /camp/ nutrition month /diet diversity	2,449
Numbers of Meetings conducted with partner NGO	45
Street plays/ Nukad natak	1,594

Gujarat WelShiksha Glimpses



Gujarat WelNetrutva Glimpses



Gujarat WelSwashthya Glimpses



Vapi We Volunteer Tree Plantation Drive



As part of our green initiative "**Ek Ped Maa Ke Naam**", WeVolunteer successfully planted **100 ornamental shrubs and trees** in **Morai village**, in collaboration with the **Forest Department**.

All saplings were provided **free of cost**, emphasizing our shared commitment to environmental sustainability and community well-being.



Vapi We Volunteer



A powerful initiative launched by **Macy's**, in partnership with **Planet Water Foundation** and **Welspun, Vapi**.

The **Aqua Tower Project** was created to provide clean water and promote hygiene education at the **Government Primary School in Kakwadi, Valsad**



Nurturing Growth: “Punam” Journey to Health and Well-being with Nutrition Supplements provided Under Project WelSwasthya



Punam, a 4-year-old girl from Dudhai village, was found to be **moderately malnourished** during a home visit by the WelSwasthya team. Her mother, Sejuben, was concerned about Punam’s frequent illnesses and poor diet.

With support from Community Mobilizer Ms. Axita, Punam received nutritional supplements and her mother was guided on preparing balanced, home-cooked meals. Over the next few months, Punam’s health improved significantly.

By September, Punam’s weight increased to 15 kg, placing her in the normal category. Her mother was delighted with the progress, and Punam is now healthier and more active.



Nurturing Growth: “Arushi” Journey to Health and Well-being with Nutrition Supplements provided Under Project WelSwasthya



Arushi, a 4-year-old girl from Khirsara village, was identified with **moderate acute malnutrition** during a home visit by Ms. Kajal from the WelSwasthya team. Her mother, Lakshmiben, shared concerns about Arushi’s poor appetite and frequent illnesses.

With support from the WelSwasthya project, Arushi received nutritional supplements and her mother was guided on preparing balanced, home-cooked meals. Over time, Arushi’s health improved—she started eating better and gained weight.

By September, Arushi’s **weight increased to 16 kg**, placing her in the normal category. Her mother was overjoyed with the progress, and Arushi is now healthier and more active.





Restoring Strength: A Calcium Deficiency Success Story



Rohamatben/56 , Navagam, A middle-aged woman from a farming family had been struggling with persistent fatigue, joint pain, and muscle cramps for over six months. Despite managing household work, **she felt unusually tired and had developed tingling in her hands and legs.**

During a health screening, she was diagnosed with calcium deficiency, likely due to poor dietary intake, low sunlight exposure, and a sedentary lifestyle. With no history of chronic illness, her condition was linked to lifestyle and nutritional gaps.

She was advised to take Calcium 500 mg daily for six months, along with dietary changes and sun exposure. Pain relief was provided with diclofenac + paracetamol as needed.

After following the treatment and lifestyle advice, her symptoms gradually improved. **She regained energy, reduced joint pain, and began engaging more actively in daily life.**

Her story highlights the importance of early diagnosis, nutritional awareness, and community health support in managing micronutrient deficiencies.

Animal Husbandry : She built her path to prosperity



Beneficiary Name: Geetaben Shamjibhai Loncha

Project support: Rs. 9000 supported as a revolving fund.

Activity: Cow rearing.

Background:

January 2023: Geetaben started her dairy journey with Rs. 9,000 support from Welspun.

Purchased 1 cow (cost Rs. 16,000) by contributing Rs. 6,000 herself.

Journey & Outcome:

She sold milk from the cow and used the money earned to grow her dairy business.

In a short time, Geetaben expanded to 4 cows, and now 3 female calves. With careful care and reinvestment, she created a steady source of income.

Impact:

Demonstrates how small financial aid can empower women entrepreneurs. Geetaben aims to further expand her dairy unit for stable income growth.



Press Note



અંજાર ખાતે વેલસ્પન ફાઉન્ડેશન દ્વારા પોષણ અને સ્વચ્છતાની જાગૃતિ પર ખાસ ભાર મૂકી 'મમતા દિવસ' ઉજવણી કરી

વેલસ્પન ફાઉન્ડેશન દ્વારા અંજાર ખાતે પોષણ અને સ્વચ્છતાની જાગૃતિ પર ખાસ ભાર મૂકી 'મમતા દિવસ' ઉજવણી કરી. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી સેન્ટર્સમાં જાગૃતિ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી સેન્ટર્સમાં જાગૃતિ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી સેન્ટર્સમાં જાગૃતિ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં.



શૈક્ષણિક વિકાસને ટેકો આપવા માટે વેલસ્પન ફાઉન્ડેશન ફટિખદ્દ

વેલસ્પન ફાઉન્ડેશન દ્વારા શૈક્ષણિક વિકાસને ટેકો આપવા માટે ફટિખદ્દ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી સેન્ટર્સમાં જાગૃતિ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી સેન્ટર્સમાં જાગૃતિ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં.

તાજેતરના સમયમાં આયોજવામાં આવેલા કાર્યક્રમો

વેલસ્પન ફાઉન્ડેશન દ્વારા તાજેતરના સમયમાં આયોજવામાં આવેલા કાર્યક્રમો. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી સેન્ટર્સમાં જાગૃતિ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી સેન્ટર્સમાં જાગૃતિ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં.

વેલ સ્વસ્થ્ય અંતર્ગત કમળો દૂર કરવા માટેનો સ્વાસ્થ્ય અંજાર તાલુકાનાં ગામોમાં આરોગ્ય અને પોષણ જાગૃતિ માટે કાર્યક્રમો

૧૪ ગામોમાં ૧૦૪ ધાબલોને પેટીન પાયર અને સ્ટીલિંગ પુસ્તક ગ્રામ્ય

વેલસ્પન ફાઉન્ડેશન દ્વારા અંજાર તાલુકાનાં ગામોમાં આરોગ્ય અને પોષણ જાગૃતિ માટે કાર્યક્રમો આયોજવામાં આવ્યાં હતાં. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી સેન્ટર્સમાં જાગૃતિ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં.



અંજાર ખાતે વેલસ્પન ફાઉન્ડેશન દ્વારા પોષણ અને સ્વચ્છતાની જાગૃતિ પર ખાસ ભાર મૂકી 'મમતા દિવસ' ઉજવણી કરી

વેલસ્પન ફાઉન્ડેશન દ્વારા અંજાર ખાતે પોષણ અને સ્વચ્છતાની જાગૃતિ પર ખાસ ભાર મૂકી 'મમતા દિવસ' ઉજવણી કરી. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી સેન્ટર્સમાં જાગૃતિ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં.

દિવ્ય ભુજ 07-10-2025

પાંતિયા ખાતે રસાયણમુક્ત ખેતી અંગે 50 થી વધુ ખેડૂતોને માર્ગદર્શન આપ્યું

વેલસ્પન ફાઉન્ડેશન દ્વારા કૃષિ સેમિનારમાં ખેડૂતોને આગ લીધી. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી સેન્ટર્સમાં જાગૃતિ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી સેન્ટર્સમાં જાગૃતિ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં.

દિવ્ય ભુજ 24-07-2025

વેલશિક્ષા વાપી કાર્યક્રમને શિક્ષણક્ષેત્રે વિશિષ્ટ સોગદાન બદલ મંત્રીએ બિરદાવ્યું

વેલસ્પન ફાઉન્ડેશન દ્વારા વેલશિક્ષા વાપી કાર્યક્રમને શિક્ષણક્ષેત્રે વિશિષ્ટ સોગદાન બદલ મંત્રીએ બિરદાવ્યું. આ કાર્યક્રમમાં સ્થાનિક સ્કૂલો અને કમ્યુનિટી સેન્ટર્સમાં જાગૃતિ કાર્યક્રમો આયોજવામાં આવ્યાં હતાં.



फा.सं. एलबी-2021/7/99/इंस्टलैब-एचओ-सीपीसीबी-एचओ / प्राइवेट / 65
मान्यता पत्र

02 अप्रैल 2025

सेवा में,

प्रयोगशाला प्रमुख,
मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन),
प्लॉट नंबर 19/20, नॉर्थ स्टार नेस्ट स्कूल के पास,
मासूम स्कूल रोड, मोटा मावा,
राजकोट-360005, गुजरात।

विषय: पर्यावरण(संरक्षण) अधिनियम, 1986 के अंतर्गत पर्यावरणीय प्रयोगशाला के रूप में मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन), प्लॉट नंबर 19/20, नॉर्थ स्टार नेस्ट स्कूल के पास, मासूम स्कूल रोड, मोटा मावा, राजकोट-360005, गुजरात की मान्यता के बारे में।

महोदय,

केन्द्रीय प्रदूषण नियंत्रण बोर्ड(के.प्र.नि.बोर्ड) को पर्यावरण(संरक्षण) अधिनियम, 1986 के अंतर्गत पर्यावरण प्रयोगशालाओं की मान्यता के लिए दिशानिर्देशों के निबंधन और शर्तों की स्वीकृति के साथ आपके दिनांक 17/02/2025 के प्रस्तुत आवेदन के संदर्भ में, के.प्र.नि.बोर्ड के सक्षम प्राधिकारी ने पर्यावरण प्रयोगशाला और सरकार के विश्लेषक की मान्यता को अनुमोदन प्रदान किया है। तत्पश्चात, मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन), प्लॉट नंबर 19/20, नॉर्थ स्टार नेस्ट स्कूल के पास, मासूम स्कूल रोड, मोटा मावा, राजकोट-360005, गुजरात को भारत की राजपत्र अधिसूचना में प्रयोगशाला की अनिवार्य प्रत्यायन/प्रमाणन की वर्तमान अपेक्षा को ध्यान में रखते हुए दिनांक 29/03/2028(तीन साल) तक आईएसओ/ आईईसी 17025 और आईएस/आईएसओ 45001 की वैधता के साथ अधिसूचित किया जाएगा।

2. निम्नलिखित विश्लेषकों को सरकारी विश्लेषक के रूप में अनुमोदित किया गया है:

1. सुश्री श्वेता कमलेशभाई धनानी
2. श्री पार्थ महेशभाई गोधानी

3. प्रयोगशाला अनिवार्य रूप से स्वीकृत निबंधन और शर्तों का पालन करते हुए निम्नलिखित परीक्षणों करेगी:

- क. **भौतिक परीक्षण:** चालकता, रंग, पीएच, स्थिर और वाष्पशील ठोस, कुल ठोस, कुल विलीन ठोस, कुल निलंबित ठोस, आविलता, तापमान, वेग एवं निर्वहन औद्योगिक बहिःस्राव धारा का विसर्जन मापन, फ्लोक्यूलेशन टेस्ट (जार टेस्ट), गंध, लवणता, निपटान योग्य ठोस और आपक वॉल्यूम इंडेक्स (एसवीआई)।
- ख. **अकार्बनिक (सामान्य और गैर-धात्विक):** अम्लता, क्षारीयता, अमोनिकल नाइट्रोजन, क्लोराइड, क्लोरीन अवशिष्ट, विलीन ऑक्सीजन, फ्लोराइड, कुल कठोरता, कुल केजेल्डहल नाइट्रोजन (टीकेएन), नाइट्राइट नाइट्रोजन, नाइट्रेट नाइट्रोजन, फॉस्फेट, सल्फेट, कार्बन डाइऑक्साइड, क्लोरीन डिमांड, साइनाइड, आयोडीन, सिलिका, सल्फाइड और सल्फाइड।
- ग. **अकार्बनिक (सूक्ष्म मात्रिक धातु):** बोरॉन, कैडमियम, कैल्शियम, टोटल क्रोमियम, क्रोमियम हेक्सावैलेंट, तांबा, लोहा, सीसा, मैग्नीशियम, पारा, निकल, पोटेशियम, सोडियम, सोडियम अवशोषण अनुपात (एसएआर), जिंक, आर्सेनिक, एल्युमीनियम, बेरियम, कोबाल्ट, मैंगनीज, सिल्वर और स्ट्रॉटियम।
- घ. **ऑर्गेनिक्स (सामान्य) और ट्रेस ऑर्गेनिक्स:** बायोकेमिकल ऑक्सीजन डिमांड (बीओडी), रासायनिक ऑक्सीजन डिमांड (सीओडी), तेल और ग्रीस, फेनोलिक यौगिक, कीटनाशक (प्रत्येक) (ऑर्गेनो-क्लोरीन और ऑर्गेनो नाइट्रोजन-फॉस्फोरस), कार्बन/नाइट्रोजन अनुपात, ऑर्गेनिक कार्बन (ठोस में), पॉली-क्लोरीनेटेड बाइफेनाइल (पीसीबी) (प्रत्येक), पॉलीन्यूक्लियर एरोमैटिक हाइड्रोकार्बन (पीएच), सर्फैक्टेंट, टैनिन & लिग्निन और टोटल ऑर्गेनिक कार्बन (टीओसी)।
- ङ. **सूक्ष्म जीवविज्ञान परीक्षण:** टोटल कोलीफॉर्म, फीकल कोलीफॉर्म, ई.कोली, फीकल स्ट्रेप्टोकोक्की और टोटल प्लेट काउंट।
- च. **आविष विज्ञानी परीक्षण:** मछली का उपयोग करके विषाक्तता के मूल्यांकन के लिए जैव परख विधि (100% प्रवाह में 96 घंटे के बाद मछली का 90% जीवित रहना), डैफ़निया या अन्य जीव का उपयोग करके विषाक्तता का मापन और ज़ेबरा मछली (आयाम रहित विषाक्तता परीक्षण) का उपयोग करके विषाक्तता कारक का मापन।

जारी.

‘परिवेश भवन’ पर्वी अर्जुन नगर, दिल्ली-110032

Parivesh Bhawan, East Arjun Nagar, Delhi-110032

दूरभाष/Tel : 43102030, 22305792, वेबसाइट/Website : www.cpcb.nic.in

- छ. **जैविक परीक्षण:** बैक्थिक जीव की पहचान और गणना, मैक्रोफाइटिक पहचान, प्लवक पहचान गणना और क्लोरोफिल।
- ज. **परिसंकटमय अपशिष्ट का लक्षण वर्णन:** निक्षालक (टीसीएलपी अर्क/जल अर्क) तैयार करना, संक्षारकता, ज्वलनशीलता (फ्लैश प्वाइंट), विषाक्तता और अपशिष्ट & निक्षालक में भारी धातुओं/पीड़कनाशियों का मापन।
- झ. **मृदा/आपंक/तलछट और ठोस अपशिष्ट:** बोरॉन, कटियन एक्सचेंज क्षमता (सीईसी), विद्युत चालकता, नाइट्रोजन (उपलब्ध), कार्बनिक कार्बन/पदार्थ (रासायनिक विधि), पीएच, फास्फोरस (उपलब्ध), फॉस्फेट (ऑर्थो), फॉस्फेट (कुल), पोटेशियम, मृदा के अर्क में एसएआर, सोडियम, मृदा की नमी, टीकेएन, कैलोरी मान, अमोनिया, कैल्शियम, कैल्शियम कार्बोनेट, क्लोराइड, रंग, विनिमेय सोडियम प्रतिशत (ईएसपी), जिप्सम आवश्यकता, भारी धातु, मैग्नीशियम, यांत्रिक मृदा विश्लेषण, नाइट्रेट, नाइट्राइट, पोटेश (उपलब्ध), सल्फेट, कुल कार्बनिक कार्बन (टीओसी), कुल पानी में घुलनशील नमक और जल धारण क्षमता।
- ञ. **परिवेशी वायु/पलायक उत्सर्जन:** नाइट्रोजन डाइऑक्साइड (एनओ₂), सल्फर डाइऑक्साइड (एसओ₂), कुल निलंबित विविक्त कण, श्वसन योग्य निलंबित कण पदार्थ (पीएम₁₀), अमोनिया, कार्बन मोनोऑक्साइड, क्लोरीन, फ्लोराइड, सीसा, मीथेन, ओजोन, बेंजीन टोल्यूनि ज़ाइलीन (बीटीएक्स), पॉलीसाइक्लिक एरोमैटिक हाइड्रोकार्बन (पीएच) बेंजो-ए-पाइरिन और अन्य, पीएम_{2.5} और वाष्पशील कार्बनिक कार्बन।
- ट. **चिमनी गैस/स्रोत उत्सर्जन:** पार्टिकुलेट मैटर, सल्फर डाइऑक्साइड, वेग और प्रवाह, कार्बन डाइऑक्साइड, कार्बन मोनोऑक्साइड, तापमान, ऑक्सीजन, नाइट्रोजन के ऑक्साइड, एसिड धुंध, अमोनिया, क्लोरीन, फ्लोराइड (पार्टिकुलेट), फ्लोराइड (गैसीय) और हाइड्रोजन सल्फाइड।
- ठ. **रव (शोर) स्तर:** शोर स्तर माप (20 से 140 डीबीए) और परिवेश रव & स्रोत विशिष्ट रव।
- ड. **मौसम संबंधी:** परिवेश का तापमान, हवा की दिशा, हवा की गति, सापेक्ष आर्द्रता और वर्षा।
4. प्रयोगशाला और विश्लेषकों की क्षमता का पता लगाने के लिए प्रयोगशाला को के.प्र.नि.बोर्ड द्वारा आयोजित विश्लेषणात्मक गुणवत्ता नियंत्रण एक्जूसी (अभ्यास में अनिवार्य रूप से भाग लेना होगा। प्रयोगशाला किए गए नमूना विश्लेषण पर के.प्र.नि.बोर्ड को तिमाही प्रगति रिपोर्ट प्रस्तुत करेगी।
5. अधिसूचना के अनुसार, एक संयुक्त दल द्वारा मान्यता प्राप्त पर्यावरण प्रयोगशाला का औचक निरीक्षण/आवधिक निगरानी उस के उचित कामकाज, व्यवस्थित प्रचालन और प्रयोगशाला में तैयार किए गए आंकड़ों की विश्वसनीयता का निर्धारण करने के लिए की जाएगी।
6. प्रयोगशाला के पास नियमानुसार ISO/IEC: 17025)2017 (और IS/ ISO: 45001 का अपेक्षित प्रत्यायन और प्रमाण पत्र होना चाहिए। यह मान्यता यथा लागू प्रत्यायन और नवीनीकरण के अधीन है और किसी भी निबंधन और शर्तों के गंभीर गैर-अनुपालन के मामले में, प्रयोगशाला को न्यूनतम दो साल की अवधि के लिए ब्लैकलिस्ट किया जा सकता है और सरकार की ओर से अनधिकृत तरीके से कार्य करने के लिए, यथा लागू सिविल/आपराधिक कार्यवाही शुरू की जा सकती है।
7. मैसर्स रॉयल एनवायरनमेंट ऑडिटिंग एंड कंसल्टेंसी सर्विस (लैबोरेटरी डिवीजन), राजकोट, गुजरात को संबंधित अनिवार्य प्रत्यायन/प्रमाणीकरण के साथ मान्यता की समाप्ति से पूर्व केंद्रीय प्रदूषण नियंत्रण बोर्ड के वेबपोर्टल (<https://cpcbepalab.in/epalab>) का उपयोग कर के ऑनलाइन मान्यता के नवीनीकरण के लिए आवेदन करना अपेक्षित है।

भवदीय,

K. R. 2/4/25

(डॉ. के. रंगनाथन)

वैज्ञानिक-ई एवं प्रभागप्रमुख
उपकरणीय प्रयोगशाला

डॉ. के. रंगनाथन / Dr. K. Ranganathan
वैज्ञानिक 'ई' / Scientist 'E'
प्रभाषी जल एवं उपकरणीय प्रयोगशाला
Div. Head-Water & Instrumentation Laboratory
केंद्रीय प्रदूषण नियंत्रण बोर्ड
Central Pollution Control Board
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार
(Mo Environment, Forest & Climate Change, Govt. of India)
परिवेश भवन, पूर्वी अर्जुन नगर, दिल्ली-110032
Parivesh Bhawan, East Arjun Nagar, Delhi-110032

Certificate of Accreditation by NABL



National Accreditation Board for
Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

ROYAL ENVIRONMENT AUDITING & CONSULTANCY SERVICE (LABORATORY DIVISION)

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

PLOT NO. 19/20, MASOOM SCHOOL ROAD, MOTA MAUVA, RAJKOT, GUJARAT, INDIA

in the field of

TESTING

Certificate Number: TC-15048

Issue Date: 06/12/2024

Valid Until: 05/12/2028

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.
(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity: Royal Environment Auditing & Consultancy Service

Signed for and on behalf of NABL



N. Venkateswaran
Chief Executive Officer